



Great Britain
EXPRESS PRICE LIST 2025

Ceramic colours

Glossy colours




01 White Alpine

Metal surfaces



61 Chrome-plated

Furniture colours

Front Colour			Body Colour		
MS = White Matt	VS = White	VE = Brilliant White	VT = Grey	RH = Kansas Oak	RK = Stone Oak
					
					
ARCHITECTURA	ARCHITECTURA	AVENTO	ARCHITECTURA	ARCHITECTURA AVENTO	AVENTO
VH = Arizona Oak	VJ = Nordic Oak	VL = Volcano Black	VR = Graphite		
					
					
AVENTO	ARCHITECTURA AVENTO	AVENTO	AVENTO		

Symbols

-  suitable for 3-hole tap fittings, central tap hole punched out
-  suitable for two 3-hole tap fittings, central tap holes punched out
-  suitable for 1-hole tap fittings, tap hole punched out
-  suitable for two 1-hole tap fittings, tap holes punched out

-  with overflow
-  without overflow (unclosable outlet valve must be used with models without overflow)
-  suitable for 1-hole tap fittings, tap hole punched out on left, tap hole on right pre-punched
-  suitable for 1-hole tap fittings, tap hole punched out on right, tap hole on left pre-punched

Icons

Bath ceramic

-  Invisible fastening for trap covers
-  ViConnect WC-element
-  CombiPack set
-  WC rimless
-  Toilet: Flushing system with swirl technology at a revolutionary price
-  SlimSeat: delicate toilet seat
-  WC with water-saving system AQUAREDUCT: flush volume: 3 / 4,5 litres

Wellness

-  Material: Quaryl®

INDEX

INDEX

SANITARY WARE & FURNITURE	
Architectura	12
Avento	28
More to See Lite	35
More to See One	38
My View Lite	40
O.Novo	42
Reflection	54
ViConnect Installation systems	56
BATHS	64
Architectura	65
O.Novo	75
Theano	77
TAPS	81
Architectura	83
Architectura Square	87
Elements - Striking	92
Elements - Tender	97
O.novo	103
O.novo Start	107
Verve Showers	111
Universal Showers	113
Universal Taps & Fittings	118
Shower Packs	122

IMPORTANT NOTE

Sanitaryware & Bathroom Furniture

Price list 2025 replaces all earlier price lists. It applies to all deliveries as of January 1st, 2025.

Shades and dimensions subject to the usual tolerances. We reserve the right to make technical modifications to the range and alter colours.

This document may only be reproduced or copied in full or in part in any form with the producer's permission.

Price information

The prices given in this price list are recommended prices in GBP and are valid from 1st of January 2025. All prices are subject to VAT.

They do not represent the manufacturer's recommended retail price (RRP), which may differ from the accounting price.

We reserve the right to make (price) changes; prices are subject to printing errors. Claims arising from incorrect prices and descriptions shall not be considered.

All offers, sales and deliveries of sanitaryware, bathroom furniture as well as accessories are subject to our "General Sales Conditions".

The prices of all washbasin models and bidets only cover the ceramics.
The tap fittings and soap dispensers shown are not included in these prices.
The prices of furniture / furniture elements do not include the ceramics.

Sanitaryware

The ceramic materials used by Villeroy & Boch are very robust. They are capable of withstanding all temperature strain caused by hot or cold water or steam.

The glazed surfaces of Villeroy & Boch's sanitary ceramics are scratch-resistant and able to withstand all soap-water solutions and acids generally arising in the sanitary area. This does not include hydrofluoric acid or compounds. Nor is the surface affected by organic solvents and

Wellness

General

All Villeroy & Boch baths and shower trays are manufactured from top quality bathroom acrylic reinforced with glass fibre, or from the unique Quaryl®. Quaryl® is a synthetic material developed by Villeroy & Boch which is cast in moulds, therefore very exact designs can be produced. The synthetic material is coloured all the way through and retains its colour and shine for many years.

Design

Acrylic and, in particular, Quaryl® can be formed into all sorts of shapes very easily so that innumerable bathroom designs are possible. There is a suitable bath for all bathrooms: rectangular, hexagonal, oval or corner bath. From modern and minimalist to royal and comfortable with handgrips and headrests. You will always feel at home in a Villeroy & Boch bath.

Temperature take-up

The material, be it acrylic or Quaryl®, takes on the temperature of the bath water almost immediately. This has the big advantage that you will not receive a cold shock when you lie down in the bath or step into the shower.

Heat insulation

Acrylic and Quaryl® conduct heat slowly. Therefore the heat from the bath water is retained longer. This insulating capacity has the added advantage that the bath does not have to be continually topped up with hot water.

Maintenance

The surfaces of acrylic and Quaryl® have no pores so they repel bacteria. Dirt, limescale and soap residue are virtually unable to gain a hold on the material, so that maintenance is restricted to wiping down with a wet cloth or sponge and the use of a non-scouring cleanser. We advise you to rinse out the whirlpool systems once a month with washing soda, particularly if bath oils are used. Our shower cabins are best cleaned using liquid soap.

Safety & hygiene

Villeroy & Boch whirlpools meet the highest standards of safety and hygiene. To assure hygiene, some models are equipped with special jets or have a fully automatic cleaning system, which automatically engages when the bathwater has drained. The pipes are then dried by air. The blowing-dry can also be performed manually, for example, if water has entered the system while the bathtub is being cleaned. To guarantee safe operation, all water-carrying whirlpools are equipped with a special hair trap, which stops water suction if the drain is blocked. To prevent the whirlpool from being switched on when there is no water in the tub, all systems feature dry-run protection that operates by means of a level sensor. The Whisper systems carry the KEMA test mark and of course the CE logo as well.

Cleaning and hygiene

Villeroy & Boch whirlpools are very easy to clean. After use, the bathtub should be rinsed with clean water and dried with a cloth. All jets can be disassembled at any time for cleaning, using

intensive agents.

The symbols for the tap hole and overflow are explained on the fold-out cover page.

Furniture

The bathroom furniture programmes from Villeroy & Boch feature high-quality materials and craftsmanship. Our own production facility in Germany guarantees a uniform high quality. Furniture may only be assembled by a qualified professional in accordance with the assembly instructions enclosed and using the attachment materials supplied.

Further information, such as 2D/3D data or brochures, is available to download from the company website.



These products are always in stock

Produced to order:

Delivery period 6 - 8 weeks. Please note that it is not always possible to cancel or change orders!

Warranty

The statutory warranty period applies for all Villeroy & Boch products:

- Bathroom ceramics 2 or 5 years
- Bathroom furniture 2 years
- ViConnect and ViClean 2 years
- Toilet seats, accessories 2 years

Further technical information is to be found at www.villeroy-boch.com

the equipment provided. We recommend mild detergents that will gently clean the surface of the jets. It is highly recommended not to use bath products containing oil, but bath salts, etc. can safely be used, as long the salt dissipates. To achieve optimal hygiene in the pipes, we recommend rinsing the whirlpool once a month with a cleaner.

Material

Acrylic and Quaryl® are very durable materials which, when correctly maintained, keep their colour and shine for many years. Quaryl® is partly composed of natural materials. One of the characteristics of Quaryl® is that, in exceptional cases, small irregularities may appear in its structure. Scratches in acrylic materials are seldom. Naturally light damage or burn marks can occur, but these can be very easily removed from acrylic by using fine sandpaper (no. 1000 to 1200) and a small piece of fine steel wool. After this shining colour surfaces must be further treated with a car polish compound to reproduce the original lustre. It is also possible to repair damage to Quaryl®. We advise you to contact our professional service department if any of your Quaryl® product become damaged.

Warranty

The statutory warranty period applies for all Villeroy & Boch products:

- Baths, shower trays made from acrylic and Quaryl® 5 years
- Whirlpool systems and technical components 2 years
- Accessories and tap fittings 2 years

In addition, we offer a 10-year guarantee on all baths and shower trays made from acrylic or Quaryl® in accordance with the relevant warranty conditions.

Price information

The prices given in this price list are recommended prices in GBP and are valid from 1st of January 2025. All prices are subject to VAT.

We reserve the right to make (price) changes and to correct printing/typing errors. No rights can be derived from errors made in prices and descriptions.

All prices excl. VAT.

GENERAL SALES CONDITIONS OF VILLEROY & BOCH AG

Bathroom and Wellness Division – Status March 2024

I. General

1. These General Terms and Conditions of Sale and Delivery (hereinafter referred to as "conditions of sale") shall apply to all – i. e. also to future – quotations, supply and other performance by Villeroy & Boch AG, Saarferstraße 1-3, 66693 Mettlach, including all its branches and group companies (hereinafter referred to as "we", "us" or "ourselves"), to customers who are not consumers within the meaning of § 13 of the German Civil Code BGB (hereinafter referred to as "purchasers"; the purchaser and ourselves taken together also being referred to hereinafter as "the parties").

2. These conditions of sale shall, unless any other provision is expressly made, apply for the entire duration of the business relationship without its being necessary for us to make specific reference to the fact. The terms and conditions of the purchaser shall not apply unless expressly recognised by ourselves in writing. These conditions of sale shall also apply if we deliver without reservation notwithstanding knowledge of sales conditions of the purchaser at variance with our General Terms and Conditions.

3. All arrangements agreed between ourselves and the purchaser upon conclusion of the contract shall be set down in writing in full. Our employees are not authorised to provide any verbal undertakings which deviate from the written contractual agreement.

II. Quotations

1. Unless designated as binding in their text, our quotations shall be non-binding and without obligation and shall not place us under any obligation to accept a given order.

2. Cancellation is possible only with our consent, save where statutory rights of cancellation or rescission apply on the part of the purchaser. Our consent to a cancellation shall be contingent upon the purchaser bearing all costs and expenses accruing up to the time of cancellation and any losses which we may incur in this connection (e.g. loss of profit).

III. Prices and deliveries

1. If the parties have not agreed on a price, the price shall always be determined according to our price lists as valid at the time when the contract is concluded. Unless the parties have agreed anything different, the purchaser shall, in addition to all prices in accordance with the price lists.

2. In the event of any increases in costs pertaining to the object of the contract amounting to 5 % or more compared to the costs as apply at the time of conclusion of the contract, where such increases are not specifically foreseeable and where we bear no responsibility for such increases we shall be entitled to pass on the increased costs by proportionately raising the agreed price at our reasonable discretion (price adjustment). Such price adjustment may relate to manufacturing, wage, material, storage, energy and freight costs, insurance premiums and public charges. Any increases for a specific cost type shall be applied for the purpose of a price adjustment only to the extent to which such increases are not offset by any declining costs in other areas. We shall furnish evidence of the cost increases pertaining to price increases on request. In the event of a price increase in excess of 10 %, the purchaser shall be entitled to cancel the contract forthwith after receiving notification of the price increase.

3. Deliveries shall be effected on the contractually agreed terms and conditions. In the absence of any express agreement between the parties to the contrary, deliveries shall be effected ex works (EXW according to Incoterms 2020).

4. The delivery dates or periods stated in the order confirmation shall be estimated dates or periods and shall therefore be non-binding. They shall only be binding if confirmed as such in the order confirmation.

5. Unless any other contractual agreement has been made, the delivery period shall begin on receipt of written confirmation of the order.

6. A delivery period or date shall be deemed to have been met if the goods leave our works or warehouse or, as the case may be – if they are to be collected by the purchaser – are ready for collection prior to expiry of said date or period.

7. If a non-binding delivery date or period (referred to here below in

Section 7 as "non-binding delivery period") is not met, we shall be deemed to have defaulted thereon when a grace period has expired and a reminder been received from the purchaser, unless we can prove that we were not responsible for our failure to meet the non-binding delivery period or effect delivery during the grace period. The length of the grace period shall be 1/5 of the nonbinding delivery period. The grace period shall begin on the first working day that follows the end of the delivery period. If the length of the grace period is not an exact number of full days, weeks or months, it shall be rounded off to the nearest full number of days (example: non-binding delivery period 27 days, 1/5 = 5.4 days, grace period = rounded off to 5 days). The non-binding delivery period is determined in accordance with Section III. No. 4.

8. If a delivery period or date is not met for reasons for which we are not responsible, in particular in cases in which we ourselves have received a late or incorrect self-delivery or deliveries, the delivery period shall be extended by a reasonable period. We shall inform the purchaser without delay in such cases. If we are, furthermore, unable to render our performance within said reasonably extended delivery period for reasons for which we are not responsible, we shall inform the purchaser of the fact without delay. In such cases each of the parties shall have the right to rescind the contract within a period of two weeks beginning from the moment when we inform the purchaser. Having exercised said right of rescission we shall reimburse the purchaser without delay for any counter-performance that he may already have rendered. For the rest, the statutory rights and entitlements of the parties shall remain unaffected.

9. We shall be entitled to effect partial deliveries, insofar as this is reasonable for the purchaser.

IV. Packaging

1. Unless any special packaging has been agreed, the goods shall be packaged at our discretion in accordance with the standard commercial methods.

2. The costs of transport packaging (e. g. euro containers, cardboard boxes or crates) shall be invoiced to the purchaser. If goods are shipped in reusable containers a rental charge or circulation fee will be invoiced. The reusable containers are to be returned immediately to the pool via the return shipment logistics system. Any costs resulting from non-compliance with this duty shall be invoiced to the Purchaser. Packaging units will be taken back within the framework of and as governed by the respective statutory regulations.

3. Loading costs are to be borne by the purchaser as shipment costs. If goods are loaded on pooling pallets, we shall accompany the loading procedure at the roadside in direct pallet exchange with the haulage contractor. If haulage contractors or vehicles of the purchaser are used, the purchaser must provide intact interchangeable pallets. Missing pallets will be invoiced to the purchaser.

V. Shipment

1. Goods will be shipped at the expense and risk of the purchaser.

2. The risk shall pass over to the purchaser when the articles to be delivered are handed over to the transport company or to the purchaser himself.

3. Insurance shall only be taken out at the wish and expense of the purchaser.

4. Transport damage is to be reported to the haulier for inspection without delay. The purchaser must ensure that the complaint is noted in the shipment record. The shipment record provided for such cases is to be sent to us without its being necessary for us to request that it be sent.

VI. Terms of payment

1. Unless any other agreement has been made, our claims for payment shall be due in full immediately upon receipt of invoice. The definitive date in determining whether or not payment has been made in due time shall be the date on which payment is actually received.

2. If it becomes apparent to us after conclusion of the contract that there is a risk that the purchaser may not be in a position to fulfil his performance obligations, we shall have the right to insist that outstanding deliveries be effected only against advance payment or the provision of securities. If said advance

payments have not been made or securities not provided after the expiry of a reasonable period set by ourselves, we shall be entitled to rescind all or any of the contracts affected thereby or any part thereof. The period shall be regarded as reasonable if it is at least 10 calendar days, though the purchaser shall also have the option of showing that the period was not reasonable in a given individual case. We shall in particular be entitled as above if it comes to our knowledge that the purchaser has drawn cheques not covered by sufficient funds, if cheques of the purchaser are protested, if an application is made for the institution of insolvency proceedings or if insolvency proceedings are actually instituted: the above notwithstanding our entitlement to assert further rights.

3. Cheques will only be accepted following special agreement and in all cases only as conditional payment. Discount charges, collection fees and all other costs shall be chargeable to the purchaser.

VII. Retention of title

1. We shall reserve ownership of the delivered goods until such time as all payments arising from the existing business association with the purchaser have been received; said reservation refers to the acknowledged balance.

2. The purchaser shall have the right to resell goods subject to retention of title in the normal course of business. The purchaser may neither pledge the goods subject to retention of title nor transfer title of them as security. The purchaser hereby now assigns to us as collateral all claims which accrue to him from the resale in the amount of the final invoice of our claim (inclusive of turnover tax). We hereby accept the assignment. The claims thus assigned to us in advance by the purchaser also relate to the acknowledged balance and, in the case of insolvency of the purchaser, to the existing causal balance. The limit of coverage for the assigned claims shall be 110 % of the realisable value of the goods sold and delivered subject to retention of title. The purchaser shall be empowered to collect the claim. Said empowerment to collect and authorisation to resell may be revoked by us if the purchaser is in breach of any of his material contractual obligations (e.g. default in payment).

3. The Purchaser shall inform us immediately as to any access by third parties to the goods delivered by us subject to retention of title also in the case such access is about to occur. He shall inform third parties attempting (or intending to attempt) to take possession of the goods that the latter are our property. Any costs of interventions (e.g. § 771 of the German Code of Civil Procedure [ZPO]) shall be borne by the purchaser if the third party is not in a position to reimburse us for the judicial and extrajudicial costs.

4. If the purchaser is in breach of any of his material contractual obligations, in particular in cases of default in payment, we shall have the right to repossess the purchase object and to visit the premises of the purchaser for the purpose of so doing. Rescission of the contract is, furthermore, immanent in any such repossession of the purchase object by us. We shall, after repossession, be authorised to exploit the purchase object commercially, whereby the proceeds from such exploitation are to be offset against the liabilities of the purchaser (e.g. damages) – minus reasonable exploitation costs. If the purchaser was culpable in his breach of the obligation that led to the rescission, he shall remit to us lump sum compensation for the return transport of the purchase object in the amount of 5% of the purchase price. This sum may be set higher or lower if we can prove that the loss or damage was in fact greater, or if the purchaser can prove that it was in fact smaller.

5. We shall, for as long as a claim on our part is outstanding, have the right to request information from the purchaser at any time as to which goods delivered under retention of title are still in his possession, where they are, and to which customers the remaining goods supplied by us have been sold, said information relating to quantity, type and number. We shall also have the right to inspect the goods delivered under retention of title on any of the purchaser's premises, wherever the goods may be at any given time.

6. The purchaser shall be under obligation to treat the purchase object with due care and to carry out any necessary servicing and maintenance work at his own expense, to insure our goods against fire and theft at his own expense, and to furnish us on request with proof that said insurance has been taken out.

7. a) Any processing or remodelling of the purchase object by the purchaser will always be carried out on our behalf. If the pur-

GENERAL SALES CONDITIONS OF VILLEROY & BOCH AG

Bathroom and Wellness Division – Status March 2024

chase object is processed with other objects of which we are not the owner, we shall acquire co-ownership of the new thing in proportion of the value of the purchase object (final invoice amount inclusive of turnover tax) to the other processed objects at the time of processing. For the rest, the provisions governing retention of title shall apply correspondingly to the thing created by the processing.

b) As security against our claims against him, the purchaser shall also assign to us the claims which accrue to him against a third party as a result of his combining the purchase object with a plot of land.

8. If the purchaser can prove that the realisable value of the securities exceeds that of the outstanding claims by more than 10%, we shall release the surplus amount if requested to do so by the purchaser.

VIII. Product characteristics

1. We hereby draw attention to the following: On account of differing materials and manufacturing procedures, a series may feature variations in colour, often also depending on the lighting conditions. There may be colour variations related to printing between the prospectus/catalogue illustration and the product. Acidic and/or caustic cleaning agents may cause damage if used incorrectly. Goods labelled "seconds" will be inferior in design and quality to goods labelled "1st choice".
2. We reserve the right to deliver products featuring variations to a reasonable extent in terms of finishing, colour and form in accordance with common practice in the trade.
3. The possible variations in product attributes specified in points 1. and 2. apply primarily to objective requirements pursuant to Section 434 (3) of the German Civil Code (priority of definition of defects as specified in the contract under civil law).
4. If the purchaser makes any subsequent changes to the goods supplied by us, in particular decorations or technical modifications, he shall not be permitted to resell them under our trademark unless we have issued our prior agreement to the changes in writing.

IX. Warranty

1. Unless any other provision is made here below relating to the rights of the purchaser in cases of material and legal defects, the statutory regulations shall apply. In particular, moreover, the stringent special regulations covering final delivery of the goods to a consumer (recourse claims against suppliers in accordance with Sections 478, 445a, 445b of the German Civil Code BGB) shall remain unaffected.
2. We shall be required to furnish and, where applicable, to update digital products and content related to the goods only to the extent expressly arising from a contractual agreement on product quality.
3. Our guarantee is based primarily on the agreement as to product quality (see VIII. Product Quality).
4. § 377 of the German Commercial Code (HGB) shall apply in respect of the inspection of the goods and notification of defects, with the proviso that the period for giving notice of obvious defects shall be five days as from delivery, whilst the period for giving notice of defects that are not obviously discernible shall be five days as from their discovery.
5. If the goods are defective, we shall at our discretion be entitled either to rectify the defects (rectification of defects) or deliver defect-free goods (replacement delivery).
6. The purchaser shall store and handle rejected goods in the correct and proper manner.
7. We shall have the right to examine rejected goods together with an expert or other third party appointed by ourselves for the purposes of appraisal, and if necessary for the purpose of drawing up cost estimates or similar. If the purchaser fails to make the rejected goods available to us for examination within a reasonable period set by ourselves, our liability for the defects shall cease on expiry of said period.
8. Warranty claims on the part of the purchaser such as are oriented toward damages or compensation for futile expenditure may stand as governed in Section X („Liability“), but shall otherwise be excluded.

9. Claims arising from defects shall expire one year after delivery of the goods. Claims for damages due to intent, gross negligence, culpable injury to life, body or health and in the case of assumption of a guarantee (Section 443 of the German Civil Code) shall remain subject to the statutory period of limitation.

For goods which have in accordance with their normal intended use been used in a building and have caused said building to be defective, the period of limitation shall be 5 years as from delivery.

The provision on statutory limitation in Section 445b of the German Civil Code shall remain unaffected within the scope of application specified under IX, sub-section. 1, second sentence.

10. Our liability for defects shall not extend to cover damage caused by normal wear and tear (e. g. metal abrasion or wear caused by abrasive agents), deterioration in surface properties such as was unavoidable according to the accepted engineering standards at the time when the contract was concluded, improper use of the goods, non-compliance with the instructions for cleaning, care or use, or damage caused by the purchaser or a third party or parties.

X. Liability

1. We shall be liable to the purchaser for damages and compensation for expenses, in each case as governed by the statutory regulations, in the following cases (here below in Section X: „Liability“): liability under the German Product Liability Act (ProdHaftG); intent or fraudulent misrepresentation; gross negligence; injury to life, limb or health; cases in which a guarantee has been given by ourselves.
2. We shall also be liable to the purchaser for damages in case of culpable breach of material contractual obligations as governed by the statutory regulations. Material contractual obligations within the meaning of this clause are all obligations the breach of which jeopardises the achievement of the object of the contract and all obligations without the performance of which the contract cannot properly be fulfilled and in compliance with which the purchaser may routinely trust. However, if a material contractual obligation is breached in a way that involves only minor negligence, entitlements of the purchaser to claim for damages shall, as regards the amount, be restricted to typical foreseeable loss or damage, except in the cases covered by sub-section 1.
3. If we default on or fall behind with our performance, the purchaser shall be entitled to claim against us on the basis of that default if his claim is for a contractual penalty or lump-sum compensation incurred within a supply chain in another contractual relationship in that supply chain, but only if he informed us expressly about the risk of such loss or damage prior to the conclusion of the contract. If not, the purchaser shall be entitled to claim for a contractual penalty or lump-sum compensation owed and paid by him as loss or damage caused by default only in the amount of a maximum of 5% of the net value of our order. The above shall apply correspondingly if the purchaser makes a claim against us for indemnification in respect of such contractual penalties or lump-sum compensation. The above limitations of liability shall not apply in the case of intent, gross negligence or culpable injury to life, body or health.
4. For the rest, there shall be no entitlement of the purchaser to claim for damages for whatever cause in law.
5. If our liability is restricted or excluded in accordance with the above provisions, the same shall apply to the personal liability of our legal representatives, employees, non-managerial staff and vicarious agents.

XI. Offset, right of retention

The purchaser shall only be entitled to a right of retention or a right of offset in respect of legally enforceable or uncontested claims. This restriction shall not apply to counter-claims of the purchaser due to defects or partial non-performance of the contract, where such counter-claims are based on the same contract as our claim.

XII. Industrial proprietary rights

All industrial and intellectual property rights relating to our products, shapes, illustrations, installation instructions, reports, data and other records and documents shall remain the property of ourselves or, as the case may be, our respective licensors. No rights of use or exploitation shall be granted to the purchaser

relating to said industrial or intellectual property rights.

XIII. Data protection

1. We will process your personal data (e.g. name, e-mail address, telephone and fax number) solely in accordance with the relevant legal provisions, in particular GDPR. We will use your data solely for the purpose for which you furnish them to us (e.g. for handling orders and payments, for delivery of the goods) and solely for the purposes of carrying out our own business. The relevant legal basis is provided by our legitimate interest in smooth business operations and the implementation of contracts pursuant to Article 6, sub-section 1, letter f of GDPR.
2. A central CRM database helps us manage our relationships with customers, interested parties and partners. The purpose of this database is to enable us to pursue individual customer relations and to respond quickly to inquiries. The relevant legal basis is provided by our legitimate interest pursuant to Article 6, sub-section 1, letter f of GDPR in the fast and efficient processing of inquiries from customers, potential customers and partners, in the support of our processes in the areas of service, sales and marketing by an experienced and reliable partner and in reducing our own scope of work and expenditure with regard to the necessary IT infrastructure. The CRM system technical service provider is based in a third country. Data processing is safeguarded by a processing contract and the standard EU contract clauses agreed with the service provider.
3. Further information concerning matters such as your rights as a data subject and the contact details of our data protection officer are to be found in our data privacy statement at: <https://www.villeroy-boch.de/datenschutz.html>

XIV. Applicability of German law, place of jurisdiction

1. The law of the Federal Republic of Germany shall apply, there being no recourse to the UN Convention on Contracts for the International Sale of Goods (CISG).
2. If the purchaser is a businessman who concludes the contract in the context of a commercial transaction, a legal entity under public law or a separate asset under public law, the place of jurisdiction for all disputes arising from or in connection with the contract shall be the registered office of the Villeroy & Boch group company which concluded the contract. If that company does not have a general jurisdiction venue in the Federal Republic of Germany, the place of jurisdiction shall be the registered office of Villeroy & Boch AG.

XV.

1. The Buyer shall not sell, export or re-export, directly or indirectly, to the Russian Federation or for use in the Russian Federation any goods supplied under or in connection with this terms that fall under the scope of Article 12g of Council Regulation (EU) No 833/2014.
2. The Buyer shall undertake its best efforts to ensure that the purpose of paragraph (1) is not frustrated by any third parties further down the commercial chain, including by possible resellers.
3. The Buyer shall set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of paragraph (1).
4. Any violation of paragraphs (1), (2) or (3) shall constitute a material breach of an essential element of this terms, and Villeroy & Boch shall be entitled to seek appropriate remedies, including, but not limited to:
 - (i) termination of the order; and
 - (ii) a penalty of 25% of the total value of the order or price of the goods exported, whichever is higher
5. The Buyer shall immediately inform the Villeroy & Boch about any problems in applying paragraphs (1), (2) or (3), including any relevant activities by third parties that could frustrate the purpose of paragraph (1). The Buyer shall make available to Villeroy & Boch information concerning compliance with the obligations under paragraph (1), (2) and (3) within two weeks of the simple request of such information.

TWISTFLUSH[e³]

Maximum Vortex power at an attractive price

With the new TwistFlush[e³] toilet flushing system, Villeroy & Boch has developed a special version of vortex flush technology for use in public and commercial sanitary facilities and residential construction projects. TwistFlush[e³] is setting new standards for efficient flushing and resource consumption in these areas.

Evolutionary

- + Advanced vortex flush technology at an attractive price - a real competitive advantage!

Economic

- + Resource-saving reduces flush volume of just 3/4.5 litres of water per flush: no need for repeat flushing
- + Save water and reduce operating costs in the long term! * A company with 1,000 employees can save up to 675,000 litres of water per year. **

Efficient

- + Excellent flushing performance confirmed in the plastic ball test: the requirements of the European flushing standard EN997 were exceeded by factor of 10!*
 - + Complete splash-free coverage of the inner bowl thanks to the precise water flow, powerful vortex and intelligently designed bowl architecture
 - + The strong performance practically eliminates the need for toilet brushes
 - + Cleaning time reduced by 50% thanks to the rimless design! ***
- A company such as Villeroy & Boch can save up to € 16,000 in cleaning costs per year. **

Range

- + TwistFlush[e³] is integrated in the new Architectura wallmounted toilets - available in White Alpin, optionally with AntiBac and CeramicPlus surfaces



* in comparison with a flushing volume of 3/6 litres

**as confirmed by the wfk-Institut für Angewandte Forschung GmbH / WL 4093A/23

*** in comparison with a V&B toilet with rim

VILLEROY & BOCH APP

THE VILLEROY & BOCH APP



CURRENT DELIVERY
INFORMATION AND PRICES



CONFIGURATOR BRINGS
CUSTOMERS' WISHES TO LIFE



DATA SHEETS AND
INSTALLATION INSTRUCTIONS



PRODUCT SUGGESTIONS
TO BOOST SALES



SAMPLE FOLDER CREATED
AUTOMATICALLY



OPTIONAL
OFFLINE MODE



THE SMART TOOL FOR PLANNING AND CONSULTATION

Now you have the full information on Villeroy & Boch bathrooms at your fingertips. A glance at your smartphone, tablet or PC is all it takes to find current dimensions and prices while you're out and about or to configure model variants and check availability while advising customers.



For smartphone, tablet and PC.
Find out more: pro.villeroy-boch.com/villeroybochapp

SANITARYWARE & BATHROOM FURNITURE



ARCHITECTURA

Sanitaryware and Bathroom Furniture

- Matching furniture programme Architectura
- Designed to match all mirror and mirror cabinet collections
- Matching taps programme Architectura
- New wall-mounted toilets with TwistFlush[e³] technology

PRO.VILLEROY-BOCH.COM/TECHNICALDRAWINGS



Ceramic colours



01 = White Alpin

Front- / Body colours



MS = White Matt



VS = White



VT = Grey



RH = Oak
Kansas



VJ = Nordic Oak




ARCHITECTURA

GBP excl. VAT

Registered design

Please order tap fittings separately

WASHBASIN






Article number	Description	01				pcs/ pal.	kg/ pc.
4A87 A5 XX	1000 x 445 mm   	596,-				8	28,9
4A87 A6 XX	1000 x 445 mm   	658,-				8	28,9

wall-mounted, central basin, matching furniture programme: Architectura

5266 00 XX	TRAP COVER fastening set included	105,-				40	8,4
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63				211,-	10	8,1

WASHBASIN






Article number	Description	01				pcs/ pal.	kg/ pc.
4A87 80 XX	800 x 445 mm   	464,-				12	24,3
4A87 82 XX	800 x 445 mm   	526,-				12	24,3

wall-mounted, central basin, matching furniture programme: Architectura

5266 00 XX	TRAP COVER fastening set included	105,-				40	8,4
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63				211,-	10	8,1

WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4A87 60 XX	600 x 445 mm   	192,-				16	17,8
4A87 62 XX	600 x 445 mm   	254,-				16	17,8

wall-mounted, central basin, matching furniture programme: Architectura

5266 00 XX	TRAP COVER fastening set included	105,-				40	8,4
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63				211,-	10	8,1


 XX = Colour code to be indicated
 01 = White Alpin

ARCHITECTURA

GBP excl. VAT


Registered design
Please order tap fittings separately

WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4A87 55 XX	550 x 420 mm ○ ○ ○	153,-				18	16,1
4A87 57 XX	550 x 420 mm X ○	215,-				18	16,1
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63				211,-	10	8,1
wall-mounted, central basin, matching furniture programme: Architectura							
5266 00 XX	TRAP COVER fastening set included	105,-				40	8,4


HANDWASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4385 48 XX	480 x 275 mm ○ ○	107,-				48	8,6

wall-mounted, basin right, no 3-hole tap fitting possible, matching furniture programme: Architectura

HANDWASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4386 48 XX	480 x 275 mm ○ ○	107,-				48	8,6

wall-mounted, basin left, no 3-hole tap fitting possible, matching furniture programme: Architectura


XX = Colour code to be indicated
01 = White Alpin

ARCHITECTURA

GBP excl. VAT

Registered design
Please order tap fittings separately


HANDWASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4387 45 XX	450 x 365 mm 	115,-				24	12,3
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63				211,-	10	8,1

wall-mounted, central basin, no 3-hole tap fitting possible, matching furniture programme: Architectura


HANDWASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4385 36 XX	360 x 265 mm 	103,-				48	6,6

wall-mounted, basin right, no 3-hole tap fitting possible, matching furniture programme: Architectura

HANDWASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4386 36 XX	360 x 265 mm 	103,-				48	6,6

wall-mounted, basin right, no 3-hole tap fitting possible, matching furniture programme: Architectura


XX = Colour code to be indicated
01 = White Alpin

ARCHITECTURA

GBP excl. VAT

Registered design
Please order tap fittings separately


WASHBASIN



Article no.	A	B	C	D	K	L
418860XX	295	600	535	70	295	535
418855XX	300	550	480	70	300	480

Article number	Description	01				pcs/ pal.	kg/ pc.
4188 60 XX	600 x 470 mm   	192,-				16	19,5
4188 55 XX	550 x 470 mm   	153,-				16	18,7
wall-mounted							
5265 00 XX	PEDESTAL	88,-				56	7,9
7264 60 XX	TRAP COVER cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	153,-				45	7,1
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63				211,-	10	8,1


SEMI-RECESSED WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4190 55 XX	550 x 430 mm   	241,-				10	16,5

Semi-recessed

HANDWASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4373 50 XX	500 x 380 mm  	153,-				24	12,9
wall-mounted							
7264 60 XX	TRAP COVER cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	153,-				45	7,1
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63				211,-	10	8,1

XX = Colour code to be indicated
01 = White Alpin


ARCHITECTURA

GBP excl. VAT

Registered design

Please order tap fittings separately


HANDWASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4373 45 XX	450 x 380 mm 	115,-				24	12
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63				211,-	10	8,1

wall-mounted


HANDWASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4373 36 XX	360 x 260 mm suitable for 1-hole tap fittings, tap hole punched out on right 	126,-				48	7

wall-mounted, fastening set included


SURFACE-MOUNTED WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
5A25 45 XX	450 mm Diameter for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area 	307,-				14	12,3

Surface-mounted, incl. fixation set with cutout template

SURFACE-MOUNTED WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
5A26 60 XX	600 x 400 mm for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area 	358,-				10	14

Surface-mounted, incl. fixation set with cutout template

XX = Colour code to be indicated

01 = White Alpin


ARCHITECTURA

GBP excl. VAT

Registered design

Please order tap fittings separately


SURFACE-MOUNTED WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
5A27 60 XX	600 x 405 mm for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area 	358,-				10	16,5

Surface-mounted, incl. fixation set with cutout template


BUILT-IN WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
5A65 45 XX	450 mm Diameter suitable for 1-hole tap fittings, tap hole punched out 	300,-				14	8,1

built-in installation, underside unglazed, incl. template


BUILT-IN WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
5A66 60 XX	600 x 450 mm suitable for 3-hole tap fittings, central tap hole punched out 	354,-				10	11

built-in installation, underside unglazed, incl. template

BUILT-IN WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
5A67 60 XX	600 x 450 mm suitable for 3-hole tap fittings, central tap hole punched out 	354,-				10	12

built-in installation, underside unglazed, incl. template


XX = Colour code to be indicated
01 = White Alpin

ARCHITECTURA

GBP excl. VAT

Registered design
Please order tap fittings separately


UNDERCOUNTER WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
5A75 45 XX	400 mm Diameter without tap hole area 	300,-				10	8

Undercounter, outside surface not glazed, incl. fixation set with cutout template


UNDERCOUNTER WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
5A76 60 XX	570 x 375 mm without tap hole area 	341,-				10	9

Undercounter, outside surface not glazed, incl. fixation set with cutout template

UNDERCOUNTER WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
5A77 60 XX	570 x 370 mm without tap hole area 	341,-				10	10

Undercounter, outside surface not glazed, incl. fixation set with cutout template


XX = Colour code to be indicated
01 = White Alpin

ARCHITECTURA

GBP excl. VAT


Registered design
Please order tap fittings separately

BIDET



Article number	Description	01				pcs/ pal.	kg/ pc.
7487 00 XX	370 x 270 x 530 mm	476,-				16	19,3
wall-mounted, with fastening set for concealed fastening							
9221 48 00	BIDET INSTALLATION SYSTEM 525 x 1120 x 100 mm For further ViConnect models see pages 56-63				319,-	10	10,5

BIDET
previously Omnia Architectura



Article number	Description	01				pcs/ pal.	kg/ pc.
5484 00 XX	370 x 530 mm	476,-				16	20,2
wall-mounted							
9221 48 00	BIDET INSTALLATION SYSTEM 525 x 1120 x 100 mm For further ViConnect models see pages 56-63				319,-	10	10,5

XX = Colour code to be indicated
01 = White Alpin

ARCHITECTURA


GBP excl. VAT

Registered design

Please order tap fittings separately

WASHDOWN TOILET, RIMLESS


TwistFlush[e³]



Article number	Description	01				pcs/ pal.	kg/ pc.
4694 C0 XX	370 x 530 mm	311,-				14	21
wall-mounted, horizontal outlet, incl. fastening set "ViFix", projection: 530 mm, seat height: 410 mm, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves							
98M9 C1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	127,-				72	2,6
98M9 D1 01	TOILET SEAT AND COVER hinges in stainless steel	94,-				90	2,6
8M70 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	127,-				90	3
9M70 S1 01	TOILET SEAT AND COVER SLIMSEAT with QuickRelease and SoftClosing hinges, hinges in stainless steel	168,-				90	3
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63				377,-	10	15,5

WASHDOWN TOILET, RIMLESS

TwistFlush[e³]



Article number	Description	01				pcs/ pal.	kg/ pc.
5684 C0 XX	370 x 530 mm	274,-				14	21
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves							
98M9 C1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	127,-				72	2,6
98M9 D1 01	TOILET SEAT AND COVER hinges in stainless steel	94,-				90	2,6
8M70 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	127,-				90	3
9M70 S1 01	TOILET SEAT AND COVER SLIMSEAT with QuickRelease and SoftClosing hinges, hinges in stainless steel	168,-				90	3
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63				377,-	10	15,5

XX = Colour code to be indicated


01 = White Alpin

ARCHITECTURA

GBP excl. VAT


Registered design
Please order tap fittings separately

WASHDOWN TOILET COMPACT, RIMLESS
TwistFlush[e³]



Article number	Description	01				pcs/ pal.	kg/ pc.
4687 C0 XX	350 x 480 mm	377,-				14	18,5
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves							
9M66 S2 01	TOILET SEAT AND COVER COMPACT with QuickRelease and SoftClosing hinges, hinges in stainless steel	157,-				90	2,7
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63				377,-	10	15,5

WASHDOWN TOILET, RIMLESS
TwistFlush[e³]



Article number	Description	01				pcs/ pal.	kg/ pc.
5685 C0 XX	370 x 530 mm	296,-				14	21
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves							
9M58 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	160,-				72	2,7
9M60 61 01	TOILET SEAT AND COVER hinges in stainless steel	134,-				144	2,6
9M81 S1 01	TOILET SEAT AND COVER SLIMSEAT with QuickRelease and SoftClosing hinges, hinges in stainless steel	188,-				40	2,7
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63				377,-	10	15,5

XX = Colour code to be indicated
01 = White Alpin

ARCHITECTURA


GBP excl. VAT

Registered design

Please order tap fittings separately

WASHDOWN TOILET, RIMLESS

DirectFlush, with concealed fastening




Article number	Description	01				pcs/ pal.	kg/ pc.
4694 R0 XX	370 x 530 mm	311,-				14	24,7

wall-mounted, horizontal outlet, fastening set included, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves

98M9 C1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	127,-				72	2,6
98M9 D1 01	TOILET SEAT AND COVER hinges in stainless steel	94,-				90	2,6
9M70 S1 01	TOILET SEAT AND COVER SLIMSEAT with QuickRelease and SoftClosing hinges, hinges in stainless steel	168,-				90	3
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63				377,-	10	15,5

WASHDOWN TOILET, RIMLESS

previously Omnia Architectura, DirectFlush



Article number	Description	01				pcs/ pal.	kg/ pc.
5684 R0 XX	370 x 530 mm	274,-				14	20,3

wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves

98M9 C1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	127,-				72	2,6
98M9 D1 01	TOILET SEAT AND COVER hinges in stainless steel	94,-				90	2,6
9M70 S1 01	TOILET SEAT AND COVER SLIMSEAT with QuickRelease and SoftClosing hinges, hinges in stainless steel	168,-				90	3
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63				377,-	10	15,5

XX = Colour code to be indicated


01 = White Alpin

ARCHITECTURA

GBP excl. VAT


Registered design
Please order tap fittings separately

WASHDOWN TOILET, RIMLESS
DirectFlush




Article number	Description	01				pcs/ pal.	kg/ pc.
5685 R0 XX	370 x 530 mm	296,-				14	22,3
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves							
9M58 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	160,-				72	2,7
9M81 S1 01	TOILET SEAT AND COVER SLIMSEAT with QuickRelease and SoftClosing hinges, hinges in stainless steel	188,-				40	2,7
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63				377,-	10	15,5

WASHDOWN TOILET COMPACT, RIMLESS
DirectFlush



Article number	Description	01				pcs/ pal.	kg/ pc.
4687 R0 XX	350 x 480 mm	377,-				14	18
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves							
9M66 S2 01	TOILET SEAT AND COVER COMPACT with QuickRelease and SoftClosing hinges, hinges in stainless steel	157,-				90	2,7
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63				377,-	10	15,5

COMBI PACK
DirectFlush




Article number	Description	01				pcs/ pal.	kg/ pc.
4687 HR 01	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC DirectFlush 4687 R0 XX, WC-seat and cover with QuickRelease and Soft-Closing hinges 9M66 S2 01	491,-				14	18

XX = Colour code to be indicated
01 = White Alpin

GBP excl. VAT


Please order tap fittings separately

DirectFlush

ARCHITECTURA

98M9	C1	01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	127,-				72	2,6
98M9	D1	01	TOILET SEAT AND COVER hinges in stainless steel	94,-				90	2,6
9M70	S1	01	TOILET SEAT AND COVER SLIMSEAT with QuickRelease and SoftClosing hinges, hinges in stainless steel	168,-				90	3

DirectFlush



floor-standing, back to wall, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, recommendation: to be installed from the wall at: 15 mm

5787	61	XX	CISTERN water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button, chrome	205,-				24	15,3
5787	71	XX	CISTERN bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	155,-				24	15,3
98M9	C1	01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	127,-				72	2,6
98M9	D1	01	TOILET SEAT AND COVER hinges in stainless steel	94,-				90	2,6
9M70	S1	01	TOILET SEAT AND COVER SLIMSEAT with QuickRelease and SoftClosing hinges, hinges in stainless steel	168,-				90	3

24

ARCHITECTURA

GBP excl. VAT

Registered design

Produced to order (Please note that it is not always possible to cancel or change orders!), The washbasins and taps are to be ordered separately.

Express
DeliveryThese products are always available from stock in the colours: **White Matt (MS), White (VS), Grey (VT)****Front:**

direct-laminated chipboard in MS, VS, VT, RH, VJ (16 mm)

horizontal grain in RH, VJ

interior colour to match décor

Body:

direct-laminated chipboard in MS, VS, VT, RH, VJ (16 mm)

horizontal grain in RH, VJ

interior colour to match décor

Drawers:

SoftClosing feature

Doors:

SoftClosing feature

Handles:

Chrome, attached to the front

Please note:

For further information such as tap fitting positions, installation and fastening dimensions etc. please see the technical drawings.

	VANITY UNIT	VANITY UNIT	VANITY UNIT	VANITY UNIT
				
				
Article number	B895 00 XX	B894 00 XX	B893 00 XX	B892 00 XX
Dimensions (w x h x d)	950 x 520 x 420 mm	950 x 470 x 420 mm	750 x 520 x 420 mm	750 x 470 x 420 mm
Version	washbasin on the middle			
For combination with	Architectura: 4A87 A5		Architectura: 4A87 80	
Equipped with	2 x door	1 x pull-out compartment	2 x door	1 x pull-out compartment
Installation	wall-mounted			
MS, RH, VJ, VS, VT	525,-	549,-	475,-	533,-

	VANITY UNIT	VANITY UNIT
		
		
Article number	B889 00 XX	B888 00 XX
Dimensions (w x h x d)	550 x 520 x 420 mm	
Version	washbasin on the middle	
Hinges		hinges on left
For combination with	Architectura: 4A87 60	
Equipped with	2 x door 1 x open compartment	1 x door
Installation		
MS, RH, VJ, VS, VT	430,-	376,-

XX = Insert front and body colour

MS = White Matt, VS = White, VT = Grey, RH = Oak Kansas, VJ = Nordic

Oak

ARCHITECTURA

GBP excl. VAT

Registered design

Produced to order (Please note that it is not always possible to cancel or change orders!), The washbasins and taps are to be ordered separately.

Express
DeliveryThese products are always available from stock in the colours: **White Matt (MS)**, **White (VS)**, **Grey (VT)**

	VANITY UNIT	VANITY UNIT	VANITY UNIT	VANITY UNIT
				
	Express Delivery	Express Delivery	Express Delivery	Express Delivery
Article number	B888 01 XX	B887 00 XX	B886 00 XX	B886 01 XX
Dimensions (w x h x d)	550 x 520 x 420 mm	550 x 470 x 420 mm	500 x 520 x 397 mm	
Version	washbasin on the middle			
Hinges	hinges on right	-	hinges on left	hinges on right
For combination with	Architectura: 4A87 60		Architectura: 4A87 55	
Equipped with	1 x door	1 x pull-out compartment	1 x door	
Installation	wall-mounted			
MS, RH, VJ, VS, VT	376,-	500,-	359,-	359,-

	VANITY UNIT	VANITY UNIT	VANITY UNIT	VANITY UNIT
				
				
Article number	B885 00 XX	B884 00 XX	B884 01 XX	B883 00 XX
Dimensions (w x h x d)	500 x 470 x 397 mm	430 x 520 x 255 mm		
Version	washbasin on the middle			
Hinges	-	hinges on left	hinges on right	hinges on left
For combination with	Architectura: 4A87 55	Architectura: 4385 48/4386 48		
Equipped with	1 x pull-out compartment	1 x door 1 x open compartment		1 x door
Installation	wall-mounted			
MS. RH. VJ. VS. VT	483.-	355.-	355.-	339.-

	VANITY UNIT	VANITY UNIT	VANITY UNIT	VANITY UNIT
				
				
Article number	B883 01 XX	B882 00 XX	B882 01 XX	B881 00 XX
Dimensions (w x h x d)	430 x 520 x 255 mm	400 x 520 x 345 mm		400 x 470 x 345 mm
Version	washbasin on the middle			
Hinges	hinges on right	hinges on left	hinges on right	-
For combination with	Architectura: 4385 48/4386 48	Architectura: 4387 45		
Equipped with	1 x door			1 x pull-out compartment
Installation	wall-mounted			
MS, RH, VJ, VS, VT	339,-	322,-	322,-	467,-

XX = Insert front and body colour

MS = White Matt, VS = White, VT = Grey, RH = Oak Kansas, VJ = Nordic

Oak

ARCHITECTURA

GBP excl. VAT

Registered design

Produced to order (Please note that it is not always possible to cancel or change orders!), The washbasins and taps are to be ordered separately.

Express
DeliveryThese products are always available from stock in the colours: **White Matt (MS)**, **White (VS)**, **Grey (VT)**

	VANITY UNIT	VANITY UNIT	VANITY UNIT	VANITY UNIT
				
				
Article number	B879 00 XX	B879 01 XX	B880 00 XX	B880 01 XX
Dimensions (w x h x d)	310 x 520 x 243 mm			
Version	washbasin on the middle			
Hinges	hinges on left	hinges on right	hinges on left	hinges on right
For combination with	Architectura: 4385 36/4386 36			
Equipped with	1 x door		1 x door 1 x open compartment	
Installation	wall-mounted			
MS. RH. VJ. VS. VT	306.-	306.-	339.-	339.-

	TALL CABINET	TALL CABINET	TALL CABINET	TALL CABINET
				
				
Article number	B896 00 XX	B896 01 XX	B897 00 XX	B897 01 XX
Dimensions (w x h x d)	350 x 1400 x 346 mm			
Hinges	hinges on left	hinges on right	hinges on left	hinges on right
Equipped with	1 x door 3 x glass shelf		2 x door 1 x open compartment 2 x glass shelf	
Installation	wall-mounted			
MS. RH. VJ. VS. VT	529.-	529.-	570.-	570.-

XX = Insert front and body colour

MS = White Matt, VS = White, VT = Grey, RH = Oak Kansas, VJ = Nordic Oak

AVENTO

Sanitaryware and Bathroom Furniture

- Matching furniture programme Avento
- Designed to match all mirror collections
- Designed to match all mirror cabinet collections
- Matching wellness programme Avento
- Matching taps programme Architectura Square, Architectura, O.novo

PRO.VILLEROY-BOCH.COM/TECHNICALDRAWINGS



Ceramic colours



01 = White Alpin

Front- / Body colours



VE = Brilliant
White



VL = Volcano
Black



VR = Graphite



RH = Oak
Kansas



RK = Stone Oak



VH = Arizona
Oak



VJ = Nordic Oak


Due to the different materials used, there may be variations in colour between the images and the actual products.

AVENTO

GBP excl. VAT


Please order tap fittings separately

DOUBLE VANITY WASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4A23 CK XX	1200 x 470 mm 2x 	1,043,-				8	35,4
wall-mounted, matching furniture programme: Avento							
5244 00 XX	TRAP COVER cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	SmartFix 215,-				40	9,7
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63				211,-	10	8,1

VANITY WASHBASIN




Article no.	B	L
4156A4XX	1000	980
4156A5XX	1000	980
415680XX	800	770

AVENTO

Article number	Description	01				pcs/ pal.	kg/ pc.
4156 A4 XX	1000 x 470 mm 2x 	802,-				8	28,3
4156 A5 XX	1000 x 470 mm 	802,-				8	29,1
4156 80 XX	800 x 470 mm 	653,-				12	22,5
wall-mounted, matching furniture programme: Avento							
5244 00 XX	TRAP COVER cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	SmartFix 215,-				40	9,7
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63				211,-	10	8,1

WASHBASIN







Article number	Description	01				pcs/ pal.	kg/ pc.
4158 60 XX	600 x 470 mm 	242,-				18	16,5
wall-mounted, matching furniture programme: Avento							
5244 00 XX	TRAP COVER cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix"	SmartFix 215,-				40	9,7
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63				211,-	10	8,1



XX = Colour code to be indicated
01 = White Alpin

GBP excl. VAT

WASHBASIN COMPACT







SEMI-RECESSED WASHBASIN



Semi-recessed, incl. template, fastening set included

HANDWASHBASIN




XX = Colour code to be indicated
01 = White Alpin

AVENTO

GBP excl. VAT

Please order tap fittings separately


HANDWASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4300 3L XX	360 x 220 mm	181,-				90	5,5

wall-mounted, basin left, matching furniture programme: Avento
Please note: unclosable outlet valve must be used with models without overflow


HANDWASHBASIN



Article number	Description	01				pcs/ pal.	kg/ pc.
4300 3R XX	360 x 220 mm	181,-				90	5,5

wall-mounted, basin right, matching furniture programme: Avento
Please note: unclosable outlet valve must be used with models without overflow

BIDET



Article number	Description	01				pcs/ pal.	kg/ pc.
5405 00 XX	370 x 530 mm	501,-				12	18,9

wall-mounted, with fastening set for concealed fastening
For further information about matching valves, see pages ppp

9221 48 00	BIDET INSTALLATION SYSTEM 525 x 1120 x 100 mm For further ViConnect models see pages 56-63				319,-	10	10,5
------------	--	--	--	--	-------	----	------


XX = Colour code to be indicated
01 = White Alpin

AVENTO

GBP excl. VAT


Please order tap fittings separately

COMBI-PACK
DirectFlush




Article number	Description	01				pcs/ pal.	kg/ pc.
5656 HR XX	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC DirectFlush 5656 R0 XX, WC-seat with QuickRelease and SoftClosing hinges 9M77 C1 XX	582,-				12	22,9

COMBI-PACK
DirectFlush



Article number	Description	01				pcs/ pal.	kg/ pc.
5656 RS XX	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC DirectFlush 5656 R0 XX, SlimSeat with QuickRelease and SoftClosing hinges 9M87 S1 01	609,-				12	21,9

WASHDOWN TOILET FOR CLOSE-COUPLED WC-SUITE, RIMLESS
DirectFlush



Article number	Description	01				pcs/ pal.	kg/ pc.
5644 R0 XX	370 x 640 mm	274,-				8	29

floor-standing, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres

7758 61 XX	CISTERN water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button, chrome	215,-				20	12,6
7758 71 XX	CISTERN bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	155,-				20	12,2
9M77 C1 XX	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	165,-				108	2,6
9M87 S1 01	TOILET SEAT AND COVER SLIMSEAT with QuickRelease and SoftClosing hinges, hinges in stainless steel	194,-				72	2,9

XX = Colour code to be indicated
01 = White Alpin

AVENTO

GBP excl. VAT

Goods in stock, The washbasins and taps are to be ordered separately.

Express
Delivery

These products are always available from stock in: **all colours with handle 0 (Glossy Chrome-coloured) and for all vanity units in the colours Volcano Black, Graphite and Kansas Oak with handle 1 in (Volcano Black).**

Front:

Direct-laminated chipboard in AA, MS, RH, RK, VH, VJ (8 mm)
Direct-laminated chipboard in RH, RK, VH, VJ (16 mm)
horizontal grain in RH, RK, VH, VJ
interior colour to match décor

Body:

Direct-laminated chipboard in AA, MS, RH, RK, VH, VJ (8 mm)
Direct-laminated chipboard in RH, RK, VH, VJ (16 mm)
horizontal grain in RH, RK, VH, VJ

interior colour to match décor

Drawers:

SoftClosing feature

Doors:

SoftClosing feature

Handles:

glossy chrome

Lacquered aluminium

Please note:

For further information such as tap fitting positions, installation and fastening dimensions etc. please see the technical drawings.

	VANITY UNIT	VANITY UNIT	VANITY UNIT
			
	Express Delivery	Express Delivery	Express Delivery
Article number	A893 Y0 XX	A892 Y0 XX	A891 Y0 XX
Dimensions (w x h x d)	1180 x 514 x 484 mm	980 x 514 x 484 mm	780 x 514 x 484 mm
Version	washbasin on the middle		
For combination with	Avento 4A23 CK	Avento 4156 A4/A5	Avento 4156 80
Equipped with	4 x pull-out compartment	2 x pull-out compartment	
Installation	wall-mounted		
Scope of delivery	fastening set included		
RH, RK, VE, VH, VJ, VL, VR	1,202,-	863,-	794,-

	VANITY UNIT	VANITY UNIT	VANITY UNIT
			
	Express Delivery	Express Delivery	Express Delivery
Article number	A889 Y0 XX	A888 Y0 XX	A888 Y1 XX
Dimensions (w x h x d)	580 x 514 x 484 mm	530 x 514 x 384 mm	
Version	washbasin on the middle		
Hinges		hinges on left	hinges on right
For combination with	Avento 4158 60	Avento 4A00 55	
Equipped with	2 x pull-out compartment	1 x door	
Installation	wall-mounted		
Scope of delivery	fastening set included		
RH, RK, VE, VH, VJ, VL, VR	598,-	527,-	527,-

XX = Insert front and body colour
VE = Brilliant White, VL = Volcano Black, VR = Graphite, RH = Oak Kansas,
RK = Stone Oak, VH = Arizona Oak, VJ = Nordic Oak

Y = Handle code to be indicated
0 = Glossy Chrome-coloured, 1 = Volcano Black

AVENTO

GBP excl. VAT

Goods in stock, The washbasins and taps are to be ordered separately.

Express
Delivery

These products are always available from stock in: **all colours with handle 0 (Glossy Chrome-coloured)** and for all vanity units in the colours **Volcano Black, Graphite and Kansas Oak with handle 1 in (Volcano Black)**.

	VANITY UNIT		VANITY UNIT		VANITY UNIT		VANITY UNIT	
								
								
Article number	A887 Y0 XX		A887 Y1 XX		A876 Y0 XX		A876 Y1 XX	
Dimensions (w x h x d)	430 x 514 x 384 mm				340 x 514 x 234 mm			
Version	washbasin on the middle							
Hinges	hinges on left		hinges on right		hinges on left		hinges on right	
For combination with	Avento 7358 45				Avento 4300 3L/3R			
Equipped with	1 x door							
Installation	wall-mounted							
Scope of delivery	fastening set included							
Please note	-				A bottle-trap is required when combining a hand-rinse washbasin with a vanity unit			
RH, RK, VE, VH, VJ, VL, VR	511,-		511,-		396,-		396,-	

	TALL CABINET		TALL CABINET	
				
				
Article number	A894 Y0 XX		A894 Y1 XX	
Dimensions (w x h x d)	350 x 1760 x 404 mm			
Hinges	hinges on left		hinges on right	
Equipped with	2 x door 4 x glass shelf			
Installation	wall-mounted			
Scope of delivery	fastening set included			
RH, RK, VE, VH, VJ, VL, VR	766,-		766,-	

XX = Insert front and body colour
VE = Brilliant White, VL = Volcano Black, VR = Graphite, RH = Oak Kansas,
RK = Stone Oak, VH = Arizona Oak, VJ = Nordic Oak

Y = Handle code to be indicated
0 = Glossy Chrome-coloured, 1 = Volcano Black

MORE TO SEE LITE

Bathroom furniture

- Match all collections/furniture programmes

[PRO.VILLEROY-BOCH.COM/TECHNICALDRAWINGS](https://pro.villeroy-boch.com/technicaldrawings)



MORE TO SEE LITE

GBP excl. VAT

Express
Delivery**Mirrors:**

Mirror (4 mm) on a frame

Mirror frame:

Illuminated mirror, square: plastic profile, 33 mm x 19 mm

Illuminated mirror, round: aluminium profile, 9 mm x 25 mm

Illuminated mirror, with rounded corners: plastic profile, 33 mm x 19 mm

Sheet metal mounting

Lighting:

with all-round LED lighting

continuously dimmable

freely-adjustable light colour from DaylightWhite (6500 kelvin) to WarmWhite (2700 kelvin)

Light control via sensor switch by touching the logo on the mirror surface.

Memory feature - The lighting readjusts to the intensity and colour temperature that were set before the power was switched off.

	MIRROR	MIRROR	MIRROR	MIRROR
				
				
Article number	A459 13 00	A459 12 00	A459 10 00	A459 80 00
Dimensions (w x h x d)	1300 x 750 x 24 mm	1200 x 750 x 24 mm	1000 x 750 x 24 mm	800 x 750 x 24 mm
Lighting	with all-round LED wall lighting (replaceable) Lighting 1 x LED / 36 W	with all-round LED wall lighting (replaceable) Lighting 1 x LED / 34.08 W	with all-round LED wall lighting (replaceable) Lighting 1 x LED / 30.24 W	with all-round LED wall lighting (replaceable) Lighting 1 x LED / 26.40 W
Note on standard	IP 44		IP 44	
Scope of delivery	fastening set included		fastening set included	
	1,083,-	1,035,-	958,-	883,-
	MIRROR	MIRROR	MIRROR	MIRROR
				
				
Article number	A459 60 00	A459 50 00	A459 45 00	A459 37 00
Dimensions (w x h x d)	600 x 750 x 24 mm	500 x 750 x 24 mm	450 x 750 x 24 mm	370 x 750 x 24 mm
Lighting	with all-round LED wall lighting (replaceable) Lighting 1 x LED / 22.56 W	with all-round LED wall lighting (replaceable) Lighting 1 x LED / 20.64 W	with all-round LED wall lighting (replaceable) Lighting 1 x LED / 19.68 W	with all-round LED wall lighting (replaceable) Lighting 1 x LED / 18.24 W
Note on standard	IP 44			
Scope of delivery	fastening set included			
	781,-	732,-	693,-	668,-

MORE TO SEE LITE

GBP excl. VAT

Express
Delivery

These products are always in stock.

	MIRROR	MIRROR
		
		
Article number	A460 85 00	A460 68 00
Dimensions (w x h x d)	850 x 850 x 31 mm	650 x 650 x 31 mm
Lighting	with all-round LED lighting (cannot be replaced) Lighting 1 x LED / 23.52 W	with all-round LED lighting (cannot be replaced) Lighting 1 x LED / 17.28 W
Note on standard	IP 44	
Scope of delivery	fastening set included	
	846,-	781,-

	MIRROR	MIRROR	MIRROR
			
			
Article number	A461 10 00	A462 80 00	A462 60 00
Dimensions (w x h x d)	600 x 1000 x 24 mm	800 x 800 x 24 mm	600 x 600 x 24 mm
Lighting	with all-round LED wall lighting (replaceable) Lighting 1 x LED / 26.88 W	with all-round LED wall lighting (replaceable) Lighting 1 x LED / 26.88 W	with all-round LED wall lighting (replaceable) Lighting 1 x LED / 19.20 W
Note on standard	IP 44		
Scope of delivery	fastening set included		
	820,-	732,-	668,-

MORE TO SEE ONE

Bathroom furniture

- Match all collections/furniture programmes

[PRO.VILLEROY-BOCH.COM/TECHNICALDRAWINGS](https://pro.villeroy-boch.com/technicaldrawings)



MORE TO SEE ONE

Express
Delivery**Mirrors:**

mirror (5 mm) on a frame

Mirror frame:

30 mm x 20 mm aluminium frame (L-profile, matt anodised)

Lighting:

integrated horizontal LED lighting

LED can be replaced

light colour in daylight white (5700 K)

for room/outside light switch

loose mains connection

	MIRROR	MIRROR	MIRROR	MIRROR
				
	Express Delivery	Express Delivery	Express Delivery	Express Delivery
Article number	A430 A1 00	A430 A2 00	A430 A3 00	A430 A4 00
Dimensions (w x h x d)	1400 x 600 x 30 mm	1300 x 600 x 30 mm	1200 x 600 x 30 mm	1000 x 600 x 30 mm
Lighting	LED lighting Lighting 1 x LED / 12 W	LED lighting Lighting 1 x LED / 12 W	LED lighting Lighting 1 x LED / 12 W	LED lighting Lighting 1 x LED / 12 W
Note on standard	IP 44			
Scope of delivery	fastening set included			
	735,-	627,-	579,-	478,-
	MIRROR	MIRROR	MIRROR	MIRROR
				
	Express Delivery	Express Delivery	Express Delivery	Express Delivery
Article number	A430 A5 00	A430 A6 00	A430 A7 00	A430 A8 00
Dimensions (w x h x d)	800 x 600 x 30 mm	600 x 600 x 30 mm	500 x 600 x 30 mm	450 x 600 x 30 mm
Lighting	LED lighting Lighting 1 x LED / 10 W	LED lighting Lighting 1 x LED / 6 W	LED lighting Lighting 1 x LED / 6 W	LED lighting Lighting 1 x LED / 6 W
Note on standard	IP 44			
Scope of delivery	fastening set included			
	404,-	328,-	285,-	277,-

MY VIEW LITE

Bathroom furniture

- Match all collections/furniture programmes

[PRO.VILLEROY-BOCH.COM/TECHNICALDRAWINGS](https://pro.villeroy-boch.com/technicaldrawings)



MY VIEW LITE



MY VIEW LITE

NEW

GBP excl. VAT

Express Delivery These products are always in stock.

Front:
Crystal double mirror doors (2 x 3 mm)
Body:
Surface-mounted mirror cabinet: Melamine, mirrored at the side
Interior body:
Melamine in anthracite
Handles:
Adhesive handles in chrome, enclosed with order
Interior compartments :

Height-adjustable glass shelves
Lighting:
LED lighting on three sides
Light control via sensor switch on the outside
3 dimmer settings
freely-adjustable light colour from DaylightWhite (6500 kelvin) to WarmWhite (2700 kelvin)
Memory feature - The lighting readjusts to the intensity and colour temperature that were set before the power was switched off.

	SURFACE-MOUNTED MIRROR CABINET	SURFACE-MOUNTED MIRROR CABINET	SURFACE-MOUNTED MIRROR CABINET	SURFACE-MOUNTED MIRROR CABINET
				
	Express Delivery	Express Delivery	Express Delivery	Express Delivery
Article number	A469 G2 00	A469 G1 00	A469 G8 00	A469 G6 00
Dimensions (w x h x d)	1200 x 738 x 180 mm	1000 x 738 x 180 mm	800 x 738 x 180 mm	600 x 738 x 180 mm
Lighting	LED lighting Lighting 1 x LED / 24,6 W	LED lighting Lighting 1 x LED / 24,6 W	LED lighting Lighting 1 x LED / 24,6 W	LED lighting Lighting 1 x LED / 24,6 W
Equipped with	2 x door with mirror			
Note on standard	IP 44			
Please note	Mounted on the wall	Mounted on the wall	Mounted on the wall	Mounted on the wall
Installation	wall-mounted			
Scope of delivery	fastening set included			
	1,910,-	1,600,-	1,446,-	1,342,-

MY VIEW LITE

O.NOVO

Bath ceramic

- Matching taps programme O.novo

PRO.VILLEROY-BOCH.COM/TECHNICALDRAWINGS




Ceramic colours



01 = White Alpin


O.NOVO

WASHBASIN




Article number	Description	01					pcs/ pal.	kg/ pc.
4A41 60 XX	600 x 460 mm	147,-					16	18,6
wall-mounted, central basin								
5265 00 XX	PEDESTAL	88,-					56	7,9
5266 00 XX	TRAP COVER fastening set included	105,-					40	8,4
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63					211,-	10	8,1

WASHBASIN



Article number	Description	01					pcs/ pal.	kg/ pc.
4A41 55 XX	550 x 460 mm	123,-					16	18,1
wall-mounted, central basin								
5265 00 XX	PEDESTAL	88,-					56	7,9
5266 00 XX	TRAP COVER fastening set included	105,-					40	8,4
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63					211,-	10	8,1

HANDWASHBASIN



Article number	Description	01					pcs/ pal.	kg/ pc.
4344 50 XX	500 x 370 mm	123,-					22	13
wall-mounted, central basin								
5265 00 XX	PEDESTAL	88,-					56	7,9
5266 00 XX	TRAP COVER fastening set included	105,-					64	4,8
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63					211,-	10	8,1


XX = Colour code to be indicated
01 = White Alpin

O.NOVO

GBP excl. VAT


Registered design
Please order tap fittings separately

HANDWASHBASIN




Article number	Description	01					pcs/ pal.	kg/ pc.
4344 45 XX	450 x 370 mm  	102,-					22	11,3
wall-mounted, central basin								
5265 00 XX	PEDESTAL	88,-					56	7,9
5267 00 XX	TRAP COVER fastening set included	102,-					64	4,8
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63					211,-	10	8,1

HANDWASHBASIN COMPACT



Article number	Description	01					pcs/ pal.	kg/ pc.
4342 36 XX	360 x 250 mm  	106,-					48	6,2
wall-mounted, basin right								
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63					211,-	10	8,1

HANDWASHBASIN COMPACT




Article number	Description	01					pcs/ pal.	kg/ pc.
4343 36 XX	360 x 250 mm  	106,-					48	6,4
wall-mounted, basin left								
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63					211,-	10	8,1


XX = Colour code to be indicated
01 = White Alpin

GBP excl. VAT


Please order tap fittings separately



wall-mounted, central basin



wall-mounted, central basin



wall-mounted, central basin

45


O.NOVO

GBP excl. VAT

Registered design


Please order tap fittings separately

WASHBASIN




Article number	Description	01					pcs/ pal.	kg/ pc.
4A40 55 XX	550 x 440 mm 	116,-					16	13,5
wall-mounted, central basin								
5265 00 XX	PEDESTAL	88,-					56	7,9
5266 00 XX	TRAP COVER fastening set included	105,-					40	8,4
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63					211,-	10	8,1

HANDWASHBASIN



Article number	Description	01					pcs/ pal.	kg/ pc.
4340 50 XX	500 x 380 mm 	116,-					36	11
wall-mounted, central basin								
5265 00 XX	PEDESTAL	88,-					56	7,9
5267 00 XX	TRAP COVER fastening set included	105,-					64	4,8
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63					211,-	10	8,1

HANDWASHBASIN



Article number	Description	01					pcs/ pal.	kg/ pc.
4340 45 XX	450 x 360 mm 	96,-					36	8,9
wall-mounted, central basin								
5265 00 XX	PEDESTAL	88,-					56	7,9
5267 00 XX	TRAP COVER fastening set included	105,-					64	4,8
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63					211,-	10	8,1

 XX = Colour code to be indicated
 01 = White Alpin


O.NOVO

GBP excl. VAT

Registered design

Please order tap fittings separately


HANDWASHBASIN



Article number	Description	01					pcs/ pal.	kg/ pc.
4340 36 XX	360 x 275 mm suitable for 1-hole tap fittings, pre-punched tap holes on sides	108,-					48	5,6
4340 3R XX	360 x 275 mm suitable for 1-hole tap fittings, tap hole punched out on right	108,-					48	5,6
4340 3L XX	360 x 275 mm suitable for 1-hole tap fittings, tap hole punched out on left	108,-					48	5,6
wall-mounted, central basin								
9221 49 00	WASHBASIN INSTALLATION ELEMENT 525 x 1120 x 75 mm For further ViConnect models see pages 56-63					211,-	10	8,1

WASHDOWN TOILET, RIMLESS


DirectFlush



Article number	Description	01					pcs/ pal.	kg/ pc.
5660 R0 XX	360 x 560 mm	251,-					14	18
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves								
9M38 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	110,-					108	2,4
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63					377,-	10	15,5

COMBI-PACK

DirectFlush



Article number	Description	01					pcs/ pal.	kg/ pc.
5660 HR XX	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC DirectFlush 5660 R0 XX, WC-seat with QuickRelease and Soft-Closing hinges 9M38 S1 01	379,-					12	19,1


XX = Colour code to be indicated
01 = White Alpin

O.NOVO

GBP excl. VAT


Registered design
Please order tap fittings separately

WASHDOWN TOILET




Article number	Description	01						pcs/ pal.	kg/ pc.
5660 10 XX	360 x 560 mm	215,-						14	18
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres									
9M38 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	110,-						108	2,4
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63						377,-	10	15,5

COMBI-PACK



Article number	Description	01						pcs/ pal.	kg/ pc.
5660 H1 XX	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC 5660 10 XX, WC-seat with QuickRelease and SoftClosing hinges 9M38 S1 01	340,-						12	15,5

WASHDOWN TOILET COMPACT, RIMLESS
DirectFlush



Article number	Description	01						pcs/ pal.	kg/ pc.
5688 R0 XX	360 x 490 mm	326,-						14	15,6
wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, not suitable for installation with flush valves									
9M38 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	110,-						108	2,4
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63						377,-	10	15,5


XX = Colour code to be indicated
01 = White Alpin

O.NOVO

GBP excl. VAT


Registered design
Please order tap fittings separately

COMBI-PACK
DirectFlush



Article number	Description	01					pcs/ pal.	kg/ pc.
5688 HR XX	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC Compact DirectFlush 5688 R0 XX, WC-seat with QuickRelease and SoftClosing hinges 9M38 S1 01	402,-					12	16,3

WASHDOWN TOILET COMPACT




Article number	Description	01					pcs/ pal.	kg/ pc.
5688 10 XX	360 x 490 mm	276,-					14	14

wall-mounted, horizontal outlet, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres

9M38 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	110,-					108	2,4
9209 29 00	TOILET INSTALLATION SYSTEM for dry-wall construction, standard height 525 x 1120 x 135 mm For further ViConnect models see pages 56-63					377,-	10	15,5

COMBI-PACK



Article number	Description	01					pcs/ pal.	kg/ pc.
5688 H1 XX	individual packaging materials, wall-mounted, horizontal outlet composed of: Washdown WC compact 5688 10 XX, WC-seat with QuickRelease and SoftClosing hinges 9M38 S1 01	431,-					12	17,4

XX = Colour code to be indicated
01 = White Alpin


O.NOVO

GBP excl. VAT

Registered design

Please order tap fittings separately

WASHDOWN TOILET




	A	O	U	*
90°	570	10	125	70
8701	570	10	125	110
8701	650	90	205	150 - 210
8711	650	90	205	70 - 150

Article number	Description	01							pcs/ pal.	kg/ pc.
5657 10 XX	360 x 560 mm	210,-							8	21,8
floor-standing, back to wall, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres										
9M38 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	110,-							108	2,4

WASHDOWN TOILET COMPACT, RIMLESS


Tulip, DirectFlush



Article number	Description	01							pcs/ pal.	kg/ pc.
4624 R0 XX	360 x 560 x 400 mm	288,-							6	28,2
floor-standing, horizontal outlet, fastening set included, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres										
9M38 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	110,-							108	2,4

WASHDOWN TOILET FOR CLOSE-COUPLED WC-SUITE, RIMLESS

DirectFlush



Article number	Description	01							pcs/ pal.	kg/ pc.
5661 R0 XX	360 x 670 mm	229,-							8	22
floor-standing, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres										
5760 61 XX	CISTERN fastening set included, water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button, chrome	182,-							20	13,8
5760 71 XX	CISTERN fastening set included, bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	182,-							20	13,8
9M38 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	110,-							108	2,4


 XX = Colour code to be indicated
 01 = White Alpin

O.NOVO

GBP excl. VAT


Registered design
Please order tap fittings separately

WASHDOWN TOILET FOR CLOSE-COUPLED WC-SUITE



Article number	Description	01					pcs/ pal.	kg/ pc.
5661 10 XX	360 x 670 mm horizontal outlet	182,-					8	22,3
floor-standing, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres								
5760 61 XX	CISTERN fastening set included, water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button, chrome	182,-					20	13,8
5760 71 XX	CISTERN fastening set included, bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	182,-					20	13,8
9M38 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	110,-					108	2,4

WASHDOWN TOILET FOR CLOSE-COUPLED WC-SUITE



Article number	Description	01					pcs/ pal.	kg/ pc.
5658 10 XX	360 x 640 mm	283,-					6	32,8
floor-standing, back to wall, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, recommendation: to be installed from the wall at: 15 mm								
5788 61 XX	CISTERN water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button, chrome	215,-					20	12,1
5788 71 XX	CISTERN bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	152,-					20	12,2
9M38 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	110,-					108	2,4

XX = Colour code to be indicated
01 = White Alpin

O.NOVO


GBP excl. VAT

Registered design

Please order tap fittings separately

WASHDOWN TOILET FOR CLOSE-COUPLED WC-SUITE, RIMLESS COMPACT


DirectFlush



Article number	Description	01						pcs/ pal.	kg/ pc.
5689 R0 XX	360 x 605 mm	285,-						8	21
floor-standing, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, Note on dimensions: 360 x 630 mm with cistern mounted and appropriate distance from wall									
5788 61 XX	CISTERN water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button, chrome	215,-						20	12,1
5788 71 XX	CISTERN bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	152,-						20	12,2
9M38 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	110,-						108	2,4

WASHDOWN TOILET FOR CLOSE-COUPLED WC-SUITE, RIMLESS

DirectFlush




Article number	Description	01						pcs/ pal.	kg/ pc.
4606 R0 XX	360 x 665 mm	379,-						6	34,7
floor-standing, back to wall, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, recommendation: to be installed from the wall at: 15 mm									
5788 61 XX	CISTERN water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button, chrome	215,-						20	12,1
5788 71 XX	CISTERN bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	152,-						20	12,2
9M38 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	110,-						108	2,4

O.NOVO

GBP excl. VAT

Registered design
Please order tap fittings separately

WASHDOWN TOILET FOR CLOSE-COUPLED WC-SUITE, RIMLESS
DirectFlush



Article number	Description	01					pcs/ pal.	kg/ pc.
4625 R0 XX	360 x 610 mm	248,-					8	29,4
Compact, floor-standing, back to wall, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, recommendation: to be installed from the wall at: 10 mm								
5788 71 XX	CISTERN bottom water inlet, flushing mechanism with DualFlush water-saving button, chrome	152,-					20	12,2
5788 61 XX	CISTERN water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button, chrome	215,-					20	12,1
8M36 S1 01	TOILET SEAT AND COVER with QuickRelease and SoftClosing hinges, hinges in stainless steel	146,-					84	2,2

XX = Colour code to be indicated
01 = White Alpin

REFLECTION

Bathroom furniture

- Match all collections/furniture programmes



REFLECTION

REFLECTION

 Express
Delivery

These products are always in stock.

Front:

mirrored glass double mirrored door 2 x 3 mm

Body:

aluminium with matt silver anodised finish

interior colour Aluminium, anodised silver

Lighting:

integrated LED-light with plastic cover

loose mains connection

4000 K

	MIRROR CABINET	MIRROR CABINET	MIRROR CABINET
			
	Express Delivery	Express Delivery	Express Delivery
Article number	A356 G6 00	A354 G5 00	A355 G5 00
Dimensions (w x h x d)	600 x 740 x 159 mm	500 x 740 x 159 mm	
Hinges	-	hinges on right	hinges on left
Lighting	with integral lighting Lighting 1 x LED / 6.9 W	with integral lighting Lighting 1 x LED / 3.8 W	with integral lighting Lighting 1 x LED / 3.8 W
Equipped with	2 x door 2 x glass shelf pull switch and shaver socket	1 x door 2 x glass shelf pull switch and shaver socket	
Note on standard	IP 20		
Scope of delivery	fastening set included		
	1,172,-	823,-	823,-

VICONNECT INSTALLATION SYSTEMS

PRO.VILLEROY-BOCH.COM/TECHNICALDRAWINGS



- Installation systems flush plates and accessories
- Design plates in various materials and colours for all price categories
- Toilet elements to match all wall-mounted toilets (standard, compact, ViCare) and floor-standing, back-to-wall toilets
- Toilet elements for dry and wet-wall construction
- Additional elements for dry-wall installation (bidet, urinal, washbasin, etc.)
- 25-year availability guarantee on spare parts



Flush plate colours

VICONNECT
INSTALLATION
SYSTEMS


									
61 = Chrome	68 = White	69 = Brushed Chrome	AN = Black Matt	D8 = Anthracite Matt	LC = Stainless steel	N5 = White Matt	RA = Glass Glossy Grey	RB = Glass Glossy Black	RE = Glass Glossy White

VICONNECT INSTALLATION SYSTEMS

GBP excl. VAT

TOILET INSTALLATION SYSTEM

for dry-wall construction, standard height




Article number	Description		pcs/ pal.	kg/ pc.
9209 29 00	525 x 1120 x 135 mm self-supporting powder-coated steel frame, fully pre-assembled, front operated, please order flush plate separately, with filling valve type AG (air gap) WRAS compliant	 	377,-	10 15,5

for wall-mounted WC, for covering with plasterboard, installation on a solid brick wall, in dry-wall constructions etc., Easy connection to flush plate via flexible cables with bayonet joint, adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, depth adjustment front edge of element: 135-205 mm (when actuated from above 155-205 mm), concealed cistern insulated against condensation water, with dual flush (7.5-4.5 l / 4-3 l), maximal flush quantity 4/7,5 l, factory setting 6/3 l, filling valve Noise Class I, 2-part angle valve connection set R1/2, drain bend clamp, 4 adjustment settings, PE toilet connecting bend DN 90 (Ø 90) with reducing sleeve DN 90 (Ø 90) / DN 100 (Ø 110) with protection plugs, complete WC connection set DN 90 (Ø 90) / 180 mm, protection box for access opening can be cut to size, flexible hose for filling valve, can be tightened by hand, adjustable flush flow control for adaptation to rimless toilet bowls, certification marks for concealed cistern: Noise Class I, incl. 2 wall mounts, incl. self-locking feet with adjustable base plates and fastening materials, 2 times M12 WC retaining bolts adjustable to 180/230mm with protection plugs and nuts, installation instructions, without flush plate, packaged in a box

TOILET INSTALLATION SYSTEM

for dry-wall construction, low, installation height 820 mm



Article number	Description		pcs/ pal.	kg/ pc.
9209 30 00	525 x 820 x 160 mm self-supporting powder-coated steel frame, fully pre-assembled, front/top operated, please order flush plate separately, with filling valve type AG (air gap) WRAS compliant		391,-	14 10,8

for wall-mounted WC, for covering with plasterboard, installation on a solid brick wall, in dry-wall constructions etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, Easy connection to flush plate via flexible cables with bayonet joint, depth adjustment front edge of element: 135-205 mm (when actuated from above 155-205 mm), concealed cistern insulated against condensation water, with dual flush (7.5-4.5 l / 4-3 l), maximal flush quantity 4/7,5 l, factory setting 6/3 l, filling valve Noise Class I, corner valve R1/2, drain bend clamp, 4 adjustment settings, PE toilet connecting bend DN 90 (Ø 90) with reducing sleeve DN 90 (Ø 90) / DN 100 (Ø 110) with protection plugs, complete WC connection set DN 90 (Ø 90) / 180 mm, protection box for access opening can be cut to size, flexible hose for filling valve, can be tightened by hand, certification marks for concealed cistern: Noise Class I, incl. 2 wall mounts, incl. self-locking feet with adjustable base plates and fastening materials, 2 times M12 WC retaining bolts adjustable to 180/230mm with protection plugs and nuts, installation instructions, without flush plate, packaged in a box


XX = Colour code to be indicated
61 = Chrome, 68 = White, 69 = Brushed Chrome, AN = Black Matt, D8 = Anthracite Matt, LC = Stainless steel, N5 = White Matt,
RA = Glass Glossy Grey, RB = Glass Glossy Black, RE = Glass Glossy White

VICONNECT INSTALLATION SYSTEMS

GBP excl. VAT

TOILET INSTALLATION SYSTEM

for dry-wall construction, low, installation height 980 mm




Article number	Description		pcs/ pal.	kg/ pc.
9209 31 00	525 x 980 x 135 mm self-supporting powder-coated steel frame, fully pre-assembled, front/top operated, please order flush plate separately, with filling valve type AG (air gap) WRAS compliant	 	391,-	11 12,7

for wall-mounted WC, for covering with plasterboard, installation on a solid brick wall, in dry-wall constructions etc., Easy connection to flush plate via flexible cables with bayonet joint, adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, depth adjustment front edge of element: 135-205 mm (when actuated from above 155-205 mm), concealed cistern insulated against condensation water, with dual flush (7.5-4.5 l / 4-3 l), maximal flush quantity 4/7,5 l, factory setting 6/3 l, filling valve Noise Class I, corner valve R1/2, drain bend clamp, 4 adjustment settings, PE toilet connecting bend DN 90 (Ø 90) with reducing sleeve DN 90 (Ø 90) / DN 100 (Ø 110) with protection plugs, complete WC connection set DN 90 (Ø 90) / 180 mm, protection box for access opening can be cut to size, flexible hose for filling valve, can be tightened by hand, certification marks for concealed cistern: Noise Class I, incl. 2 wall mounts, incl. self-locking feet with adjustable base plates and fastening materials, 2 times M12 WC retaining bolts adjustable to 180/230mm with protection plugs and nuts, installation instructions, without flush plate, packaged in a box

TOILET INSTALLATION SYSTEM COMPACT

for dry-wall construction, with cistern 80 mm, installation depth min. 90 mm



Article number	Description		pcs/ pal.	kg/ pc.
9224 76 00	635 x 1120 x 90 mm self-supporting powder-coated steel frame, fully pre-assembled, incl. comprehensive scope of fastening and connection materials, front operated		391,-	10 13,8


for wall-mounted WC, for covering with plasterboard, installation on a solid brick wall, in dry-wall constructions etc., Easy connection to flush plate via flexible cables with bayonet joint, adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, adjustment range front to wall: min 90 mm, with cistern 80 mm, 6-point fastening, concealed cistern with insulation against condensation with dual flush 3/6 l, adjustable to 3/4,5 l, maximal flush quantity 7.5 l, filling valve Noise Class I, flexible hose for filling valve, can be tightened by hand, angle valve connection set G1/2, protection box for access opening can be cut to size, WC connecting bend 90° DN 90 (Ø 90) / with reducing sleeve DN 90 (Ø 90) / DN 110 (Ø 110) with protection cap, complete WC connection set DN 90 (Ø 90) / 180 mm, certification marks for concealed cistern: Noise Class I, with wall brackets, incl. feet and fastenings, 2 times M12 WC retaining bolts adjustable to 180mm with protection plugs and nuts, installation instructions, fastening materials, without flush plate, individual packaging materials

XX = Colour code to be indicated
61 = Chrome, 68 = White, 69 = Brushed Chrome, AN = Black Matt, D8 = Anthracite Matt, LC = Stainless steel, N5 = White Matt,
RA = Glass Glossy Grey, RB = Glass Glossy Black, RE = Glass Glossy White

VICONNECT INSTALLATION SYSTEMS

GBP excl. VAT


CONCEALED CISTERN COMPACT
installation depth 80 mm



Article number	Description		pcs/ pal.	kg/ pc.
9224 82 00	648 x 740/825 x 80 mm front operated		204,-	26 3,5

for wall-mounted WC, for floor-standing WC, back to wall, protection box for access opening can be cut to size, Easy connection to flush plate via flexible cables with bayonet joint, 4-point fastening, concealed cistern with insulation against condensation with dual flush 3/6 l, adjustable to 3/4,5 l, maximal flush quantity 7.5 l, filling valve Noise Class I, angle valve connection set G1/2, protection box for access opening can be cut to size, adjustable flushing pipe bend with insulation and protection cap, certification marks for concealed cistern: Noise Class I, white flushing pipe, Pipe connector, protection cap and white rosette, with fixing brackets, fastening materials, reinforcing mesh, without flush plate, without attachment and waste bend for wall-mounted toilet, individual packaging materials

CONCEALED CISTERN



Article number	Description		pcs/ pal.	kg/ pc.
9209 33 00	460 x 545 x 155 mm with filling valve type AG (air gap) WRAS compliant		181,-	20 3,4

for wall-mounted WC, for installation in furniture height 820 mm with CC122 for operation from above, Easy connection to flush plate via flexible cables with bayonet joint, condensation water insulated flush-mounted cistern (CC-122- S-F0-2V-2C), with dual-flush (7.5-4.5 l / 4-3 l), factory setting 6/3 l, button function transmitted to drain fitting via flexible cables, flushing pipe bend with protection cap, filling valve Noise Class I, 2-part angle valve connection set R1/2, protection box for access opening can be cut to size, certification marks for concealed cistern: Noise Class I, with fixing brackets, without fastening materials, without attachment and waste bend for wall-mounted toilet, individual packaging materials


XX = Colour code to be indicated
61 = Chrome, 68 = White, 69 = Brushed Chrome, AN = Black Matt, D8 = Anthracite Matt, LC = Stainless steel, N5 = White Matt,
RA = Glass Glossy Grey, RB = Glass Glossy Black, RE = Glass Glossy White

VICONNECT INSTALLATION SYSTEMS

GBP excl. VAT

CONCEALED CISTERN

installation height 1120 mm




Article number	Description		pcs/ pal.	kg/ pc.
9209 32 00	460 x 600 x 145 mm front operated, with filling valve type AG (air gap) WRAS compliant	 	181,-	20 3,4

Easy connection to flush plate via flexible cables with bayonet joint, condensation water insulated flush-mounted cistern (CC-122- S-F0-2V-2C), with dual-flush (7.5-4.5 l / 4-2 l), factory setting 6/3 l, adjustable flush flow control for adaptation to rimless toilet bowls, button function transmitted to drain fitting via flexible cables, flushing pipe bend with protection cap, filling valve Noise Class I, 2-part angle valve connection set R1/2, protection box for access opening can be cut to size, certification marks for concealed cistern: Noise Class I, with fixing brackets, without fastening materials, without attachment and waste bend for wall-mounted toilet, packaged in a box

WASHBASIN INSTALLATION ELEMENT

for dry-wall construction, standard height



Article number	Description		pcs/ pal.	kg/ pc.
9221 49 00	525 x 1120 x 75 mm self-supporting powder-coated steel frame, fully pre-assembled, incl. comprehensive scope of fastening and connection materials		211,-	10 8,1

for covering with plasterboard, installation on a solid brick wall, in dry-wall constructions etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, depth adjustment front edge of element: 135-205 mm, 4-point fastening, suitable for all washbasins and handwashbasins, with multiply bonded laminated wood panel and scaling for the free positioning of drinking water pipe wall panels, with 2 x M10 bolts for fastening washbasin, including protection plugs and washbasin fastenings, with universal waste bend DN 50 (Ø 50) / DN 40 (Ø 40) incl. rubber collar for odour trap outlet connector DN 40 (Ø 40) / DN 32 (Ø 32), protection plugs and sound-absorbing clamp, with wall brackets, with protection cap for the flushing pipe, installation instructions, incl. self-locking feet with adjustable base plates and fastening materials, individual packaging materials


XX = Colour code to be indicated
61 = Chrome, 68 = White, 69 = Brushed Chrome, AN = Black Matt, D8 = Anthracite Matt, LC = Stainless steel, N5 = White Matt,
RA = Glass Glossy Grey, RB = Glass Glossy Black, RE = Glass Glossy White

VICONNECT INSTALLATION SYSTEMS

GBP excl. VAT

BIDET INSTALLATION SYSTEM


for dry-wall construction, standard height



Article number	Description		pcs/ pal.	kg/ pc.
9221 48 00	525 x 1120 x 100 mm self-supporting powder-coated steel frame, fully pre-assembled	319,-	10	10,5

for covering with plasterboard, installation on a solid brick wall, in dry-wall constructions etc., adjustment range of feet from unfinished floor level to upper edge of finished floor level: 0-200mm, depth adjustment front edge of element: 135-205 mm, 4-point fastening, universally adjustable for bidet ceramics, with multiply bonded laminated wood panel and scaling for the free positioning of drinking water pipe wall panels, with universal waste bend DN 50 (Ø 50) / DN 40 (Ø 40), incl. rubber collar DN 40 (Ø 40) / DN 32 (Ø 32) and protection plugs, with 2 x M12 retaining bolts adjustable 180/230 mm with protection plugs, nuts and white covers, with sound-absorbing clamp, with wall brackets, incl. self-locking feet with adjustable base plates and fastening materials, installation instructions, individual packaging materials

TOILET FLUSH PLATE
100S




Article number	Description	61	68	69	pcs/ pal.	kg/ pc.
9224 85 XX	205 x 145 x 22 mm made of high-quality plastic	69,-	50,-	69,-	224	0,3

support frame and fastening bolts, individual packaging materials

TOILET FLUSH PLATE
200S

Registered design



Article number	Description	61	68	69, AN	pcs/ pal.	kg/ pc.
9224 90 XX	253 x 145 x 10 mm made of high-quality plastic	69,-	50,-	69,-	224	0,4

water-saving dual flush plate, flush plate frame, support frame and fastening bolts, individual packaging materials


XX = Colour code to be indicated
61 = Chrome, 68 = White, 69 = Brushed Chrome, AN = Black Matt, D8 = Anthracite Matt, LC = Stainless steel, N5 = White Matt,
RA = Glass Glossy Grey, RB = Glass Glossy Black, RE = Glass Glossy White

VICONNECT INSTALLATION SYSTEMS

GBP excl. VAT

TOILET FLUSH PLATE 200G

Registered design




Article number	Description	RA, RB, RE	pcs/ pal.	kg/ pc.
9224 00 XX	269 x 161 x 13 mm surface made of high-quality safety glass	275,-	144	0,6

water-saving dual flush plate, flush plate frame, support frame and fastening bolts, individual packaging materials

TOILET FLUSH PLATE 300S

Registered design




Article number	Description	61	68	69	pcs/ pal.	kg/ pc.
9221 80 XX	253 x 145 x 20 mm made of high-quality plastic	99,-	70,-	99,-	192	0,3

support frame and fastening bolts, water-saving dual flush plate, individual packaging materials

TOILET FLUSH PLATE 300S

Registered design



Article number	Description	68	pcs/ pal.	kg/ pc.
9221 61 XX	253 x 145 x 20 mm made of high-quality plastic, buttons in chome	99,-	192	0,4

support frame and fastening bolts, water-saving dual flush plate, individual packaging materials


XX = Colour code to be indicated
61 = Chrome, 68 = White, 69 = Brushed Chrome, AN = Black Matt, D8 = Anthracite Matt, LC = Stainless steel, N5 = White Matt,
RA = Glass Glossy Grey, RB = Glass Glossy Black, RE = Glass Glossy White

VICONNECT INSTALLATION SYSTEMS

GBP excl. VAT

TOILET FLUSH PLATE 300S

Registered design




Article number	Description	AN, D8, N5	pcs/ pal.	kg/ pc.
9221 69 XX	253 x 145 x 20 mm made of high-quality plastic, buttons in matt chrome	99,-	192	0,4

support frame and fastening bolts, water-saving dual flush plate, individual packaging materials

TOILET FLUSH PLATE 300G


Registered design



Article number	Description	RA, RB, RE	pcs/ pal.	kg/ pc.
9221 60 XX	253 x 145 x 20 mm surface made of high-quality safety glass, buttons in matt chrome	281,-	192	0,6

support frame and fastening bolts, water-saving dual flush plate, individual packaging materials

FLUSH-MOUNTED INSTALLATION KIT for 300S, 300G



Article number	Description	LC	pcs/ pal.	kg/ pc.
9221 59 XX	295 x 186 x 5-25 mm visible frame (after installation) made of brushed stainless steel	204,-	75	0,7

For flush-fit installation of flush plates 300S and 300G, installation kit for flush-mounted installation inc. enlarged protection plugs

XX = Colour code to be indicated
61 = Chrome, 68 = White, 69 = Brushed Chrome, AN = Black Matt, D8 = Anthracite Matt, LC = Stainless steel, N5 = White Matt,
RA = Glass Glossy Grey, RB = Glass Glossy Black, RE = Glass Glossy White

BATHS





GLOSSY COLOURS



01 White Alpine



GBP excl. VAT



Accessories for baths:		
Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-




Accessories for baths:		
Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

ARCHITECTURA (Rectangle 1700 x 700) Acrylic

GBP excl. VAT

Backrest form: Asymmetric (non-identical backrests)
Not included in scope of delivery: Set of bath feet is not supplied as standard.
Matching sanitary ceramics: Architectura
Matching furniture programme: Architectura



h = Installation height (min - max)	
Bath	585 - 635
Whirlpool system	625 - 665
Profibox 2.0 without system	585 - 585
Profibox 2.0 incl. System	625 - 625


Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 177 ARA 2V-XX	Architectura	1700 x 700	1200 x 460	480	195	23	495,-	10

Accessories for baths:

Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

ARCHITECTURA (Rectangle 1700 x 750) Acrylic

Backrest form: Asymmetric (non-identical backrests)
Not included in scope of delivery: Set of bath feet is not supplied as standard.
Matching sanitary ceramics: Architectura
Matching furniture programme: Architectura



h = Installation height (min - max)	
Bath	585 - 635
Whirlpool system	625 - 665
Profibox 2.0 without system	585 - 585
Profibox 2.0 incl. System	625 - 625

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 170 ARA 2V-XX	Architectura	1700 x 750	1200 x 460	480	210	23	495,-	10

Accessories for baths:


Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

XX = Colour code to be indicated

ARCHITECTURA (Rectangle 1800 x 800) Acrylic

GBP excl. VAT

Backrest form: Asymmetric (non-identical backrests)
Not included in scope of delivery: Set of bath feet is not supplied as standard.
Matching sanitary ceramics: Architectura
Matching furniture programme: Architectura



h = Installation height (min - max)	
Bath	605 - 655
Whirlpool system	645 - 685
Profibox 2.0 without system	625 - 625
Profibox 2.0 incl. System	625 - 625


Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/ pal.
UBA 180 ARA 2V-XX	Architectura	1800 x 800	1200 x 430	500	235	24	628,-	10

Accessories for baths:

Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

ARCHITECTURA (Rectangle 1500 x 700) Acrylic

Backrest form: Symmetric (two identical backrests)
Not included in scope of delivery: Set of bath feet is not supplied as standard. Waste and overflow combination
Technical information: Note: central positioning of the tap fitting is not possible.
Matching sanitary ceramics: Architectura
Matching furniture programme: Architectura



h = Installation height (min - max)	
Bath	525 - 575
Whirlpool system	560 - 600

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/ pal.
UBA 157 ARE 2V-01	Architectura	1500 x 700	1112 x 440	415	103	18	465,-	1

Accessories for baths:


Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

XX = Colour code to be indicated

ARCHITECTURA (Rectangle 1700 x 700) Acrylic

GBP excl. VAT

Backrest form:	Symmetric (two identical backrests)
Not included in scope of delivery:	Set of bath feet is not supplied as standard. Waste and overflow combination
Technical information:	Note: central positioning of the tap fitting is not possible.
Matching sanitary ceramics:	Architectura
Matching furniture programme:	Architectura



h = Installation height (min - max)	
Bath	525 - 575
Whirlpool system	560 - 600
Profibox 2.0 without system	585
Profibox 2.0 incl. System	625


Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 177 ARE 2V-01	Architectura	1700 x 700	1209 x 440	415	124	21	488,-	1

Accessories for baths:

Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

ARCHITECTURA (Rectangle 1700 x 750) Acrylic

Backrest form:	Symmetric (two identical backrests)
Not included in scope of delivery:	Set of bath feet is not supplied as standard. Waste and overflow combination
Technical information:	Note: central positioning of the tap fitting is not possible.
Matching sanitary ceramics:	Architectura
Matching furniture programme:	Architectura



h = Installation height (min - max)	
Bath	525 - 575
Whirlpool system	560 - 600
Profibox 2.0 without system	585
Profibox 2.0 incl. System	625

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 170 ARE 2V-01	Architectura	1700 x 750	1209 x 456	415	136	21	488,-	1


Accessories for baths:

Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

XX = Colour code to be indicated

GBP excl. VAT

Backrest form:	Symmetric (two identical backrests)
Not included in scope of delivery:	Set of bath feet is not supplied as standard. Waste and overflow combination
Technical information:	Note: central positioning of the tap fitting is not possible.
Matching sanitary ceramics:	Architectura
Matching furniture programme:	Architectura



h = Installation height (min - max)	
Bath	525 - 575
Whirlpool system	560 - 600
Profibox 2.0 without system	585
Profibox 2.0 incl. System	625


		System					
Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01 pcs/pal.
UBA 180 ARE 2V-01	Architectura	1800 x 800	1207 x 469	415	155	23	618,- 1

Accessories for baths:

Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 arips, chrome	243,-

ARCHITECTURA (Wall-facing, left-hand model 1700 x 750) Acrylic

Backrest form:	Symmetric (two identical backrests)
Not included in scope of delivery:	Waste and overflow combination
Technical information:	Panel in the same colour as the bath Note: central positioning of the tap fitting is not possible.
Matching sanitary ceramics:	Architectura
Matching furniture programme:	Architectura



h = Installation height (min - max)	
Bath with panel	575
Whirlpool system	575

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 170 ARE 9CL00V-01	Architectura. wall-facing, corner version left, seamless	1700 x 750	1209 x 466	415	136	47	1.807,-	1

Accessories for baths:


Article number	Description	Price
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

XX = Colour code to be indicated

ARCHITECTURA (Wall-facing, right-hand model 1700 x 750) Acrylic

GBP excl. VAT

Backrest form:	Symmetric (two identical backrests)
Not included in scope of delivery:	Waste and overflow combination
Technical information:	Panel in the same colour as the bath Note: central positioning of the tap fitting is not possible.
Matching sanitary ceramics:	Architectura
Matching furniture programme:	Architectura



h = Installation height (min - max)	
Bath with panel	575
Whirlpool system	575

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 170 ARE 9CR00V-01	Architectura, wall-facing, corner version right, seamless	1700 x 750	1209 x 466	415	136	47	1,807,-	1

Accessories for baths:		
Article number	Description	Price
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

XX = Colour code to be indicated

ARCHITECTURA (Wall-facing 1700 x 750) Acrylic

GBP excl. VAT

- Backrest form:

Not included in scope of delivery:

Technical information:

Matching sanitary ceramics:

Matching furniture programme:
- Symmetric (two identical backrests)


Waste and overflow combination

Panel in the same colour as the bath

Note: central positioning of the tap fitting is not possible.

Architectura

Architectura



h = Installation height (min - max)	
Bath with panel	575
Whirlpool system	575

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 170 ARE 9CS00V-01	Architectura, wall-facing, seamless	1700 x 750	1209 x 466	415	136	52	1,807,-	1

Accessories for baths:

Article number	Description	Price
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

ARCHITECTURA (Wall-facing, left-hand model 1800 x 800) Acrylic

GBP excl. VAT

- Backrest form:

Not included in scope of delivery:

Technical information:

Matching sanitary ceramics:

Matching furniture programme:
- Symmetric (two identical backrests)


Waste and overflow combination

Panel in the same colour as the bath

Note: central positioning of the tap fitting is not possible.

Architectura

Architectura



h = Installation height (min - max)	
Bath with panel	575
Whirlpool system	575

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 180 ARE 9CL00V-01	Architectura, wall-facing, corner version left, seamless	1800 x 800	1207 x 469	415	155	55	2,014,-	1


Accessories for baths:

Article number	Description	Price
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

ARCHITECTURA (Wall-facing, right-hand model 1800 x 800) Acrylic

GBP excl. VAT

Backrest form:	Symmetric (two identical backrests)
Not included in scope of delivery:	Waste and overflow combination
Technical information:	Panel in the same colour as the bath Note: central positioning of the tap fitting is not possible.
Matching sanitary ceramics:	Architectura
Matching furniture programme:	Architectura



h = Installation height (min - max)	
Bath with panel	575
Whirlpool system	575

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 180 ARE 9CR00V-01	Architectura, wall-facing, corner version right, seamless	1800 x 800	1207 x 469	415	155	55	2,014,-	1

Accessories for baths:

Article number	Description	Price
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

ARCHITECTURA (Wall-facing 1800 x 800) Acrylic

GBP excl. VAT

- Backrest form:

Not included in scope of delivery:

Technical information:

Matching sanitary ceramics:

Matching furniture programme:
- Symmetric (two identical backrests)


Waste and overflow combination

Panel in the same colour as the bath

Note: central positioning of the tap fitting is not possible.

Architectura

Architectura




Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 180 ARE 9CS00V-01	Architectura, wall-facing, seamless	1800 x 800	1207 x 469	415	155	60	2,014-	1

Accessories for baths:							
Article number	Description						Price
U90960461	Waste/overflow combination, chrome						201,-
U90960361	Outlet/overflow fitting with water inlet, chrome						450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome						243,-

O.NOVO (Rectangle 1600 x 700) Acrylic

GBP excl. VAT

Backrest form: Asymmetric (non-identical backrests)
Not included in scope of delivery: Set of bath feet is not supplied as standard.
 Requires extended waste/overflow combination.
Matching sanitary ceramics: O.novo



h = Installation height (min - max)	
Bath	575 - 625
Whirlpool system	595 - 635
Profibox 2.0 without system	585 - 585
Profibox 2.0 incl. System	625 - 625


Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 160 CAS 2V-XX	O.novo	1600 x 700	1180 x 400	450	125	20	442,-	20

Accessories for baths:

Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

O.NOVO (Rectangle 1700 x 700) Acrylic

Backrest form: Asymmetric (non-identical backrests)
Not included in scope of delivery: Set of bath feet is not supplied as standard.
 Requires extended waste/overflow combination.
Matching sanitary ceramics: O.novo



h = Installation height (min - max)	
Bath	575 - 625
Whirlpool system	595 - 635
Profibox 2.0 without system	585 - 585
Profibox 2.0 incl. System	625 - 625

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 177 CAS 2V-XX	O.novo	1700 x 700	1200 x 400	450	140	22	442,-	20

Accessories for baths:

Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-


O.NOVO (Rectangle 1700 x 750) Acrylic

GBP excl. VAT

Backrest form: Asymmetric (non-identical backrests)

Not included in scope of delivery: Set of bath feet is not supplied as standard.
Requires extended waste/overflow combination.

Matching sanitary ceramics: O.novo



h = Installation height (min - max)	
Bath	595 - 645
Whirlpool system	615 - 655
Profibox 2.0 without system	585 - 585
Profibox 2.0 incl. System	625 - 625

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 170 CAS 2V-XX	O.novo	1700 x 750	1200 x 430	470	170	22	442,-	20

Accessories for baths:


Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

O.NOVO (Rectangle 1800 x 800) Acrylic

Backrest form: Symmetric (two identical backrests)

Not included in scope of delivery: Set of bath feet is not supplied as standard.
Requires extended waste/overflow combination.

Matching sanitary ceramics: O.novo



h = Installation height (min - max)	
Bath	625 - 675
Whirlpool system	645 - 685
Profibox 2.0 without system	625 - 625
Profibox 2.0 incl. System	625 - 625

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01	pcs/pal.
UBA 180 CAS 2V-XX	O.novo	1800 x 800	1190 x 470	500	200	23,5	691,-	20

Accessories for baths:

Article number	Description	Price
U99740000	Bath feet, plastic, for baths with even bottom, adjustable from 130 à 180 mm	25,-
U90960461	Waste/overflow combination, chrome	201,-
U90960361	Outlet/overflow fitting with water inlet, chrome	450,-
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

THEANO Original Edition (Free-standing 1550 x 750) Quarryl®


GBP excl. VAT

Backrest form: Symmetric (two identical backrests)

Not included in scope of delivery: Push-to-Open valve without overflow function and ViFlow.

Technical information: Please note: In accordance with DIN 1986-100, a floor drain is required to protect the building against flooding, if a bath is installed without an overflow. No floor drain is required if ViFlow is used.

The drain must be recessed in the bathroom floor. See page 536-537.



Quarryl®

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01		pcs/pal.
UBQ 155 ANH 7F200V-XX	Theano, freestanding, Original Edition	1550 x 750	1100 x 500	480	173	50	3,087,-		1

Accessories for baths:

Article number	Description	Price
U90953001	ViFlow, Outlet and overflow fittings for baths without a visible overflow hole, white (alpin)	417,-
U90952001	Push-to-Open valve without overflow function, white (alpin)	128,-


THEANO Original Edition (Free-standing 1750 x 800) Quarryl®

Backrest form: Symmetric (two identical backrests)

Not included in scope of delivery: Push-to-Open valve without overflow function and ViFlow.

Technical information: Please note: In accordance with DIN 1986-100, a floor drain is required to protect the building against flooding, if a bath is installed without an overflow. No floor drain is required if ViFlow is used.

The drain must be recessed in the bathroom floor. See page 536-537.



Quarryl®

Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01		pcs/pal.
UBQ 175 ANH 7F200V-XX	Theano, freestanding, Original Edition	1750 x 800	1270 x 535	480	237	58,5	3,613,-		1

Accessories for baths:

Article number	Description	Price
U90953001	ViFlow, Outlet and overflow fittings for baths without a visible overflow hole, white (alpin)	417,-
U90952001	Push-to-Open valve without overflow function, white (alpin)	128,-

THEANO

Curved Edition (Free-standing 1700 x 750) Quarryl®


GBP excl. VAT

Backrest form:

Not included in scope of delivery:

Technical information:

Asymmetric (non-identical backrests)
Push-to-Open valve without overflow function and ViFlow.
Please note: In accordance with DIN 1986-100, a floor drain is required to protect the building against flooding, if a bath is installed without an overflow. No floor drain is required if ViFlow is used.
The drain must be recessed in the bathroom floor. See page 536-537.



Article number	Description	Size l x w	Bottom l x w	Depth	Litres incl. 1 pers	Weight (kg)	01		pcs/ pal.
UBQ 170 ANH 7F200V XX	Theano, freestanding, seamless, Curved Edition	1700 x 750	1168 x 508	480	202	62	3,613,-		1

Accessories for baths:			Price
Article number	Description		
U90953001	ViFlow, Outlet and overflow fittings for baths without a visible overflow hole, white (alpin)		417,-
U90952001	Push-to-Open valve without overflow function, white (alpin)		128,-

ACCESSORIES FOR BATHS

GBP excl. VAT

Handgrips

- Suitable for acrylic and Quarry® bathtubs
- Material: brass
- Available in colour:



chrome-plated (61)



ACCESSORIES
FOR BATHS

Article number	Description	Price
U90170061	Handgrips, 1 pair = 2 grips, chrome	243,-

ViFlow

The clever bath outlet and overflow

How ViFlow works

Open bath valve

The valve is opened by pushing down on the valve cover and turning it. The water flows through the valve into the waste water pipe.

Closed bath valve



Turn the valve to close it. The bath fills with water. The integrated overflow function continuously monitors the water level in the bath.

Overflow function


Once the water level reaches the overflow limit, the valve opens automatically and the water flows into the waste water pipe, preventing the bath from overflowing.

The advantages of ViFlow

- Valve is closed by pulling the valve cover up
- Integrated, mechanical, invisible overflow function
- Drain can be easily accessed for cleaning by removing outlet cover (with tools supplied)



Article number	Description	Price
U90953001	ViFlow, Outlet and overflow fittings for baths without a visible overflow hole, white (alpin)	417,-



ACCESSORIES FOR BATHS




GBP excl. VAT

ViFlow / SilentFlow

Technical details on the installation



ViFlow:	Maximum filling rate (drainage rate)	30 l/min
---------	--------------------------------------	----------

THEANO + VIFLOW



Top view

THEANO + VIFLOW



Top view

Maximum free space for outlet

* Connection waste pipe (DN40) in the flXoor

ACCESSORIES
FOR BATHS

TAPS



COLOUR SURVEY - TAPS

GBP excl. VAT

Collections / Models	Finishes			
	CHROME	BRUSHED NICKEL MATT	BRUSHED GOLD	MATT BLACK
	61	64	76	K5
ARCHITECTURA	○			
ARCHITECTURA SQUARE	○	○	○	○
ELEMENTS - STRIKING	○	○	○	○
ELEMENTS - TENDER	○	○	○	○
O.NOVO	○			
O.NOVO START	○			
VERVE SHOWERS	○	○	○	○
UNIVERSAL SHOWERS	○	○	○	○
UNIVERSAL TAPS & FITTINGS	○	○	○	○

ICONS



- Environmentally-friendly limitation of water to a maximum of 5 l/min – with no loss of performance



- Comfortable tap height for different surface-mounted washbasins



- Injecting air through aerator, to ensure a better water feeling with eco water usage



- Consistent water flow even in the event of variations in pressure



- Easy switching of the spray head at the touch of a button



- Easy cleaning and removal of limescale with a finger



- Exceptionally quiet water flow – noise class rating of 1 for the lowest level



- Reliable protection from scalding on the thermostat body

ARCHITECTURA

GBP excl. VAT

Taps

Clearly drafted design

Sleek contours and distinctive details, such as the flat spouts, engage perfectly with each other. The modern design with its straight contours is ideal for creating individual home interiors.

Design and special features

- Washbasin mixers with built-in EasyClean aerator
- Optional Ring for easy installation on uneven surfaces (O-ring)
- Matching sanitary ceramics: Architectura



ARCHITECTURA

Finishes




Chrome

ARCHITECTURA

GBP excl. VAT

Single-lever basin mixer




- With draw bar outlet fitting
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,6 l/min
- Spout length 124 mm
- Spout height 111 mm



Article number	Description	Price
TVW10300400061	Chrome	157,-

Single-lever basin mixer




- Without waste
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,6 l/min
- Spout length 124 mm
- Spout height 111 mm



Article number	Description	Price
TVW10300400161	Chrome	149,-

Tall single-lever basin mixer





- With push-open waste
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,6 l/min
- Spout length 185 mm
- Spout height 276 mm



Article number	Description	Price
TVW10300500061	Chrome	233,-

Single-lever basin mixer



- With push-open waste
- Material: Brass
- Wall-mounted
- Max flow rate at 3 bar 4,0 l/min
- Spout length 147 mm



Article number	Description	Price
TVW10311211061	Chrome	259,-


Required Miscellaneous

Article number	Description	Price
TVW00015200000	Universal concealed installation unit for single-lever mixer / see page 121	97,-

ARCHITECTURA

GBP excl. VAT

Single-lever bidet mixer




- With draw bar outlet fitting
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,5 l/min
- Spout length 136 mm
- Spout height 113 mm



Article number	Description	Price
TVB10300100061	Chrome	157,-


Single-lever shower mixer



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Hand shower hose connection 1/2"
- Max flow rate at 3 bar 22,3 l/min
- With backflow preventer

Article number	Description	Price
TVS10300100061	Chrome	166,-

Concealed single-lever bath / shower mixer




- Material: Brass
- Wall-mounted
- Connection Type 1/2"

Article number	Description	Price
TVS10335200061	Chrome	157,-

Required Miscellaneous

Article number	Description	Price
TVS00035100000	Vi-Box universal concealed installation unit for single-lever mixer / see page 121	86,-

Concealed single-lever bath / shower mixer



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- With automatic diverter

Article number	Description	Price
TVS10335300061	Chrome	166,-


Required Miscellaneous

Article number	Description	Price
TVS00035100000	Vi-Box universal concealed installation unit for single-lever mixer / see page 121	86,-

ARCHITECTURA

GBP excl. VAT

Single-lever bath & shower mixer





- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Hand shower hose connection 1/2"
- Max flow rate at 3 bar 27,0 l/min
- With automatic diverter
- Spout length 182 mm



Article number	Description	Price
TVT10300200061	Chrome	180,-

Bath spout



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Max flow rate at 3 bar 18,9 l/min
- Spout length 210 mm



Article number	Description	Price
TVT10350500061	Chrome	94,-

ARCHITECTURA SQUARE

GBP excl. VAT

Taps

Comfort of Square shaped design

Comfortably square shaped design lines for a metropolitan look inside the bathroom. A gentle touch of soft square edges to provide an undoubtable mixture between comfort and metropolitan design look.

Design and special features

- Washbasin mixers with built-in EasyClean aerator
- Comfort-Plus with the carefully selected height and projection.
- Matching sanitary ceramics: Architectura



ARCHITECTURA
SQUARE

Finishes



Chrome



Brushed Nickel
Matt



Matt Black




Brushed Gold

ARCHITECTURA SQUARE

GBP excl. VAT

Single-lever basin mixer




- With draw bar outlet fitting
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,7 l/min
- Spout length 130 mm
- Spout height 113 mm



Article number	Description	Price
TVW12500100061	Chrome	179,-
TVW12500100064	Brushed Nickel Matt	251,-
TVW12500100076	Brushed Gold	251,-
TVW125001000K5	Matt Black	251,-

Single-lever basin mixer



- Without waste
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,7 l/min
- Spout length 130 mm
- Spout height 113 mm




Article number	Description	Price
TVW12500400061	Chrome	169,-
TVW12500400064	Brushed Nickel Matt	239,-
TVW12500400076	Brushed Gold	239,-
TVW125004000K5	Matt Black	239,-

Optional miscellaneous

Article number	Description	Price
TVP00000301061	Push-Open waste, Chrome / see page 120	46,-
TVP000003020XX	Push-Open waste / see page 120	90,-

Tall single-lever basin mixer



- With push-open waste
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,9 l/min
- Spout length 176 mm
- Spout height 258 mm




Article number	Description	Price
TVW12500200061	Chrome	264,-
TVW12500200064	Brushed Nickel Matt	370,-
TVW12500200076	Brushed Gold	370,-
TVW125002000K5	Matt Black	370,-

ARCHITECTURA SQUARE

GBP excl. VAT

Single-lever basin mixer



- With push-open waste
- Material: Brass
- Wall-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,6 l/min
- Spout length 147 mm




Article number	Description	Price
TVW12500300061	Chrome	264,-
TVW12500300064	Brushed Nickel Matt	370,-
TVW12500300076	Brushed Gold	370,-
TVW125003000K5	Matt Black	370,-

Required Miscellaneous

Article number	Description	Price
TVW00015200000	Universal concealed installation unit for single-lever mixer / see page 121	97,-

Single-lever bidet mixer




- With draw bar outlet fitting
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,3 l/min
- Spout length 143 mm
- Spout height 100 mm



Article number	Description	Price
TVB12500100061	Chrome	179,-
TVB12500100064	Brushed Nickel Matt	251,-
TVB12500100076	Brushed Gold	251,-
TVB125001000K5	Matt Black	251,-

Single-lever shower mixer



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Hand shower hose connection 1/2"
- Max flow rate at 3 bar 13,2 l/min
- With backflow preventer


Article number	Description	Price
TVS12500100061	Chrome	189,-
TVS12500100064	Brushed Nickel Matt	264,-
TVS12500100076	Brushed Gold	264,-
TVS125001000K5	Matt Black	264,-

ARCHITECTURA
SQUARE

ARCHITECTURA SQUARE

GBP excl. VAT

Concealed single-lever bath / shower mixer




- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Max flow rate at 3 bar 22,6 l/min

Article number	Description	Price
TVS12500200061	Chrome	166,-
TVS12500200064	Brushed Nickel Matt	233,-
TVS12500200076	Brushed Gold	233,-
TVS125002000K5	Matt Black	233,-

Required Miscellaneous

Article number	Description	Price
TVS00035100000	Vi-Box universal concealed installation unit for single-lever mixer / see page 121	186,-

Concealed single-lever bath / shower mixer





- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Max flow rate at 3 bar 20,5 l/min
- With diverter

Article number	Description	Price
TVS12500300061	Chrome	180,-
TVS12500300064	Brushed Nickel Matt	252,-
TVS12500300076	Brushed Gold	252,-
TVS125003000K5	Matt Black	252,-

Required Miscellaneous

Article number	Description	Price
TVS00035100000	Vi-Box universal concealed installation unit for single-lever mixer / see page 121	86,-

Single-lever bath & shower mixer



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Hand shower hose connection 1/2"
- Max flow rate at 3 bar 21,9 l/min
- With backflow preventer
- With diverter
- Spout length 145 mm





Article number	Description	Price
TVT12500100061	Chrome	233,-
TVT12500100064	Brushed Nickel Matt	328,-
TVT12500100076	Brushed Gold	328,-
TVT125001000K5	Matt Black	328,-

ARCHITECTURA SQUARE

GBP excl. VAT

Bath spout



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Max flow rate at 3 bar 21,9 l/min
- Spout length 210 mm



Article number	Description	Price
TVT12500200061	Chrome	113,-
TVT12500200064	Brushed Nickel Matt	158,-
TVT12500200076	Brushed Gold	158,-
TVT125002000K5	Matt Black	158,-

ELEMENTS - STRIKING

GBP excl. VAT

Taps

The striking line

Elements Striking add the finishing touch to contemporary bathroom architecture. The straight-line accessories capture the clear design language of our modern taps collections and become stylish design elements in the bathroom. High-quality materials such as chrome-plated brass and glass make Elements Striking a reliable solution for purist bathrooms.

Design and special features

- Straight-line, modern design for a purist look
- Concealed screws for flawless, sophisticated aesthetics



ELEMENTS -
STRIKING

Finishes



Chrome



Brushed Nickel
Matt




Brushed Gold



Matt Black


- Please note for subsequent orders: slight variations in colour may occur between different production batches.
- Please follow the instructions when caring for tap fittings and accessories.

GBP excl. VAT




- Material: Brass
- Wall-mounted
- Length: 645 mm

Article number	Description	Price
TVA15200100061	Chrome	104,-
TVA15200100064	Brushed Nickel Matt	147,-
TVA15200100076	Brushed Gold	147,-
TVA152001000K5	Matt Black	147,-




Article number	Description	Price
TVA15200200061	Chrome	133,-
TVA15200200064	Brushed Nickel Matt	187,-
TVA15200200076	Brushed Gold	187,-
TVA152002000K5	Matt Black	187,-



- Material: Brass
- Wall-mounted

Article number	Description	Price
TVA15200500061	Chrome	80,-
TVA15200500064	Brushed Nickel Matt	113,-
TVA15200500076	Brushed Gold	113,-
TVA152005000K5	Matt Black	113,-




- Material: Brass
- Wall-mounted

Article number	Description	Price
TVA15201100061	Chrome	49,-
TVA15201100064	Brushed Nickel Matt	68,-
TVA15201100076	Brushed Gold	68,-
TVA152011000K5	Matt Black	68,-

ELEMENTS - STRIKING

GBP excl. VAT


Double robe hook



- Material: Brass
- Wall-mounted

Article number	Description	Price
TVA15201200061	Chrome	54,-
TVA15201200064	Brushed Nickel Matt	75,-
TVA15201200076	Brushed Gold	75,-
TVA152012000K5	Matt Black	75,-


Toilet roll holder with cover



- Material: Brass
- Wall-mounted

Article number	Description	Price
TVA15201300061	Chrome	95,-
TVA15201300064	Brushed Nickel Matt	135,-
TVA15201300076	Brushed Gold	135,-
TVA152013000K5	Matt Black	135,-

Toilet roll holder without cover




- Material: Brass
- Wall-mounted

Article number	Description	Price
TVA15201400061	Chrome	64,-
TVA15201400064	Brushed Nickel Matt	92,-
TVA15201400076	Brushed Gold	92,-
TVA152014000K5	Matt Black	92,-

ELEMENTS - STRIKING

GBP excl. VAT


Toilet roll holder with shelf



- Available from June 2024
- Material: Brass
- Wall-mounted
- Shelf made of zinc

Article number	Description	Price
TVA15202300061	Chrome	109,-
TVA152023000K5	Matt Black	154,-
TVA15202300064	Brushed Nickel Matt	154,-
TVA15202300076	Brushed Gold	154,-


Spare toilet roll holder



- Material: Brass
- Wall-mounted

Article number	Description	Price
TVA15201500061	Chrome	54,-
TVA15201500064	Brushed Nickel Matt	75,-
TVA15201500076	Brushed Gold	75,-
TVA152015000K5	Matt Black	75,-

Toilet brush set




- Material: Brass
- Wall-mounted
- Bottle made of frosted glass
- Incl. toilet brush

Article number	Description	Price
TVA15201700061	Chrome	153,-
TVA15201700064	Brushed Nickel Matt	215,-
TVA15201700076	Brushed Gold	215,-
TVA152017000K5	Matt Black	215,-

ELEMENTS - STRIKING

GBP excl. VAT


Tumbler holder



- Material: Brass
- Wall-mounted
- Tumbler made of frosted glass

Article number	Description	Price
TVA15201900061	Chrome	90,-
TVA15201900064	Brushed Nickel Matt	126,-
TVA15201900076	Brushed Gold	126,-
TVA152019000K5	Matt Black	126,-


Soap dispenser



- Material: Brass
- Wall-mounted
- Bottle made of frosted glass
- Bottle volume: 230 ml

Article number	Description	Price
TVA15200700061	Chrome	135,-
TVA15200700064	Brushed Nickel Matt	189,-
TVA15200700076	Brushed Gold	189,-
TVA152007000K5	Matt Black	189,-

Holding handle



- Material: Brass
- Wall-mounted
- Length: 360 mm

Article number	Description	Price
TVA15202200061	Chrome	155,-
TVA15202200064	Brushed Nickel Matt	217,-
TVA15202200076	Brushed Gold	217,-
TVA152022000K5	Matt Black	217,-

ELEMENTS - TENDER

GBP excl. VAT

Taps

The gentle line

An all-round success: the timelessly elegant accessories harmonise perfectly with the attractive taps by Villeroy & Boch and blend discreetly into every bathroom concept. Made of high-quality materials, the products meet the highest demands on quality and function. Elements Tender - indispensable accessories for an aesthetic bathroom design.

Design and special features

- Round contours bring harmony and elegance to the bathroom
- Concealed screws for flawless, sophisticated aesthetics



Finishes



Chrome




Matt Black

ELEMENTS - TENDER

GBP excl. VAT


Towel rail



- Material: Brass/zinc
- Wall-mounted
- Length: 305 mm

Article number	Description	Price
TVA15102100061	Chrome	62,-
TVA151021000K5	Matt Black	87,-


Towel rail



- Material: Brass/zinc
- Wall-mounted
- Length: 457 mm

Article number	Description	Price
TVA15100100061	Chrome	66,-
TVA151001000K5	Matt Black	93,-


Towel rail



- Material: Brass/zinc
- Wall-mounted
- Length: 654 mm

Article number	Description	Price
TVA15100200061	Chrome	89,-
TVA151002000K5	Matt Black	125,-

Towel holder, double-arm




- Available from June 2024
- Material: Brass/zinc
- Wall-mounted
- Swivel
- Length: 400 mm

Article number	Description	Price
TVA15103800061	Chrome	171,-
TVA151038000K5	Matt Black	240,-

ELEMENTS - TENDER

GBP excl. VAT


Towel rail



- Material: Brass/zinc
- Wall-mounted

Article number	Description	Price
TVA15100500061	Chrome	49,-
TVA151005000K5	Matt Black	68,-


Towel hook



- Material: Brass/zinc
- Wall-mounted

Article number	Description	Price
TVA15101100061	Chrome	38,-
TVA151011000K5	Matt Black	54,-


Double robe hook



- Material: Brass/zinc
- Wall-mounted

Article number	Description	Price
TVA15101200061	Chrome	42,-
TVA151012000K5	Matt Black	60,-

Towel rack






- Material: Brass/zinc
- Wall-mounted
- Length: 600 mm

Article number	Description	Price
TVA15100600061	Chrome	230,-
TVA151006000K5	Matt Black	323,-

ELEMENTS - TENDER

GBP excl. VAT


Corner soap basket



- Material: Brass/zinc
- Wall-mounted

Article number	Description	Price
TVA15100900061	Chrome	66,-
TVA151009000K5	Matt Black	93,-



Holding handle



- Material: Brass/zinc
- Wall-mounted
- Length: 450 mm

Article number	Description	Price
TVA15101000061	Chrome	120,-
TVA151010000K5	Matt Black	168,-



Toilet roll holder with cover



- Material: Brass/zinc
- Wall-mounted

Article number	Description	Price
TVA15101300061	Chrome	71,-
TVA151013000K5	Matt Black	100,-

Toilet roll holder without cover




- Material: Brass/zinc
- Wall-mounted

Article number	Description	Price
TVA15101400061	Chrome	56,-
TVA151014000K5	Matt Black	78,-


GBP excl. VAT

- Material: Brass/zinc
- Wall-mounted




Article number	Description	Price
TVA15101500061	Chrome	65,-
TVA151015000K5	Mat Black	91,-

- Material: Brass/zinc
- Wall-mounted
- Bottle made of frosted glass
- Incl. toilet brush




Article number	Description	Price
TVA15101600061	Chrome	103,-
TVA151016000K5	Matt Black	145,-

- Material: Brass/zinc
- Wall-mounted
- Tumbler made of frosted glass



Article number	Description	Price
TVA15101800061	Chrome	54,-
TVA151018000K5	Matt Black	75,-

- Material: Brass/zinc
- Wall-mounted
- Bottle made of frosted glass
- Bottle volume: 230 ml




Article number	Description	Price
TVA15100700061	Chrome	196,-
TVA151007000K5	Matt Black	275,-

ELEMENTS - TENDER

GBP excl. VAT

Soap dish



- Material: Brass/zinc
- Wall-mounted
- Soap dish made of frosted glass

Article number	Description	Price
TVA15101900061	Chrome	53,-
TVA151019000K5	Matt Black	74,-

O.NOVO

GBP excl. VAT

Taps

Strikingly discreet

The O.novo design language impresses with its simplicity and clarity. The modest shapes with rounded edges can be combined in many ways, always looking good.

Design and special features

- Lever and spout match the O.novo ceramic design
- Integrated EasyClean aerator
- Matching sanitary ceramics: O.novo



Finishes




Chrome

O.NOVO

GBP excl. VAT

Single-lever basin mixer




- With draw bar outlet fitting
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,6 l/min
- Spout length 117 mm
- Spout height 105 mm



Article number	Description	Price
TVW10400300061	Chrome	144,-

Single-lever basin mixer



- Without waste
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,6 l/min
- Spout length 117 mm
- Spout height 105 mm




Article number	Description	Price
TVW10400300161	Chrome	144,-

Optional miscellaneous

Article number	Description	Price
TVP00000301061	Push-Open waste, Chrome / see page 120	46,-

Single-lever basin mixer Cold start



- Without waste
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Cold start
- Max flow rate at 3 bar 4,6 l/min
- Spout length 117 mm
- Spout height 105 mm



Article number	Description	Price
TVW10400400061	Chrome	144,-


Optional miscellaneous

Article number	Description	Price
TVP00000301061	Push-Open waste, Chrome / see page 120	46,-

O.NOVO

GBP excl. VAT

Single-lever basin mixer Cold start



- With draw bar outlet fitting
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Cold start
- Max flow rate at 3 bar 4,6 l/min
- Spout length 117 mm
- Spout height 105 mm




Article number	Description	Price
TVW10400400161	Chrome	144,-

Optional miscellaneous

Article number	Description	Price
TVP00000301061	Push-Open waste, Chrome / see page 120	46,-

Tall single-lever basin mixer




- With push-open waste
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,8 l/min
- Spout length 165 mm
- Spout height 240 mm



Article number	Description	Price
TVW10410511061	Chrome	220,-

Single-lever bidet mixer




- With draw bar outlet fitting
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,8 l/min
- Spout length 121 mm
- Spout height 75 mm



Article number	Description	Price
TVB10420111061	Chrome	144,-

Single-lever shower mixer




- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Hand shower hose connection 1/2"
- Max flow rate at 3 bar 22,3 l/min
- With backflow preventer

Article number	Description	Price
TVS10400100061	Chrome	162,-

O.NOVO

GBP excl. VAT

Concealed single-lever bath / shower mixer




- Material: Brass
- Wall-mounted
- Max flow rate at 3 bar 19 l/min

Article number	Description	Price
TVS10435200061	Chrome	153,-

Required Miscellaneous

Article number	Description	Price
TVS00035100000	Vi-Box universal concealed installation unit for single-lever mixer / see page 121	86,-

Concealed single-lever bath / shower mixer




- Material: Brass
- Wall-mounted
- Max flow rate at 3 bar 18 l/min
- With automatic diverter

Article number	Description	Price
TVS10435300061	Chrome	162,-

Required Miscellaneous

Article number	Description	Price
TVS00035100000	Vi-Box universal concealed installation unit for single-lever mixer / see page 121	86,-

Single-lever bath & shower mixer




- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Hand shower hose connection 1/2"
- Max flow rate at 3 bar 28,2 l/min
- With backflow preventer
- With automatic diverter
- Spout length 162 mm
- Spout height 34 mm



Article number	Description	Price
TVT10400100061	Chrome	171,-

Bath spout



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Max flow rate at 3 bar 20,2 l/min
- Spout length 210 mm



Article number	Description	Price
TVT10450500061	Chrome	90,-

O.NOVO START

GBP excl. VAT

Taps

Exceptionally attractive

Narrow contours and curved transitions characterise the design of O.novo Start. An eye-catcher in the modern bathroom, perfect Villeroy & Boch quality at an attractive price point.

Design and special features

- Thanks to 3 different heights, the basin mixers can be combined with a variety of different washbasins.
- Integrated EasyClean aerator



Finishes




Chrome

O.NOVO START

GBP excl. VAT

Single-lever basin mixer




- With draw bar outlet fitting
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,3 l/min
- Spout length 107 mm
- Spout height 50 mm



Article number	Description	Price
TVW10514111061	Chrome	99,-

Single-lever basin mixer




- Without waste
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,3 l/min
- Spout length 107 mm
- Spout height 50 mm



Article number	Description	Price
TVW10514111161	Chrome	90,-

Single-lever basin mixer




- With draw bar outlet fitting
- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,8 l/min
- Spout length 117 mm
- Spout height 85 mm



Article number	Description	Price
TVW10510111061	Chrome	114,-

Single-lever basin mixer




- Material: Brass
- Deck-mounted
- Connection Type 3/8"
- Max flow rate at 3 bar 4,5 l/min




Article number	Description	Price
TVW10510311061	Chrome	104,-

GBP excl. VAT



- | | | | | |
|-----------------|---------------------|-------------------|-------------------|-----------------------|
| Air Plus | Comfort Plus | Aqua Smart | Easy Clean | Smart Pressure |
| Villeroy & Boch | Villeroy & Boch | Villeroy & Boch | Villeroy & Boch | Villeroy & Boch |

Article number	Description	Price
TVW10510511061	Chrome	176,-




-

Article number	Description	Price
TVW10511211061	Chrome	179,-


Article number	Descr
TVW00015200000	Univer

Article number	Description	Price
TVW00015200000	Universal concealed installation unit for single-lever mixer / see page 121	97,-



- | | | | |
|-----------------|-------------------|-------------------|-----------------------|
| Air Plus | Aqua Smart | Easy Clean | Smart Pressure |
| Villeroy & Boch | Villeroy & Boch | Villeroy & Boch | Villeroy & Boch |

Article number	Description	Price
TVB10520111061	Chrome	99.




- | Article number | Description | Price |
|----------------|-------------|-------|
| TVS10530111061 | Chrome | 122,- |

O.NOVO START

GBP excl. VAT

Concealed single-lever bath / shower mixer




- Material: Brass
- Wall-mounted
- Max flow rate at 3 bar 23,6 l/min

Article number	Description	Price
TVS10535211061	Chrome	121,-

Required Miscellaneous

Article number	Description	Price
TVS00035100000	Vi-Box universal concealed installation unit for single-lever mixer / see page 121	86,-

Concealed single-lever bath / shower mixer




- Material: Brass
- Wall-mounted
- Max flow rate at 3 bar 22,9 l/min
- With automatic diverter

Article number	Description	Price
TVS10535311061	Chrome	135,-

Required Miscellaneous

Article number	Description	Price
TVS00035100000	Vi-Box universal concealed installation unit for single-lever mixer / see page 121	86,-

Single-lever bath & shower mixer



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Hand shower hose connection 1/2"
- Max flow rate at 3 bar 21,6 l/min
- With automatic diverter



Article number	Description	Price
TVT10550111061	Chrome	142,-

Bath spout



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Max flow rate at 3 bar 27,5 l/min
- Spout length 196 mm



Article number	Description	Price
TVT10550511061	Chrome	70,-

VERVE SHOWERS

GBP excl. VAT

Taps

Design meets comfort

The new Verve shower series blends seamlessly into the bathroom furnishings with its timeless design and can be combined with all Villeroy & Boch collections and styles. Thanks to the different flow types, Verve creates a custom shower experience.

Design and special features

- Water-saving hand showers for sustainable use
- With three different flow types: Relaxation, Massage, Intensive



Finishes



Chrome



Brushed Nickel
Matt



Brushed Gold




Matt Black

VERVE SHOWERS

GBP excl. VAT

Hand shower




- Material: Brass
- Hand shower hose connection 1/2"
- Spray Modes: Comfort jet
- Max flow rate at 3 bar 9,37 l/min
- Hand shower with integrated check valve
- Handshower Ø 25 mm



Article number	Description	Price
TVS10900600061	Chrome	86,-
TVS10900600064	Brushed Nickel Matt	121,-
TVS10900600076	Brushed Gold	121,-
TVS109006000K5	Matt Black	121,-

Hand shower with three spray types




- Material: ABS-Plastic
- Spray Modes: Hand shower with relax, massage and intense spray type
- Max flow rate at 3 bar 8,51 l/min
- Hand shower with integrated check valve
- Handshower Ø 110 mm



Article number	Description	Price
TVS109001UK061	Chrome	74,-
TVS109001UK0K5	Matt Black	105,-

Shower set with three features



- Material: Acrylonitrile butadiene styrene (ABS)/ Brass
- Wall-mounted
- Hand shower hose connection 1/2"
- Shower hose 1600 mm
- Flexible mounting
- Spray Modes: Hand shower with relax, massage and intense spray type
- Hand shower: max flow rate at 3 bar 8,51 l/min
- Hand shower with integrated check valve
- Handshower Ø 110 mm



Article number	Description	Price
TVS109007UK061	Chrome	129,-
TVS109007UK064	Brushed Nickel Matt	182,-
TVS109007UK076	Brushed Gold	182,-
TVS109007UK0K5	Matt Black	182,-

UNIVERSAL SHOWERS

GBP excl. VAT

Taps

The all-rounder

Universal showering is a genuine allrounder for the bathroom. With its numerous forms, sizes and installation variants it is the right choice for creating individual bathroom settings, matching all Villeroy & Boch collections.

Design and special features

- Generic shower products for all Villeroy & Boch taps collections
- Showering products for surface-mounted or concealed installation

UNIVERSAL
SHOWERS

Finishes



Chrome

Brushed Nickel
Matt

Brushed Gold





Matt Black

- Please note: Not every article is available in every finish. You can find all finish possibilities in the product view.
- Please note for subsequent orders: slight variations in colour may occur between different production batches.
- Please follow the instructions when caring for tap fittings and accessories.

UNIVERSAL SHOWERS

GBP excl. VAT

Rain shower





- Material: Brass
- Connection Type 1/2"
- Rain shower: max flow rate at 3 bar 11,7 l/min
- Shower Ø 250 mm



Article number	Description	Price
TVC00000100064	Brushed Nickel Matt	266,-
TVC00000100076	Brushed Gold	266,-
TVC000001000K5	Matt Black	266,-

Rain shower




- Material: Brass
- Connection Type 1/2"
- Rain shower: max flow rate at 3 bar 11,7 l/min
- Shower Dimension 250x250 mm



Article number	Description	Price
TVC00000200061	Chrome	225,-
TVC000002000K5	Matt Black	306,-

Rain shower





- Material: Stainless steel
- Ceiling-mounted
- Connection Type 1/2"
- Rain shower: max flow rate at 3 bar 11,4 l/min
- Shower Dimension 200x200 mm



Article number	Description	Price
TVC00040220061	Chrome	107,-

Rain shower




- Material: Stainless steel
- Ceiling-mounted
- Connection Type 1/2"
- Rain shower: max flow rate at 3 bar 11,5 l/min
- Shower Ø 200 mm



Article number	Description	Price
TVC00040120061	Chrome	101,-

Rain shower arm





- Material: Brass
- Wall-mounted
- Connection Type 1/2"

Article number	Description	Price
TVC00045351061	Chrome	69,-
TVC00045351064	Brushed Nickel Matt	98,-
TVC00045351076	Brushed Gold	98,-
TVC000453510K5	Matt Black	98,-

UNIVERSAL SHOWERS

GBP excl. VAT



Rain shower arm



- Material: Brass
- Wall-mounted
- Connection Type 1/2"

Article number	Description	Price
TVC00045453061	Chrome	69,-
TVC000454530K5	Matt Black	97,-




Hand shower holder



- Material: Brass
- Wall-mounted

Article number	Description	Price
TVC00045800061	Chrome	69,-
TVC00045800064	Brushed Nickel Matt	100,-
TVC00045800076	Brushed Gold	100,-
TVC000458000K5	Matt Black	100,-



Hand shower holder



- Material: Brass
- Wall-mounted

Article number	Description	Price
TVC00045900061	Chrome	68,-
TVC000459000K5	Matt Black	97,-

Wall outlet



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Hand shower hose connection 1/2"


Article number	Description	Price
TVC00045600061	Chrome	53,-
TVC00045600064	Brushed Nickel Matt	75,-
TVC00045600076	Brushed Gold	75,-
TVC000456000K5	Matt Black	75,-

UNIVERSAL
SHOWERS

UNIVERSAL SHOWERS

GBP excl. VAT

Wall outlet



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Hand shower hose connection 1/2"

Article number	Description	Price
TVC00045700061	Chrome	57,-
TVC000457000K5	Matt Black	83,-


Shower hose



- Material: PVC
- Connection Type 1/2"
- Length: 1600 mm
- Anti-twist protection on both sides

Article number	Description	Price
TVC0003400061	Chrome	38,-
TVC0003400064	Brushed Nickel Matt	54,-
TVC0003400076	Brushed Gold	54,-
TVC00034000K5	Matt Black	54,-


Shower hose



- Material: PVC
- Connection Type 1/2"
- Length: 1200 mm
- Anti-twist protection on both sides

Article number	Description	Price
TVC0003500061	Chrome	33,-
TVC0003500064	Brushed Nickel Matt	47,-
TVC0003500076	Brushed Gold	47,-
TVC00035000K5	Matt Black	47,-

Shower system with three features




- Material: ABS plastic / stainless steel
- Wall-mounted
- Connection Type 1/2"
- Shower hose 1600 mm
- Spray Modes: Hand shower with relax, massage and intense spray type
- Hand shower: max flow rate at 3 bar 8,93 l/min
- Rain shower: max flow rate at 3 bar 8,88 l/min
- Adjustable temperature limitation
- Hand shower with integrated check valve
- Handshower Ø 110 mm
- Shower Ø 230 mm
- With integrated diverter

Article number	Description	Price
TVS109002UK061	Chrome	378,-
TVS109002UK0K5	Matt Black	529,-

UNIVERSAL SHOWERS

GBP excl. VAT

Shower set with three features




- Material: ABS plastic / stainless steel
- Wall-mounted
- Hand shower hose connection 1/2"
- Shower hose 1600 mm
- Spray Modes: Hand shower with relax, massage and intense spray type
- Max flow rate at 3 bar 8,93 l/min
- Hand shower: max flow rate at 3 bar 8,7 l/min
- Hand shower with integrated check valve
- Handshower Ø 110 mm



Article number	Description	Price
TVS109004UK061	Chrome	85,-
TVS109004UK0K5	Matt Black	119,-

Hand shower with three spray types



- Material: ABS-Plastic
- Spray Modes: Hand shower with relax, massage and intense spray type
- Hand shower: max flow rate at 3 bar 8,93 l/min
- Hand shower with integrated check valve
- Handshower Ø 110 mm



Article number	Description	Price
TVS109003UK061	Chrome	38,-
TVS109003UK0K5	Matt Black	54,-

UNIVERSAL TAPS & FITTINGS

GBP excl. VAT

Taps

The perfect fix

Universal Taps and Fittings offer the finishing touch to the bathroom. From the Vi-Box for easy installation to a shower for your bidet. Every product is designed to match all Villeroy & Boch taps collections, each with an individual touch.

Design and special features

- Generic shower products for all Villeroy & Boch taps collections
- Perfect combination of design and funtionality

UNIVERSAL TAPS
& FITTINGS



Finishes



Chrome



Brushed Nickel
Matt



Brushed Gold




Matt Black

- Please note: Not every article is available in every finish. You can find all finish possibilities in the product view.
- Please note for subsequent orders: slight variations in colour may occur between different production batches.
- Please follow the instructions when caring for tap fittings and accessories.

UNIVERSAL TAPS & FITTINGS

GBP excl. VAT

Concealed thermostat with two function volume control





- Material: Brass
- Wall-mounted
- Flow volume at 3 bar: 18.9 l/min & 16.7 l/min
- Two function volume control
- With backflow preventer
- With diverter

Article number	Description	Price
TVD00065300061	Chrome	378,-
TVD00065300064	Brushed Nickel Matt	530,-
TVD00065300076	Brushed Gold	530,-
TVD000653000K5	Matt Black	530,-

Required Miscellaneous

Article number	Description	Price
TVD00065100000	Vi-Box concealed thermostat installation unit with security lock / see page 121	129,-

Concealed thermostat with three-way volume control




- Material: Brass
- Wall-mounted
- 3-way volume control
- Adjustable temperature limitation
- With diverter

Article number	Description	Price
TVD00000100061	Chrome	406,-

Required Miscellaneous

Article number	Description	Price
TVD00065100000	Vi-Box concealed thermostat installation unit with security lock / see page 121	129,-

Shower thermostat



- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Hand shower hose connection 1/2"
- Max flow rate at 3 bar 21 l/min
- Adjustable temperature limitation
- With backflow preventer





Article number	Description	Price
TVS00001700061	Chrome	217,-
TVS000017000K5	Matt Black	304,-

UNIVERSAL TAPS & FITTINGS

GBP excl. VAT

Shower thermostat




- Material: Brass
- Wall-mounted
- Connection Type 1/2"
- Hand shower hose connection 1/2"
- Max flow rate at 3 bar 21 l/min
- Adjustable temperature limitation
- With backflow preventer



Article number	Description	Price
TVS00001800061	Chrome	276,-
TVS000018000K5	Matt Black	386,-


Siphon



- Material: Brass
- Wall-mounted
- Connection Type 1 1/4"
- Openable bottle siphon for easy cleaning

Article number	Description	Price
TVC00000400061	Chrome	98,-
TVC00000400064	Brushed Nickel Matt	137,-
TVC00000400076	Brushed Gold	137,-
TVC000004000K5	Matt Black	137,-

Push-Open waste




- Material: Brass



Article number	Description	Price
TVP00000302064	Brushed Nickel Matt	90,-
TVP00000302076	Brushed Gold	90,-
TVP000003020K5	Matt Black	90,-

Push-Open waste




- Material: Brass

Article number	Description	Price
TVP00000301061	Chrome	46,-

UNIVERSAL TAPS & FITTINGS

GBP excl. VAT


Vi-Box universal concealed installation unit for single-lever mixer



- Material: Plastic
- Wall-mounted
- Min / Max installation depth: 75 / 101 mm
- Flow volume at 3 bar in outlet no.1: 21.5 l/min, in outlet no.2: 21.5 l/min

Article number	Description	Price
TVS00035100000		86,-


Vi-Box concealed thermostat installation unit with security lock



- Material: Plastic
- Wall-mounted
- Min / Max installation depth: 84 / 106 mm
- Flow volume at 3 bar in outlet no.1: 13.3 l/min, in outlet no.2: 13.7 l/min, in outlet no.3: 13.5 l/min
- With backflow preventer

Article number	Description	Price
TVD00065100000		129,-

Universal concealed installation unit for single-lever mixer



- Material: Plastic
- Wall-mounted
- Min / Max installation depth: 65 / 80 mm
- 1 x Outlet
- Max flow rate at 3 bar 20,7 l/min
- With backflow preventer


Article number	Description	Price
TVW00015200000		97,-

SHOWER PACKS

GBP excl. VAT

The Ideal combination

Universal Shower Packs have been specifically chosen to create that elegant on trend offer, putting together our most popular showering variations in numerous high-quality finishes. Making it simple to specify your showering requirements in one easy to order bundle pack.



Finishes



Chrome



Matt Black

- Please note: Not every article is available in every finish. You can find all finish possibilities in the product view.
- Please note for subsequent orders: slight variations in colour may occur between different production batches.
- Please follow the instructions when caring for tap fittings and accessories.

SHOWER PACKS

GBP excl. VAT


Round Complete Shower Set - Chrome - VBSSPACK1



VBSSPACK1

VBSSPACK1			
	Includes	Description	Price
UNIVERSAL FITTINGS	1 TVD00065100000	Universal Vi-Box Concealed Thermostat Installation Unit	£129
UNIVERSAL FITTINGS	2 TVD00065300061	Universal Concealed Thermostat Valve; Dual Outlet; Chrome	£378
UNIVERSAL SHOWERS	3 TVC00040120061	Universal Round Shower Head; Stainless Steel; 200 mm diameter; Chrome	£101
UNIVERSAL SHOWERS	4 TVC00045351061	Universal Round Shower Arm; Wall Mounted; Chrome	£69
UNIVERSAL SHOWERS	5 TVS109003UK061	Universal Round 3 Spray Hand Shower; Chrome	£38
UNIVERSAL SHOWERS	6 TVC00045800061	Universal Round Hand Shower Holder; Chrome	£69
UNIVERSAL SHOWERS	7 TVC00003500061	Universal Shower Hose; 1200 mm; Chrome	£33
UNIVERSAL SHOWERS	8 TVC00045600061	Universal Round Shower Wall Outlet; Chrome	£53
			£870

Square Complete Shower Set - Chrome - VBSSPACK2



VBSSPACK2

VBSSPACK2			
	Includes	Description	Price
UNIVERSAL FITTINGS	1 TVD00065100000	Universal Vi-Box Concealed Thermostat Installation Unit	£129
UNIVERSAL FITTINGS	2 TVD00065300061	Universal Concealed Thermostat Valve; Dual Outlet; Chrome	£378
UNIVERSAL SHOWERS	3 TVC00040220061	Universal Square Shower Head; Stainless Steel; 200 mm diameter; Chrome	£107
UNIVERSAL SHOWERS	4 TVC00045453061	Universal Square Shower Arm; Wall Mounted; Chrome	£69
UNIVERSAL SHOWERS	5 TVS109003UK061	Universal Round 3 Spray Hand Shower; Chrome	£38
UNIVERSAL SHOWERS	6 TVC00045900061	Universal Square Hand Shower Holder; Chrome	£68
UNIVERSAL SHOWERS	7 TVC00003500061	Universal Shower Hose; 1200 mm; Chrome	£33
UNIVERSAL SHOWERS	8 TVC00045700061	Universal Square Shower Wall Outlet; Chrome	£57
			£879

For technical details please refer to the Villeroy & Boch App



SHOWER PACKS

GBP excl. VAT


Round Complete Shower Set with Slider Rail Kit - Chrome - VBSSPACK5



VBSSPACK5

VBSSPACK5				
		Includes	Description	Price
UNIVERSAL FITTINGS	1	TVD00065100000	Universal Vi-Box Concealed Thermostat Installation Unit	£129
UNIVERSAL FITTINGS	2	TVD00065300061	Universal Concealed Thermostat Valve; Dual Outlet; Chrome	£378
UNIVERSAL SHOWERS	3	TVC00040120061	Universal Round Shower Head; Stainless Steel; 200 mm diameter; Chrome	£101
UNIVERSAL SHOWERS	4	TVC00045351061	Universal Round Shower Arm; Wall Mounted; Chrome	£69
UNIVERSAL SHOWERS	5	TVS109004UK061	Universal Shower Set; Including Riser Rail, Hose & Round Hand Shower; Chrome	£85
UNIVERSAL SHOWERS	6	TVC00045600061	Universal Round Shower Wall Outlet; Chrome	£53
				£815

Square Verve Complete Shower Set with Slider Rail Kit - Chrome - VBSSPACK6



VBSSPACK6

VBSSPACK6				
		Includes	Description	Price
UNIVERSAL FITTINGS	1	TVD00065100000	Universal Vi-Box Concealed Thermostat Installation Unit	£129
UNIVERSAL FITTINGS	2	TVD00065300061	Universal Concealed Thermostat Valve; Dual Outlet; Chrome	£378
UNIVERSAL SHOWERS	3	TVC00000200061	Universal Square Shower Head; Brass; 250 x 250 mm; Chrome	£225
UNIVERSAL SHOWERS	4	TVC00045453061	Universal Square Shower Arm; Wall Mounted; Chrome	£69
UNIVERSAL SHOWERS	5	TVS109007UK061	Verve Exposed Shower Set; Including Riser Rail, Hose & Hand Shower; Chrome	£129
UNIVERSAL SHOWERS	6	TVC00045700061	Universal Square Shower Wall Outlet; Chrome	£57
				£987

For technical details please refer to the Villeroy & Boch App



SHOWER PACKS

GBP excl. VAT


Thermostatic Round Shower Mixer Set - Chrome - VBSSPACK7



VBSSPACK7

VBSSPACK7				
		Includes	Description	Price
UNIVERSAL FITTINGS	1	TVS00001700061	Universal Exposed Round Thermostatic Shower Mixer; Chrome	£217
UNIVERSAL SHOWERS	2	TVS109004UK061	Universal Shower Set; Including Riser Rail, Hose & Round Hand Shower; Chrome	£85
				£302

Thermostatic Square Verve Shower Mixer Set - Chrome - VBSSPACK8



VBSSPACK8


VBSSPACK8				
		Includes	Description	Price
UNIVERSAL FITTINGS	1	TVS00001800061	Universal Exposed Square Thermostatic Shower Mixer; Chrome	£276
VERVE SHOWERS	2	TVS109007UK061	Verve Exposed Shower Set; Including Riser Rail, Hose & Hand Shower; Chrome	£129
				£405



SHOWER PACKS

GBP excl. VAT

Thermostatic Round Shower Mixer Set - Matt Black - VBSSPACK9



VBSSPACK9

VBSSPACK9				
		Includes	Description	Price
UNIVERSAL FITTINGS	1	TVS000017000K5	Universal Exposed Round Thermostatic Shower Mixer; Matt Black	£304
VERVE SHOWERS	2	TVS109007UK0K5	Verve Exposed Shower Set; Including Riser Rail, Hose & Hand Shower; Matt Black	£182
				£486

Thermostatic Square Shower Mixer Set - Matt Black - VBSSPACK10



VBSSPACK10

VBSSPACK10				
		Includes	Description	Price
UNIVERSAL FITTINGS	1	TVS000018000K5	Universal Exposed Square Thermostatic Shower Mixer; Matt Black	£386
VERVE SHOWERS	2	TVS109007UK0K5	Verve Exposed Shower Set; Including Riser Rail, Hose & Hand Shower; Matt Black	£182
				£568


For technical details please refer to the Villeroy & Boch App



SHOWER PACKS

GBP excl. VAT


Square Complete Shower Set - Brushed Gold - VBSSPACK12



VBSSPACK12

VBSSPACK12			
	Includes	Description	Price
UNIVERSAL FITTINGS	1	TVD00065100000	Universal Vi-Box Concealed Thermostat Installation Unit
UNIVERSAL FITTINGS	2	TVD000653000K5	Universal Concealed Thermostat Valve; Dual Outlet; Matt Black
UNIVERSAL SHOWERS	3	TVC000002000K5	Universal Square Shower Head; 250 x 250 mm diameter; Matt Black
UNIVERSAL SHOWERS	4	TVC000454530K5	Universal Square Shower Arm; Wall Mounted; Matt Black
VERVE SHOWERS	5	TVS109003UK0K5	Universal Round 3 Spray Hand Shower; Matt Black
UNIVERSAL SHOWERS	6	TVC000459000K5	Universal Square Hand Shower Holder; Matt Black
UNIVERSAL SHOWERS	7	TVC000035000K5	Universal Shower Hose; 1200 mm; Matt Black
UNIVERSAL SHOWERS	8	TVC000457000K5	Universal Square Shower Wall Outlet; Matt Black
			£1,343

Round Complete Shower Set - Brushed Gold - VBSSPACK13



VBSSPACK13

VBSSPACK13			
	Includes	Description	Price
UNIVERSAL FITTINGS	1	TVD00065100000	Universal Vi-Box Concealed Thermostat Installation Unit
UNIVERSAL FITTINGS	2	TVD00065300076	Universal Concealed Thermostat Valve; Dual Outlet; Brushed Gold
UNIVERSAL SHOWERS	3	TVC00000100076	Universal Round Shower Head; Brass; 250 mm diameter; Brushed Gold
UNIVERSAL SHOWERS	4	TVC00045351076	Universal Round Shower Arm; Wall Mounted; Brushed Gold
VERVE SHOWERS	5	TVS10900600076	Verve Slim Hand shower; Brushed Gold
UNIVERSAL SHOWERS	6	TVC00045800076	Universal Round Hand Shower Holder; Brushed Gold
UNIVERSAL SHOWERS	7	TVC00003500076	Universal Shower Hose; 1200 mm; Brushed Gold
UNIVERSAL SHOWERS	8	TVC00045600076	Universal Round Shower Wall Outlet; Brushed Gold
			£1,366

For technical details please refer to the Villeroy & Boch App



SHOWER PACKS

GBP excl. VAT


Round Complete Shower Set - Brushed Nickel Matt - VBSSPACK14



VBSSPACK14

VBSSPACK14				
		Includes	Description	Price
UNIVERSAL FITTINGS	1	TVD00065100000	Universal Vi-Box Concealed Thermostat Installation Unit	£129
UNIVERSAL FITTINGS	2	TVD00065300064	Universal Concealed Thermostat Valve; Dual Outlet; Brushed Nickel Matt	£530
UNIVERSAL SHOWERS	3	TVC00000100064	Universal Round Shower Head; Brass; 250 mm diameter; Brushed Nickel Matt	£266
UNIVERSAL SHOWERS	4	TVC00045351064	Universal Round Shower Arm; Wall Mounted; Brushed Nickel Matt	£98
VERVE SHOWERS	5	TVS10900600064	Verve Slim Hand shower; Brushed Nickel Matt	£121
UNIVERSAL SHOWERS	6	TVC00045800064	Universal Round Hand Shower Holder; Brushed Nickel Matt	£100
UNIVERSAL SHOWERS	7	TVC00003500064	Universal Shower Hose; 1200 mm; Brushed Nickel Matt	£47
UNIVERSAL SHOWERS	8	TVC00045600064	Universal Round Shower Wall Outlet; Brushed Nickel Matt	£75
				£1,366

Round 3 Way Complete Bath and Shower Set with Fixed Head - Chrome - VBSSPACK17



VBSSPACK17

VBSSPACK17				
		Includes	Description	Price
UNIVERSAL FITTINGS	1	TVD00000100061	Universal Concealed Thermostat Valve; 3 Way Outlet; Chrome	£406
UNIVERSAL FITTINGS	2	TVD00065100000	Universal Vi-Box Concealed Thermostat Installation Unit	£129
UNIVERSAL SHOWERS	3	TVC00040120061	Universal Round Shower Head; Stainless Steel; 200 mm diameter; Chrome	£101
UNIVERSAL SHOWERS	4	TVC00045351061	Universal Round Shower Arm; Wall Mounted; Chrome	£69
UNIVERSAL SHOWERS	5	TVC00045600061	Universal Round Shower Wall Outlet; Chrome	£53
UNIVERSAL SHOWERS	6	TVC00003500061	Universal Shower Hose; 1200 mm; Chrome	£33
UNIVERSAL SHOWERS	7	TVC00045800061	Universal Round Hand Shower Holder; Chrome	£69
VERVE SHOWERS	8	TVS10900600061	Verve Slim Hand shower; Chrome	£86
ACCESSORIES	9	U90960361	Bath Waste, Outlet and overflow fitting with water inlet	£250
				£1,196

For technical details please refer to the Villeroy & Boch App



Ideal Standard (UK) Limited
The Bathroom Works
National Avenue
Hull
HU5 4HS
England
01482 346461