

Yenga-E

Electric designer radiator





Image shows special colour sandstone (finely textured).



Electrifyingly good – Smart heating according to plan

Purely electric and equipped with an innovative touch display that is elegantly integrated between the heating fins, the Yenga-E can be conveniently operated via an app or directly on the device. Programming individual usage times, temperatures, and various modes (eco, comfort, weekly programmes, holiday, frost protection) is simple and intuitive – operation is efficient, precise, and energy-saving. The electric designer radiator operates entirely without fluid and is therefore maintenance-free. It is particularly suitable in combination with heat pumps due to its consistently high heat output regardless of low flow temperatures. Quickly installed and ready for immediate use – without the effort of hydraulic balancing in the heating system.

Eco-design compliant

Series



ELECTRIC DESIGNER RADIATOR YENGA-E

Smart warmth at the touch of a button

Functionality and usability

- Intelligent heating system with overheating protection
- Three to five heating zones depending on model height
- Booster function
- Integrated touch display directly on the radiator with two buttons and temperature display
- Programming of individual usage times/temperatures with various operating modes (eco, comfort, weekly program, holiday and frost protection):
 - Convenient control via the free Smart Life app on mobile devices (e.g., smartphone or tablet)
 - Convenient voice control (e.g., with Amazon Alexa or Google Home)
- Integrated WLAN module



Safety

- Overheating protection: The individual heating zones switch off automatically at a surface temperature of 65 °C
- Declaration of conformity: For maximum safety and reliability, the product complies with all relevant European standards and directives, including EN 60335-2-43:2017, EN 60335-1:2012/A15:2021, EN 62233:2008, EN 55032:2017/A11:2020, EN 63000:2019, 2011/65/EU, 2015/863/EU

Technical specifications

- Mains voltage: 230 V, 50 Hz
- WiFi: 2.4 GHz
- Device protection class: I
- Bluetooth: Low Energy 4.2
- Temperature measurement: Room temperature in °C
- Power range: 450 – 800 watts
- Cable, 1.5 m with Schuko plug: Protection class IPX4, protection class I

Technical drawings



Dimension in mm (W x H)	Power in watts	Weight in kg	Artikel no.
			version right
500 x 1.175	450	15,3	8365120
500 x 1.810	740	21,7	8365180
600 x 1.175	550	17,1	8366120
600 x 1.810	800	23,7	8366180
			version left
500 x 1.175	450	15,3	8345120
500 x 1.810	740	21,7	8345180
600 x 1.175	550	17,1	8346120
600 x 1.810	800	23,7	8346180

CONCEPT, PRICE AND QUALITY IS OUR PROMISE



Standard Colours

- White
- Graphite black (finely textured)

Special Colours

- Sandstone (finely textured)
- Olive green (similar to RAL 6003)
- Azure blue (similar to RAL 5009)



Further RAL Colours on request

BENEFITS

Innovative
zone heating system
with overheating
protection

Easy and smart
control via app or
touch display

Short
heating time

Particularly
suitable in combination
with heat pumps

Efficient heating
without energy loss

Flexible
positioning

Quickly installed
and ready for
immediate use

Silent

Maintenance-free

Booster function

Integrated
WLAN module

SMART AND
FREE OF
CHARGE

HSK
BATHROOM EXPERTS



Control via Smart Life app

- Free app, suitable for Android and iOS systems.
- Control and monitoring of smart home devices from various manufacturers.
- Operation of smart-enabled devices on the go with mobile devices (e.g. smartphones or tablets).
- User-friendly thanks to intuitive user interface and simple handling.
- Individually created schedules and scenarios enable automation in everyday life (e.g. switching on the heating on weekdays from 6 to 7 a.m.).
- Compatible with smart speakers for voice control (e.g. Amazon Alexa, Google Home).
- Real-time notifications from connected devices for specific events (e.g. motion detectors, door/window sensors).



Download the
Smart Life app now



www.hsk.de/en

HSK

BATHROOM EXPERTS

HSK Duschkabinenbau KG
Zum Hohlen Morgen 22
59939 Olsberg
Germany

Tel. +49 2962 97903-0
Fax +49 2962 6570
info@hsk-duschkabinenbau.de

Scott Bower
HSK UK and Ireland Business Manager
Mob. +44 079 61681501
Scott@hskshowerdoors.co.uk



Technical data without guarantee. Subject to changes. Version 10/2025 X10533

www.hsk.de/en