Villeroy & Boch
1748





Great Britain

PRICE LIST 2026

1st July 2026 Novelties Edition

SANITARYWARE · BATHROOM FURNITURE · WELLNESS · TAPS

Ceramic colours

Glossy colours


01 White Alpine

R1 White Alpine CeramicPlus


T2 White Alpine AntiBac CeramicPlus

R3 Pergamon CeramicPlus

Matt colours



RW Stone White CeramicPlus



i4 Graphite CeramicPlus



AM Almond CeramicPlus



R7 Pure Black CeramicPlus



R8 Morning Green CeramicPlus



R6 Nightfall CeramicPlus



TE Teal CeramicPlus

BiColour



BCS9 Bordeaux



BCT7 French Linen



BCT8 Coal Black



BCS8 Sage Green



BCS7 Forest

Cap colours

96 Star White

Metal surfaces



61 Chrome-plated

Symbols

suitable for 3-hole tap fittings, central tap hole punched out

suitable for two 3-hole tap fittings, central tap holes punched out

suitable for 3-hole tap fittings, 3 tap holes punched out

suitable for 1-hole tap fittings, tap hole punched out

suitable for two 1-hole tap fittings, tap holes punched out

without tap hole (pre-punched tap holes)

with overflow

with concealed overflow

without overflow (unclosable outlet valve must be used with models without overflow)

suitable for 1-hole tap fittings, tap hole punched out on left, tap hole on right pre-punched

suitable for 1-hole tap fittings, tap hole punched out on right, tap hole on left pre-punched

Icons

Bath ceramic

AntiBac — Anti-bacterial ceramics

Titan Ceram — TitanCeram: high-quality ceramics for washbasins with delicate lines

SmartFix — Invisible fastening for trap covers

SupraFix 3.0 — Invisible fastening for wall-mounted WC

SupraFix compact — Invisible fastening for wall-mounted WC compact

ViFix — ViFix

ViClean — ViClean shower toilet

ViClean remote control

ViConnect WC-element

ViFresh — ViFresh: integrated freshness solution for the toilet

ViFlow — ViFlow Overflow system

Combi-Pack — CombiPack set

Direct Flush — WC rimless

Twist Flush — Toilet: Flushing system using the physical force of swirling water

Slim Seat — SlimSeat: delicate toilet seat

WC: Vario drainbend

WC: Vario drainbend

WC: Vario drainbend

4,5L 3L — WC with water-saving system AQUAREDUCT: flush volume: 3 / 4,5 litres

Pro Detect 2 — Urinals: Prodetect 2, radar flush control

1,0L — Urinals: flush volume 1,0 litres

Adjustable flush flow control

Bathroom furniture

Express Delivery — These products are always in stock.

+Sound — Mirror with sound system

Bluetooth — Bluetooth

XL — Vanity unit: height 520 mm

XXL — Vanity unit: height 590 mm

zigbee — Smart lighting control

Furniture colours


F Front Colour K Body Colour

AA = White Oak




SKYLA

AB = Black Oak




SKYLA

AE = Dark Berry




SKYLA

AF = Soft Green



SKYLA

AH = Wine Red




SKYLA

RH = Kansas Oak



SKYLA

RK = Stone Oak




SKYLA

VH = Arizona Oak



SKYLA

VJ = Nordic Oak




SKYLA

VE = Brilliant White




SKYLA

VF = Pure White




SKYLA

VL = Volcano Black



SKYLA

VM = Taupe



SKYLA

VN = Cashmere Grey



SKYLA

VQ = Marine Blue




SKYLA

VR = Graphite



SKYLA

BA = Tobacco Oak




ARTIS

HG = Midnight Blue Matt Lacquer



ARTIS

HJ = Silk Grey Matt Lacquer




ARTIS

MT = White Matt Lacquer



ARTIS

PD = Black Matt Lacquer



ARTIS

HN = Honey Oak



ARTIS

INDEX

GENERAL INFORMATION

Symbols & Icons	3
Important notes	6
General Sales and Delivery Conditions	7
Villeroy & Boch App	9
Artis colour concept	10
TwistFlush	12
Fastenings	13

SANITARYWARE & BATHROOM FURNITURE

Artis	15
Skyla	25
ViClean	38
TwistFlush	45

SHOWERS

Ecora	67

TAPS

Vea	74
Easy-Box	82
Universal Taps & Fittings	87

IMPORTANT NOTES

Sanitaryware & Bathroom Furniture

Price list 2026 replaces all earlier price lists. It applies to all deliveries as of July 1st, 2026.

Shades and dimensions subject to the usual tolerances. We reserve the right to make technical modifications to the range and alter colours.

This document may only be reproduced or copied in full or in part in any form with the producer's permission.

Price information
The prices given in this price list are recommended prices in GBP and are valid from 1st of July 2026. All prices are subject to VAT.
They do not represent the manufacturer's recommended retail price (RRP), which may differ from the accounting price.

We reserve the right to make (price) changes; prices are subject to printing errors. Claims arising from incorrect prices and descriptions shall not be considered.

All offers, sales and deliveries of sanitaryware, bathroom furniture as well as accessories are subject to our "General Sales Conditions".

The prices of all washbasin models and bidets only cover the ceramics.
The tap fittings and soap dispensers shown are not included in these prices.
The prices of furniture / furniture elements do not include the ceramics.

Sanitaryware
The ceramic materials used by Villeroy & Boch are very robust. They are capable of withstanding all temperature strain caused by hot or cold water or steam.
The glazed surfaces of Villeroy & Boch's sanitary ceramics are scratch-resistant and able to withstand all soap-water solutions and acids generally arising in the sanitary area. This does not include hydrofluoric acid or compounds. Nor is the surface affected by organic solvents and intensive agents.
The symbols for the tap hole and overflow are explained on the fold-out cover page.

Furniture
The bathroom furniture programmes from Villeroy & Boch feature high-quality materials and craftsmanship. Our own production facility in Germany guarantees a uniform high quality. Furniture may only be assembled by a qualified professional in accordance with the assembly instructions enclosed and using the attachment materials supplied.

Further information, such as 2D/3D data or brochures, is available to download from the company website.

Express Delivery These products are always in stock

Produced to order:
Delivery period 6 - 8 weeks. Please note that it is not always possible to cancel or change orders!

Warranty
The statutory warranty period applies for all Villeroy & Boch products:
- Bathroom ceramics 2 or 5 years
- Bathroom furniture 2 years
- ViConnect and ViClean 2 years
- Toilet seats, accessories 2 years

Further technical information is to be found at www.villeroy-boch.com

Wellness

General
All Villeroy & Boch baths and shower trays are manufactured from top quality bathroom acrylic reinforced with glass fibre, or from the unique Quaryl®. Quaryl® is a synthetic material eveloped by Villeroy & Boch which is cast in moulds, therefore very exact designs can be produced. The synthetic material is coloured all the way through and retains its colour and shine for many years.

Design
Acrylic and, in particular, Quaryl® can be formed into all sorts of shapes very easily so that innumerable bathroom designs are possible. There is a suitable bath for all bathrooms: rectangular, hexagonal, oval or corner bath. From modern and minimalistic to royal and comfortable with handgrips and headrests. You will always feel at home in a Villeroy & Boch bath.

Temperature take-up
The material, be it acrylic or Quaryl®, takes on the temperature of the bath water almost immediately. This has the big advantage that you will not receive a cold shock when you lie down in the bath or step into the shower.

Heat insulation
Acrylic and Quaryl® conduct heat slowly. Therefore the heat from the bath water is retained longer. This insulating capacity has the added advantage that the bath does not have to be ontinually topped up with hot water.

Maintenance
The surfaces of acrylic and Quaryl® have no pores so they repel bacteria. Dirt, limescale and soap residue are virtually unable to gain a hold on the material, so that maintenance is restricted to wiping down with a wet cloth or sponge and the use of a non-scouring cleanser. We advise you to rinse out the whirlpool systems once a month with washing soda, particularly if bath oils are used. Our shower cabins are best cleaned using liquid soap.

Safety & hygiene
Villeroy & Boch whirlpools meet the highest standards of safety and hygiene. To assure hygiene, some models are equipped with special jets or have a fully automatic cleaning system, which automatically engages when the bathwater has drained. The pipes are then dried by air. The blowing-dry can also be performed manually, for example, if water has entered the system while the bathtub is being cleaned. To guarantee safe operation, all water-carrying whirlpools are equipped with a special hair trap, which stops water suction if the drain is blocked. To prevent the whirlpool from being switched on when there is no water in the tub, all systems feature dry-run protection that operates by means of a level sensor. The Whisper systems carry the KEMA test mark and of course the CE logo as well.

Cleaning and hygiene
Villeroy & Boch whirlpools are very easy to clean. After use, the bathtub should be rinsed with clean water and dried with a cloth. All jets can be disassembled at any time for cleaning, using the equipment provided. We recommend mild detergents that will gently clean the surface of the jets. It is highly recommended not to use bath products containing oil, but bath salts, etc, can safely be used, as long the salt dissipates. To achieve optimal hygiene in the pipes, we recommend rinsing the whirlpool once a month with a cleaner.

Material
Acrylic and Quaryl® are very durable materials which, when correctly maintained, keep their colour and shine for many years. Quaryl® is partly composed of natural materials. One of the characteristics of Quaryl® is that, in exceptional cases, small irregularities may appear in its structure. Scratches in acrylic materials are seldom. Naturally light damage or burn marks can occur, but these can be very easily removed from acrylic by using fine sandpaper (no. 1000 to 1200) and a small piece of fine steel wool. After this shining colour surfaces must be further treated with a car polish compound to reproduce the original lustre. It is also possible to repair damage to Quaryl®.We advise you to contact our professional service department if any of your Quaryl® product become damaged.

Warranty
The statutory warranty period applies for all Villeroy & Boch products:
- Baths, shower trays made from acrylic and Quaryl® 5 years
- Whirlpool systems and technical components 2 years
- Accessories and tap fittings 2 years

In addition, we offer a 10-year guarantee on all baths and shower trays made from acrylic or Quaryl® in accordance with the relevant warranty conditions.

Price information
The prices given in this price list are recommended prices in GBP and are valid from 1st of July 2026. All prices are subject to VAT.
We reserve the right to make (price) changes and to correct printing/typing errors. No rights can be derived from errors made in prices and descriptions.
All prices excl. VAT.

GENERAL SALES CONDITION OF VILLEROY & BOCH GROUP

Bathroom and Wellness Division – Status January 2025

I. General

1. These General Terms and Conditions of Sale and Delivery (hereinafter referred to as "conditions of sale") shall apply to all – i. e. also to future – quotations, supply of Goods and other related performance of services by Villeroy & Boch AG, including all its branches and group affiliated companies (hereinafter referred to as "Company", "we", "us" or "ourselves"), to professional customers who are not consumers (hereinafter referred to as "Purchasers"); the Purchaser and us jointly referred to as "the parties"

2. These conditions of sale shall, unless any other provision is expressly made, apply for the entire duration of the business relationship without its being necessary for us to make specific reference to it. The terms and conditions of the Purchaser shall not apply unless expressly recognized by us in writing. These conditions of sale shall also apply if These terms and conditions shall also apply if we deliver without objection to the customer's conflicting terms and conditions.

3. All separate arrangements agreed between us and the Purchaser upon conclusion of a commercial contract shall be confirmed in writing. Our employees are not authorized to provide any verbal undertakings which deviate from a written contractual agreement.

4. The latest version of the conditions of sale shall apply independent of any earlier version or edition of conditions of sale of the Company which may have previously been notified to the Purchaser.

II. Quotations

1. Unless designated as binding in their text, our quotations shall be deemed to be non-binding and without any obligation from our side. They shall not place us under any obligation to accept a given order. The Purchaser shall ensure that the terms of its order are complete and accurate.

2. Cancellation of an order is possible only with our consent, save where Purchaser has statutory rights of cancellation or rescission. Our consent to a cancellation shall be contingent upon the Purchaser bearing all costs and expenses accruing up to the time of cancellation and any losses which we may incur in this connection (e.g. loss of profit).

III. Prices and Deliveries

1. If the parties have not agreed on a price, the price shall always be determined according to our then current price lists valid at the time when the commercial contract is concluded.

2. All prices are exclusive of value added tax and/or any other taxes that would apply.

3. In the event of any increase in costs related to the object of the commercial contract amounting to 5 % or more compared to the costs that applied at the time of conclusion of the commercial contract, where such increases are not specifically foreseeable and where we bear no responsibility for such increase, we shall be entitled to pass on the increased costs by proportionately raising the agreed price at our reasonable discretion (price adjustment). Such price adjustment may, for example, relate to manufacturing, wage, material, storage, energy and freight costs, insurance premiums and public charges. Any such increase shall be applied for the purpose of a price adjustment if such increase is not off-set by any decreasing costs in other areas. On request, we will provide evidence of the cost increase. In the event of a price increase in excess of 10 %, the Purchaser shall be entitled to cancel the commercial contract within 14 days after receiving notification of the price increase.

4. Deliveries shall be executed in line with the contractually agreed terms. In the absence of any express agreement between the parties, deliveries shall be effected FCA (Incoterms 2020) from a warehouse of the Company in Germany or the Netherlands.

5. The delivery dates or periods stated in the order confirmation shall be estimated dates or periods and shall therefore be non-binding. They shall only be binding if confirmed as such in our order confirmation.

6. Unless any other contractual agreement has been made, the delivery period shall begin on the date of receipt of the written order confirmation provided by the Company

7. If a non-binding delivery date or period (as referred to in Section 7 below as "non-binding delivery period") is not met, we shall only be in default upon the expiry of a grace period and insofar we received a reminder in writing from the Purchaser, unless we can prove that we were not responsible for not meeting the non-binding delivery period or if execution of the delivery took place during the grace period. The length of the grace period shall be 1/5 of the non-binding delivery period. The grace period shall begin on the first working day that follows the end of the non-binding delivery period. If the length of the grace period is not an exact number of full days, weeks or months, it shall be rounded off to the nearest full number of days (example: non-binding delivery period 27 days, 1/5 = 5.4 days, grace period = rounded off to 5 days).

8. If a delivery period or date is not met for reasons for which we are not responsible, in particular in cases in which we ourselves have received a late or incorrect self-delivery or deliveries, the delivery period shall be extended by a reasonable period. We shall inform the Purchaser without delay in such case. If we are, furthermore, unable to render our performance within the extended period for such delivery, as set out above , we shall inform the Purchaser hereof without delay. In such case each of the parties shall have the right to rescind the contract within a period of two weeks beginning from the date when we inform the Purchaser. Having exercised said right of rescission, we shall reimburse the Purchaser without delay for any counter-performance that he may already have rendered. For the rest, any rights and/or obligations of the parties shall remain unaffected.

5. We shall be entitled to execute partial deliveries, insofar as this is reasonable for the Purchaser.

IV. Packaging

1. Unless any special packaging requirements have been agreed, the Goods shall be packaged at our discretion in accordance with the standard commercial methods. Any special carriage and/or packaging requirements of the Purchaser agreed to by the Company shall be charged to the Purchaser at cost.

2. If Goods are loaded on pooling pallets, delivery shall take place with direct pallet exchange with the haulage contractor. Purchaser must provide intact interchangeable pallets. Missing pallets will be invoiced to the Purchaser.

V. Risk on Goods

1. Risk in the Goods shall pass according to the agreed Incoterm.

2. Insurance shall only be taken out at the wish and expense of the Purchaser.

3. The Purchaser shall examine the Goods on delivery and shall promptly (but in any event within three working days of delivery) notify us in writing and the carrier, where relevant, of any apparent damage, defect and/or shortage. Where applicable, the Purchaser shall comply with the carrier's rules, regulations and requirements so as, where appropriate, to enable us to make a claim against the carrier in respect of any damage or loss in transit.

VI. Terms of payment

1. Unless any other agreement has been made, our claims for payment shall be due immediately upon receipt of invoice. The date that will be considered in order to determine whether or not payment has been made in due time shall be the date on which payment is actually received by the Company.

2. If it becomes apparent to us after conclusion of the commercial contract that there is a risk that the Purchaser may not be in a position to fulfil his payment obligations, we shall have the right to insist that outstanding deliveries be effected only against advance payment or against the provision of securities. If said advance payments have not been made or securities have not been provided after the expiry of a reasonable period set by ourselves, we shall be entitled to rescind all or any of the commercial contracts affected thereby or any part thereof. The period shall be regarded as reasonable if it is at least 10 calendar days, though the Purchaser shall also have the option of proving that the period was not reasonable in a given individual case. We shall in particular be entitled to take appropriate measures if one of the following circumstances occurs: if the Purchaser has drawn cheques not covered by sufficient funds, if cheques of the Purchaser are protested, if an application is made for the institution of insolvency proceedings or if insolvency proceedings are actually instituted against the Purchaser: the above notwithstanding our entitlement to assert further rights in such case.

3. Cheques will only be accepted following special agreement and in all cases only as conditional payment. Discount charges, collection fees and all other costs shall be chargeable to the Purchaser.

VII. Retention of title

1. We shall reserve ownership of the delivered Goods until such time as all payments arising from the existing business association with the Purchaser have been received; said reservation refers to the acknowledged balance.

2. The Purchaser shall have the right to resell Goods subject to retention of title in the normal course of business. The Purchaser may neither pledge the Goods subject to retention of title nor transfer title of them as security. The Purchaser hereby also assigns to us all claims which accrue to him from the resale for the value of the amount of the final invoice of our claim (inclusive of turnover tax). We hereby accept the assignment. The claims thus assigned to us in advance by the Purchaser also relates to the acknowledged balance and, in the case of insolvency of the Purchaser, to the existing causal balance. The limit of coverage for the assigned claims shall be 110 % of the actual value of the goods sold and delivered subject to retention of title. The Purchaser shall be empowered to collect the claim. Said empowerment to collect and authorization to resell may be revoked by us if the Purchaser is in breach of any of his material contractual obligations (e. g. default in payment) under these conditions of sale.

3. The Purchaser shall inform us immediately on any access by third parties to the Goods delivered by us subject to retention of title, also in case such access is about to occur. He shall inform third parties attempting (or intending to attempt) to take possession of the Goods that the latter are our property. Any costs for interventions shall be borne by the Purchaser if the third party is not in a position to reimburse us for the judicial and extrajudicial costs.

4. If the Purchaser is in breach of any of his material contractual obligations under these conditions of sale, in particular in case of default in payment, we shall have the right to recover the Goods and to visit the premises of the Purchaser for this purpose. Rescission of the contract is, furthermore, immanent in any such recovery of the Goods by us. We shall, after the recovery, be authorized to exploit the Goods commercially, whereby the proceeds from such exploitation are to be off-set against the liabilities of the Purchaser (e. g. damages) – minus reasonable exploitation costs. If the Purchaser was responsible for the breach that led to the rescission, he shall remit to us lump□sum compensation for the return transport of the Goods equal to an amount of 5% of the purchase price. This sum may be higher or lower if we can prove that the loss or damages were in reality more important or if the Purchaser can prove that it was in reality lower.

5. We shall, at any time, have the right to request information from the Purchaser onthe Goods delivered under retention of title provided they are still in his possession, where they are, and to which customers the remaining Goods supplied by us have been sold, said information relating to quantity, type and number. We shall also have the right to inspect the Goods delivered under retention of title on any of the Purchaser's premises, wherever the Goods may be at any given time.

6. The Purchaser has the obligation to treat the Goods with due care and shall carry out any necessary servicing and maintenance work at his own expense, to insure our Goods against fire and/or theft at his own expense. The Purchaser shall also provide us, on request, with proof that Purchaser has met its obligations under this section.

7. Any processing or re-modelling of the Goods by the Purchaser will always be carried out on our behalf. If the Goods are processed with other objects of which we are not the owner, we shall acquire co-ownership of the new object in proportion of the value of the Goods (final invoice amount inclusive of turnover tax) compared to the other processed objects at the time of processing. For the rest, the provisions governing retention of title shall apply correspondingly on the object created through the processing activity.

   As security against our claims against him, the Purchaser shall also assign to us the claims which accrue to him against a third party as a result of the combination of the Goods with other objects .

8. If the Purchaser can prove that the actual value of the securities exceeds the value of the outstanding claims by more than 10%, we shall release the surplus amount if this is requested in writing of the Purchaser.

VIII. Product specifications

1. Since we are continuously improving the design, specifications and the manufacturing of our Goods, and since the Goods are agreed to be supplied subject to reasonable availability to us of suitable materials, we reserve the right to, without notice, to substitute materials, components and units other than those stipulated in the commercial contract.

2. Whilst we seek to ensure consistent shades in the Goods, some variation is unavoidable, particularly between articles of different material or manufacture. All drawings, descriptive matter, colors and color samples, weights, dimensions, specifications, capacities, brochures, catalogues, price lists and all advertising materials are provided by Company for the sole purpose of identifying the Goods or giving an approximate idea of the nature of the Goods described therein, and no information contained in any of them shall be considered as an integral part of the commercial contract.

3. All drawings and specifications supplied by us are and shall remain our property and must not be reproduced or divulged by the Purchaser without our prior written permission.

4. If parties agree that Goods are produced and/or in accordance with specifications supplied by the Purchaser, the Purchaser shall be solely responsible for those specifications, ensuring that they are accurate and that the Goods supplied in accordance with those specifications are fit for the Purchaser's purpose.

5. If the Purchaser makes any subsequent changes to Goods supplied by us, in particular decorations or technical modifications, Purchaser

GENERAL SALES CONDITION OF VILLEROY & BOCH GROUP

Bathroom and Wellness Division – Status January 2025

shall not be permitted to resell them under our any of our trademarks unless we have explicitly agreed to such changes in writing and in advance.

IX. Warranty

1. Except for the provisions stipulated hereafter in this section, the statutory warranty regulations shall apply.

2. If the Goods are defective, we shall at our discretion be entitled either to rectify the defects (rectification of defects), deliver defect-free Goods (replacement delivery) or to give credit for price of the Goods.

3. The Purchaser shall store and handle rejected Goods in the correct and proper manner. We shall have the right to examine rejected Goods together with an expert or other third party appointed by ourselves for the purposes of appraisal, and if necessary for the purpose of drawing up cost estimates or similar. If the Purchaser fails to make the rejected Goods available to us for examination within a reasonable period set by ourselves, our liability for the defects shall cease on expiry of said period.

4. Where the design and/or specifications of the Goods that are subject of the warranty claim have been altered, we may at our option fulfil our obligations under the warranty by supplying replacement Goods with a new design and/or altered specifications.

5. Warranty claims of the Purchaser for damages or compensation shall be governed in Section X („Liability"), but shall otherwise be excluded.

6. As far as there is no different mandatory rule under the law, claims arising from a defect shall expire two years after delivery of the Goods. Claims for damages caused intentionally, as result of gross negligence, resulting into bodily injury or death, shall remain subject to the statutory period of limitation.

7. Our liability for defects shall not extend to cover damages caused by normal wear and tear (e. g. metal abrasion or wear caused by abrasive agents), deterioration in surface properties (unavoidable according to the accepted engineering standards at the time when the contract was concluded), improper use of the Goods, non-compliance with the instructions for cleaning, care or use, or damages caused by the Purchaser or a third party or if the Goods have been subject to alteration, modification, repair or an additional manufacturing process other than at the Company's factory and/or by persons not expressly selected and approved in writing by the Company.

X. Liability

1. We shall be liable in accordance with the applicable statutory provisions in relation to the reason and for the amount (a) if it is was proven that we acted intentionally and/or for gross negligence; (b) in case of damages that fall within the scope of protection of a guarantee issued by us; (c) in case of death or bodily injury we caused or (d) in case of damages caused in breach of the Product Liability Act.

2. In all other cases, we shall only be liable in the event of material breach (obligation the fulfilment of which is a prerequisite for the proper performance of the commercial contract and the observance of which the contractual partner regularly relies on and may rely on) and insofar limited to the typical damage foreseeable at the time of the conclusion of the contract. Liability, for whatever legal reason, for indirect damage, consequential damage or loss of profit shall be excluded.

3. If we fail to perform our obligations correctly under these conditions of sale, the Purchaser shall be entitled, on this basis, to claim sis of that default if his claim is for a contractual penalty or lump-sum compensation incurred within a supply chain in another contractual relationship in that supply chain, but only if he informed us expressly about the risk of such loss or damage prior to the conclusion of the commercial contract. If not, the Purchaser shall be entitled to claim for a contractual penalty or lump-sum compensation owed and paid by him as loss or damage caused by default only in the amount of a maximum of 5% of the net value of the relevant order. The same shall apply if the Purchaser makes a claim against us for indemnification in respect of such contractual penalties or lump-sum compensation. The above limitations of liability shall not apply in case damages have been caused intentionally, in result of gross negligence and/or in case of death or bodily injury.

4. For the rest, the Purchaser shall not be entitled to claim any other damages from Company

5. Insofar we restricted our liability in this section, the the same restrictions shall apply to the personal liability of our legal representatives, employees, non-managerial staff and vicarious agents.

XI. Off-set, right of retention

The Purchaser shall only be entitled to a right of retention or a right to off-set insofar this is legally enforceable or for undisputed claims. This restriction shall not apply to counterclaims of the Purchaser due to defects and/or partial non-performance of the commercial contract, for cases where such counter-claims are based on the same commercial contract as our claim.

XII. Industrial proprietary rights

1. All industrial and intellectual property rights relating to the Goods, our products, shapes, illustrations, installation instructions, reports, data and other records and documents shall remain our property or, as the case may be, our respective licensors.

2. Where all or any of the Goods or packaging for such Goods is produced based on Purchaser's specifications, the Purchaser shall indemnify us against all actions, claims, costs, damages, expenses or losses arising from any infringement or alleged infringement of registered design, trade mark, patent, design right, copyright or any similar protection in respect of such Goods or related packaging.

XIII. Data protection

1. We will process your personal data (e.g. name, e-mail address, telephone and fax number) solely in accordance with the relevant legal provisions, in particular GDPR. We will use your data solely for the purpose for which you provide them to us (e.g. for handling orders and payments, for delivery of the goods) and for the purpose of carrying out our own business. The relevant legal basis is provided by our legitimate interest in order to execute standard business operations and for the implementation of contracts pursuant to Article 6, sub-section 1, letter f of the GDPR (general data protection regulation of EU)

2. Our central CRM database helps us to manage our relationships with customers, interested parties and partners. The purpose of this database is to enable us to pursue individual customer relations and to respond quickly to inquiries. The relevant legal basis is provided by our legitimate interest pursuant to Article 6, sub-section 1, letter f of the GDPR in the fast and efficient processing of inquiries from customers, potential customers and partners, supporting our processes in the areas of service, sales and marketing by an experienced and reliable partner and in reducing our own scope of work and expenditure with regard to the necessary IT infrastructure. The provider of our CRM system is based in a third country. Data processing is safeguarded by a processing contract and the standard EU contract clauses have been agreed with this provider.

3. Further information concerning matters such as your rights as a data subject and the contact details of our data protection officer are to be found in our data privacy statement at: https://www.villeroy-boch.it/datenschutz.html

XIV. Force Majeure

1. If the continued performance of contractual obigations of the Company has become excessively onerous due to an event beyond its reasonable control which it could not reasonably have been expected to have taken into account at the time of the conclusion of the contract; and that it could not reasonably have avoided or overcome the event or its consequences, the parties are bound, within a reasonable time of the invocation of this clause, to negotiate alternative contractual terms which reasonably allow to overcome the consequences of the event ("Force Majeure Event"). We may elect at sole discretion (a) to cancel the commercial contract and refund to the Purchaser any sums paid by the Purchaser, following which we shall have no further obligation or liability to the Purchaser; (b) to reduce the volume of the Goods ordered and/or to defer the date of delivery of the Goods or (c) to perform or complete performance of the commercial contract within a reasonable time following termination of the Force Majeure Event.

2. In case of Force Majeure, we shall decide whether the Purchaser has to accept the Goods (in whole or partly).

XV. Applicable law, place of jurisdiction

1. The laws of Germany shall apply, to the exclusion of the UN Convention on Contracts for the International Sale of Goods.

   If the Purchaser is a professional who concludes the contract in the context of a commercial transaction, a legal entity under public law or a separate asset under public law, the place of jurisdiction for all disputes arising from or in connection with the commercial contract shall be the registered offices of the Villeroy & Boch Group company which concluded the contract with the Purchaser.

XVI. Export

1. The Purchaser shall be responsible for complying with any legislation or regulations governing the importation of the Goods into the country of destination and their sale therein and for the payment of any duties thereon. The Purchaser agrees to comply with all applicable economic or financial sanctions, restrictive measures, trade embargoes or export control laws, including but not limited to those imposed, administered or enforced from time to time by (i) the United Nations Security Council, (ii) the United States, (iii) the European Union or any Member State thereof, (iv) the United Kingdom, or (v) the respective governmental institutions of any of the foregoing including, without limitation, the Office of Foreign Assets Control, the U.S. Department of Commerce, the U.S. Department of State, any other agency of the U.S. government, and Her Majesty's Treasury ("Sanctions and Export Control Laws").

2. The Purchaser shall not sell, export or re-export, directly or indirectly, to the Russian Federation or for use in the Russian Federation any Goods supplied under or in connection with this terms that fall under the scope of Article 12g of Council Regulation (EU) No 833/2014.

3. The Purchaser shall undertake its best efforts to ensure that the purpose of paragraph (1) is not frustrated by any third parties further down the commercial chain, including by possible resellers.

4. The Purchaser shall set up and maintain an adequate monitoring mechanism to detect conduct by any third parties further down the commercial chain, including by possible resellers, that would frustrate the purpose of paragraph (1).

5. Any violation of paragraphs (1), (2) or (3) shall constitute a material breach of an essential element of the present conditions of sale, and we shall be entitled to seek appropriate remedies, including, but not limited to (a) termination of the order and (b) a penalty of 25% of the total value of the order or price of the Goods exported, whichever is higher.

6. The Purchaser shall immediately inform us about any problems in applying paragraphs (1), (2) or (3), including any relevant activities by third parties that could frustrate the purpose of paragraph (1). The Purchaser shall make available to us information concerning compliance with the obligations under paragraph (1), (2) and (3) within two weeks of the simple request of such information.

THE VILLEROY & BOCH APP



CURRENT DELIVERY INFORMATION AND PRICES

CONFIGURATOR BRINGS CUSTOMERS' WISHES TO LIFE

DATA SHEETS AND INSTALLATION INSTRUCTIONS

PRODUCT SUGGESTIONS TO BOOST SALES

SAMPLE FOLDER CREATED AUTOMATICALLY

OPTIONAL OFFLINE MODE

THE SMART TOOL FOR PLANNING AND CONSULTATION

Now you have the full information on Villeroy & Boch bathrooms at your fingertips. A glance at your smartphone, tablet or PC is all it takes to find current dimensions and prices while you're out and about or to configure model variants and check availability while advising customers.

Download on the App Store · GET IT ON Google Play · Get it from Microsoft

For smartphone, tablet and PC.
Find out more: **pro.villeroy-boch.com/villeroybochapp**

ARTIS - BATHROOM CERAMICS



Titan Ceram

Artis – Colour in its most attractive guise

Four forms, nine colours, thousands of possibilities: Artis comes in a broad range of colours to cover all tastes, from bold statements to subtle highlights in the bathroom. The striking surface-mounted washbasins are always an eye-catcher. The attractive BiColour look can be combined with the Finion and Legato furniture to create a colour concept for the entire bathroom.

Matt colours

In addition to the well-known BiColour range, Artis is now also available with one-colour surface-mounted. shbasins.

RW STONE WHITE	R7 PURE BLACK	AM ALMOND	R6 NIGHT-FALL	TE TEAL

Artis – countless possibilities


- 4 forms: round, oval, square and rectangular with extremely thin TitanCeram walls
- 5 BiColour shades: the coloured glaze on the outer surface meets the White Alpin of the interior at the fine rim
- 4 matt colours and 2 white shades: one-colour washbasins in a matt look



BICOLOUR

White interior meets coloured exterior that's the well-known BiColour look.

BCS7 FOREST	BCT8 COAL BLACK	BCS8 SAGE GREEN	BCT7 FRENCH LINEN	BCS9 BORDE-AUX





ARTIS - BATHROOM CERAMICS

Recommended furniture colours to match the Artis washbasins






Artis colour	Furniture colour Artis		Furniture colour Antao		Furniture colour Finion		Furniture colour Collaro	
Pure Black	Black Matt Lacquer	Silk Grey Matt Laquer	Leaf Green Matt Laquer	Silk Grey Matt Laquer	Walnut Veneer	Black Matt Lacquer	Black Oak	Taupe
Almond	White Matt Laquer	Natural Oak	White Matt Laquer	Honey Oak	Peony Matt Lacquer	Silk Grey Matt Laquer	Cashmere Grey	Wine Red
Nightfall	Midnight Blue Matt Lacquer	Silk Grey Matt Laquer	Midnight Blue Matt Lacquer	Silk Grey Matt Laquer	Peony Matt Lacquer	Anthracite Matt Laquer	Glossy Grey	Kansas Oak
Teal	Black Matt Lacquer	Silk Grey Matt Laquer	White Matt Laquer	Silk Grey Matt Laquer	Black Matt Lacquer	Silk Grey Matt Laquer	Arizona Oak	Graphite
Forest	Silk Grey Matt Laquer	Tobacco Oak	Silk Grey Matt Laquer	Warm Walnut	Peony Matt Lacquer	White Matt Lacquer	Black Oak	Arizona Oak
Coal Black	White Matt Laquer	Natural Oak	Leaf Green Matt Laquer	Warm Walnut	White Matt Lacquer	Black Matt Lacquer	Wine Red	Kansas Oak
Sage Green	Silk Grey Matt Laquer	Tobacco Oak	Silk Grey Matt Laquer	Warm Walnut	Olive Matt Laquer	Oak Veneer	Volcano Black	White Matt Laquer
French Linen	White Matt Laquer	Black Matt Lacquer	Anthracite Matt Laquer	White Matt Laquer	Peony Matt Lacquer	Anthracite Matt Laquer	Volcano Black	White Matt Laquer
Bordeaux	Black Matt Lacquer	Tobacco Oak	Silk Grey Matt Laquer	Warm Walnut	Black Matt Lacquer	Peony Matt Lacquer	Glossy Grey	Volcano Black

Recommended baths to match the Artis washbasins

With our Colour on Demand technology, the panels on the free-standing baths can be supplied in 192 RAL colours and in the Artis colours (coloured exterior, white interior).


SUBWAY 3.0


ANTHEUS


THEANO ORIGINAL EDITION


SQUARO EDGE


FINION


AVEO NEW GENERATION


BACK-TO-WALL OBERON 2.1


THEANO CURVED


BACK-TO-WALL OBERON 2.0


ANTAO


BACK-TO-WALL LOOP&FRI-ENDS*


BACK-TO-WALL COLLARO

*Loop & Friends back-to-wall baths with an oval interior are also available in this colour. **Back-to-wall baths: centred, left and right-hand models.

TWISTFLUSH - THE SWIRL POWER THAT SAVES WATER.



Twist Flush · AntiBac · Ceramic Plus · Aqua Reduct · SupraFix 3.0 · ViFix

TwistFlush is the new ultramodern toilet flush that saves water and achieves optimal flushing results every time. With the physical force of the water vortex, it cleans hygienically and thoroughly.



More power. Less brushing.

The thought-through inner geometry of the Villeroy & Boch TwistFlush toilet ensures particularly efficient water flow and flushing, significantly exceeding the requirements of the European standard*. The targeted vortex force reliably removes dirt – and significantly reduces the need for a brush. Effortless hygiene, maximum efficiency.



Uncompromising clean.

The rimless bowl and CeramicPlus make cleaning easier, and AntiBac inhibits 99.9% of bacterial growth. With almost 100% surface rinsing, there are no water splashes*. The formation of aerosols is demonstrably reduced, and therefore the spread of germs and pathogens.



Reduced water consumption.

The toilet only needs 4.5 L for a full flush and 3 L for a small flush. Thanks to the powerful flush and surface rinsing, you usually only need to flush once. This means that a family can save up to 19,700** litres.



Multiple design options. One powerful flush.

TwistFlush is integrated into Antao, Subway 3.0, Universo, Skyla, Architectura and O.novo, offering powerful, hygienic flushing across all styles and price points.

Requirements in accordance with European standard EN997.
**4-person household, compared to a conventional 6-litre flush. Average use: 5 times per day/per person, based on information from the German Federal Environment Agency.

FASTENINGS - BATHROOM CERAMICS

SUPRAFIX 3.0

With SupraFix 3.0, wall-mounted toilets can be installed swiftly and simply by just one person – conveniently from above, without visible attachment.



The advantages of SupraFix 3.0:

- Easy toilet installation from above by one person
- 2-in-1 installation of the toilet and toilet seat using the same holes
- Vario-nut for flexible installation and exact positioning of the seat

SUPRAFIX 4.0

SupraFix 4.0 – The next generation of our fastening technology. Install your wall-mounted toilet and its corresponding seat even more quickly, easily, precisely and conveniently – without any additional tools – from above.




Additional advantages with SupraFix 4.0:

- Flexible adjustment in the event that structural conditions are not optimum
- Optimum distribution of force across the entire rear panel of the toilet
- Compatible with all installation systems on the market

VIFIX

ViFix – The fast and convenient method for installing wall-mounted toilets with fully enclosed sides. Thanks to the fact that the ViFix attachment is pre-fitted, the toilet can be installed even more quickly.



The advantages of ViFix:

- Easy toilet installation from above through the holes in the seat
- nvisible fastening: no visible screws or cover caps
- Weight is distributed evenly across the rear panel of the toilet
- Precise installation by just one person
- Time-saving thanks to pre-assembly

SANITARYWARE & BATHROOM FURNITURE



ARTIS

PRO.VILLEROY-BOCH.COM/TECHNICALDRAWINGS

- Matching washbasins in the collections Antao, Collaro, Finion, Loop & Friends
- Matching Universo TwistFlush toilet
- Matching furniture program Artis
- Designed to match all mirror and mirror cabinet collections
- Matching baths Antheus, Antao, Aveo New Generation, Collaro, Finion, Loop & Friends, Oberon 2.0, Squaro Excellence, Squaro Edge 12, Theano Original Edition, Theano Curved
- Matching taps programme Dawn



Ceramic colours

01 = White Alpin
R1 = White Alpin CeramicPlus
RW = Stone White CeramicPlus
R7 = Pure Black CeramicPlus
AM = Almond CeramicPlus
R6 = Nightfall CeramicPlus
TE = Teal CeramicPlus

Ceramic colours Bicolour

BCS9 = Bordeaux
BCT7 = French Linen
BCS8 = Sage Green
BCS7 = Forest
BCT8 = Coal Black

Front- / Body colours

BA = Tobacco Oak
HG = Midnight Blue Matt Lacquer
HJ = Silk Grey Matt Lacquer
MT = White Matt Lacquer
PD = Black Matt Lacquer
TS = Oak Natural Touch

Due to different materials, there may be colour differences between the illustrations and the products. For more information, see page 10

ARTIS



ARTIS




ARTIS


Please order fittings separately.

GBP excl. VAT

SURFACE-MOUNTED WASHBASIN









Article Number	Description	01	R1	RW, R7, AM, R6, TE	BC	Pcs/ Pal	kg/pc
4179 43 XX	430 x 430 x 130 mm for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, incl. template, fastening set included	510,-	606,-	782,-	708,-	18	8,2

Surface-mounted, Matching furniture program Antao, Collaro, Finion, Please note: unclosable outlet valve must be used with models without overflow
For further information about matching valves, please refer to the main price list 2026, page 356

SURFACE-MOUNTED WASHBASIN









Article Number	Description	01	R1	RW, R7, AM, R6, TE	BC	Pcs/ Pal	kg/pc
4198 61 XX	610 x 410 x 130 mm for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, incl. template, fastening set included	747,-	842,-	1.100,-	992,-	10	10,5

Surface-mounted, Matching furniture program Antao, Collaro, Finion, Please note: unclosable outlet valve must be used with models without overflow
For further information about matching valves, please refer to the main price list 2026, page 356

SURFACE-MOUNTED WASHBASIN







Article Number	Description	01	R1	RW, R7, AM, R6, TE	BC	Pcs/ Pal	kg/pc
4389 32 XX	325 x 325 x 135 mm for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, incl. template, fastening set included	285,-	382,-	480,-	438,-	30	5,5

Surface-mounted, Matching furniture program Collaro, Please note: unclosable outlet valve must be used with models without overflow
For further information about matching valves, please refer to the main price list 2026, page 356

The colors R7, AM, R6, TE as well as all BiColour colors are produced to order. Please inquire about delivery times when ordering.

XX = Replace color code
01 = White Alpin, AM = Almond CeramicPlus, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus, R6 = Nightfall CeramicPlus, TE = Teal CeramicPlus


ARTIS

Please order fittings separately.

GBP excl. VAT

SURFACE-MOUNTED WASHBASIN






Article Number	Description	01	R1	RW, R7, AM, R6, TE	BC	Pcs/ Pal	kg/pc
4388 48 XX	480 x 325 x 135 mm for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, incl. template, fastening set included	440,-	537,-	687,-	623,-	20	7,9

Surface-mounted, Matching furniture program Collaro, Please note: unclosable outlet valve must be used with models without overflow
For further information about matching valves, please refer to the main price list 2026, page 356

SURFACE-MOUNTED WASHBASIN






Article Number	Description	01	R1	RW, R7, AM, R6, TE	BC	Pcs/ Pal	kg/pc
4172 58 XX	580 x 385 x 130 mm for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, incl. template, fastening set included	713,-	810,-	1.054,-	951,-	10	12,1

Surface-mounted, Matching furniture program Antao, Collaro, Finion, Please note: unclosable outlet valve must be used with models without overflow
For further information about matching valves, please refer to the main price list 2026, page 356

SURFACE-MOUNTED WASHBASIN





Article Number	Description	01	R1	RW, R7, AM, R6, TE	BC	Pcs/ Pal	kg/pc
4178 41 XX	410 x 410 x 130 mm for wall-mounted washbasin mixers or tall pillar tap fittings, without tap hole area, incl. template, fastening set included	543,-	638,-	825,-	747,-	12	8,2

Surface-mounted, Matching furniture program Antao, Collaro, Finion, Please note: unclosable outlet valve must be used with models without overflow
For further information about matching valves, please refer to the main price list 2026, page 356

The colors R7, AM, R6, TE as well as all BiColour colors are produced to order. Please inquire about delivery times when ordering.

XX = Replace color code
01 = White Alpin, AM = Almond CeramicPlus, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus, R6 = Nightfall CeramicPlus, TE = Teal CeramicPlus

ARTIS

Please order fittings separately.


GBP excl. VAT


FOR ARTIS WE RECOMMEND THE UNIVERSO TWISTFLUSH 4670 T9 TOILET. FOR FURTHER INFORMATION, SEE THE CHAPTER ON UNIVERSO TWISTFLUSH


COMBI-PACK

TwistFlush









Article Number	Description	01	R1	Pcs/ Pal	kg/pc
4670 T9 01	370 x 560 mm , Individual packaging materials Composed of: Washdown WC TwistFlush 4670 T0 01, WC-seat and cover with QuickRelease and SoftClosing hinges 8M60 S1 01	978,-	-	12	28,8
4670 T9 R1	370 x 560 mm , Individual packaging materials Composed of: Washdown WC TwistFlush 4670 T0 01, WC-seat and cover with ANTIBAC, QuickRelease and SoftClosing hinges 8M60 S1 T1	-	1.104,-	12	28,8

wall-mounted, horizontal outlet, EN 997

The colors R7, AM, R6, TE as well as all BiColour colors are produced to order. Please inquire about delivery times when ordering.

XX = Replace color code
01 = White Alpin, AM = Almond CeramicPlus, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus, R6 = Nightfall CeramicPlus, TE = Teal CeramicPlus

ARTIS

Made to order production: Please note, cancellation or change requests cannot always be accommodated!,Please order washbasins and fittings separately. GBP excl. VAT

Drawers
Push-to-open feature
Slip-resistant base
SoftClosing feature
Lighting
Drawer lighting in warm white (2700 K) - switches on and off automatically when the drawer is opened and closed
loose mains connection
Front
MDF lacquered in MT, PD, HJ, HG (19 mm)
Foil-wrapped MDF in BA, TS (19 mm)
Interior color MDF lacquered in MT, PD, HJ, HG
Interior color directly coated in Anthracite at BA, TS
Grain direction horizontal in BA, TS

Interior body
Directly coated (16 mm) in Anthracite
Body
MDF painted in MT, PD, HJ, HG (16 mm)
Chipboard directly coated in BA, TS (16 mm)
Grain direction horizontal in BA, TS
Washbasin countertop
MDF lacquered in MT, PD, HJ, HG (19 mm)
Chipboard with laminate (18 mm)

Please note:
The technical drawings provide further information such as faucet positions, installation dimensions, fastening dimensions etc.

	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER
				
	NEW	NEW	NEW	NEW
Article Number	**K620 1Y XX**	**L620 1Y XX**	**K620 5Y XX**	**L620 5Y XX**
Dimensions (W x H x D)	1200 x 782 x 500 mm			
Model version	without drilled tap holes washbasin on the middle		with drilled tap holes washbasin on the middle	
Combinable with	Antao: 4A72 40, 4A73 51, 4A74 65 Loop & Friends: 4A45 00/01, 4A46 00/01, 4A47 00/01, 4A48 00/01, 4A49 00/01, 4A50 00/01 Collaro: 4A18 40, 4A19 56, 4A21 38, 4A20 56 Artis: 4179 43,4198 61,4178 41, 4172 58 Finion: 4143 61			
Lighting	-	with drawer lighting	-	with drawer lighting
Features	1 x pull-out compartment with non-slip mat 1 x space-saving siphon			
Installation	floor-standing			
Included in delivery	1 x vanity unit,1 x fastening set			
BA, HG, HJ, MT, PD, TS	2.271,-	2.606,-	2.271,-	2.606,-

Y = Insert metal frame color
0 = Matt Black, 1 = Matt Black

XX = Insert front and body color
HG = Midnight Blue Matt Lacquer, HJ = Silk Grey Matt Lacquer, MT = White Matt Lacquer, PD = Black Matt Lacquer, TS = Oak Natural Touch, BA = Tobacco Oak

ARTIS

Made to order production: Please note, cancellation or change requests cannot always be accommodated!,Please order washbasins and fittings separately. GBP excl. VAT

	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER
				
	NEW	NEW	NEW	NEW
Article Number	**K650 1Y XX**	**L650 1Y XX**	**K650 5Y XX**	**L650 5Y XX**
Dimensions (W x H x D)	1200 x 782 x 500 mm			
Model version	without drilled tap holes with storage washbasin on the middle		with drilled tap holes with storage washbasin on the middle	
Combinable with	Antao: 4A72 40, 4A73 51, 4A74 65 Loop & Friends: 4A45 00/01, 4A46 00/01, 4A47 00/01, 4A48 00/01, 4A49 00/01, 4A50 00/01 Collaro: 4A18 40, 4A19 56, 4A21 38, 4A20 56 Artis: 4179 43,4198 61,4178 41, 4172 58 Finion: 4143 61			
Lighting	-	with drawer lighting	-	with drawer lighting
Features	1 x pull-out compartment with non-slip mat 1 x space-saving siphon			
Installation	floor-standing			
Included in delivery	1 x vanity unit,1 x fastening set			
BA, HG, HJ, MT, PD, TS	2.725,-	3.127,-	2.725,-	3.127,-

	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER
				
	NEW	NEW	NEW	NEW
Article Number	**K610 1Y XX**	**L610 1Y XX**	**K610 5Y XX**	**L610 5Y XX**
Dimensions (W x H x D)	1000 x 782 x 500 mm			
Model version	without drilled tap holes washbasin on the middle		with drilled tap holes washbasin on the middle	
Combinable with	Antao: 4A72 40, 4A73 51, 4A74 65 Loop & Friends: 4A45 00/01, 4A46 00/01, 4A47 00/01, 4A48 00/01, 4A49 00/01, 4A50 00/01 Collaro: 4A18 40, 4A19 56, 4A21 38, 4A20 56 Artis: 4179 43,4198 61,4178 41, 4172 58 Finion: 4143 61			
Lighting	-	with drawer lighting	-	with drawer lighting
Features	1 x pull-out compartment with non-slip mat 1 x space-saving siphon			
Installation	floor-standing			
Included in delivery	1 x vanity unit,1 x fastening set			
BA, HG, HJ, MT, PD, TS	2.166,-	2.487,-	2.166,-	2.487,-

Y = Insert metal frame color
0 = Matt Black, 1 = Matt Black

XX = Insert front and body color
HG = Midnight Blue Matt Lacquer, HJ = Silk Grey Matt Lacquer, MT = White Matt Lacquer, PD = Black Matt Lacquer, TS = Oak Natural Touch, BA = Tobacco Oak

ARTIS

Made to order production: Please note, cancellation or change requests cannot always be accommodated!,Please order washbasins and fittings separately. GBP excl. VAT

	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER
				
	NEW	NEW	NEW	NEW
Article Number	**K640 1Y XX**	**L640 1Y XX**	**K640 5Y XX**	**L640 5Y XX**
Dimensions (W x H x D)	1000 x 782 x 500 mm			
Model version	without drilled tap holes with storage washbasin on the middle		with drilled tap holes with storage washbasin on the middle	
Combinable with	Antao: 4A72 40, 4A73 51, 4A74 65 Loop & Friends: 4A45 00/01, 4A46 00/01, 4A47 00/01, 4A48 00/01, 4A49 00/01, 4A50 00/01 Collaro: 4A18 40, 4A19 56, 4A21 38, 4A20 56 Artis: 4179 43,4198 61,4178 41, 4172 58 Finion: 4143 61			
Lighting	-	with drawer lighting	-	with drawer lighting
Features	1 x pull-out compartment with non-slip mat 1 x space-saving siphon			
Installation	floor-standing			
Included in delivery	1 x vanity unit,1 x fastening set			
BA, HG, HJ, MT, PD, TS	2.599,-	2.984,-	2.599,-	2.984,-

	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER
				
	NEW	NEW	NEW	NEW
Article Number	**K600 1Y XX**	**L600 1Y XX**	**K600 5Y XX**	**L600 5Y XX**
Dimensions (W x H x D)	800 x 782 x 500 mm			
Model version	without drilled tap holes washbasin on the middle		with drilled tap holes washbasin on the middle	
Combinable with	Antao: 4A72 40, 4A73 51, 4A74 65 Loop & Friends: 4A45 00/01, 4A46 00/01, 4A47 00/01, 4A48 00/01, 4A49 00/01, 4A50 00/01 Collaro: 4A18 40, 4A19 56, 4A21 38, 4A20 56 Artis: 4179 43,4198 61,4178 41, 4172 58 Finion: 4143 61			
Lighting	-	with drawer lighting	-	with drawer lighting
Features	1 x pull-out compartment with non-slip mat 1 x space-saving siphon			
Installation	floor-standing			
Included in delivery	1 x vanity unit,1 x fastening set			
BA, HG, HJ, MT, PD, TS	2.062,-	2.367,-	2.062,-	2.367,-

Y = Insert metal frame color
0 = Matt Black, 1 = Matt Black

XX = Insert front and body color
HG = Midnight Blue Matt Lacquer, HJ = Silk Grey Matt Lacquer, MT = White Matt Lacquer, PD = Black Matt Lacquer, TS = Oak Natural Touch, BA = Tobacco Oak

ARTIS

Made to order production: Please note, cancellation or change requests cannot always be accommodated!,Please order washbasins and fittings separately. GBP excl. VAT

	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER	CONCEALED INSTALLATION UNIT FOR BASIN MIXER
				
	NEW	NEW	NEW	NEW
Article Number	**L630 5Y XX**	**K630 5Y XX**	**L630 1Y XX**	**K630 1Y XX**
Dimensions (W x H x D)	800 x 782 x 500 mm			
Model version	with drilled tap holes with storage washbasin on the middle		without drilled tap holes with storage washbasin on the middle	
Combinable with	Antao: 4A72 40, 4A73 51, 4A74 65 Loop & Friends: 4A45 00/01, 4A46 00/01, 4A47 00/01, 4A48 00/01, 4A49 00/01, 4A50 00/01 Collaro: 4A18 40, 4A19 56, 4A21 38, 4A20 56 Artis: 4179 43,4198 61,4178 41, 4172 58 Finion: 4143 61			
Lighting	with drawer lighting	-	with drawer lighting	-
Features	1 x pull-out compartment with non-slip mat 1 x space-saving siphon			
Installation	floor-standing			
Included in delivery	1 x vanity unit,1 x fastening set			
BA, HG, HJ, MT, PD, TS	2.840,-	2.475,-	2.840,-	2.475,-

Y = Insert metal frame color
0 = Matt Black, 1 = Matt Black

XX = Insert front and body color
HG = Midnight Blue Matt Lacquer, HJ = Silk Grey Matt Lacquer, MT = White Matt Lacquer, PD = Black Matt Lacquer, TS = Oak Natural Touch, BA = Tobacco Oak

SKYLA

PRO.VILLEROY-BOCH.COM/TECHNICALDRAWINGS

- Matching furniture programme Skyla
- Designed to match all mirror collections (Recommendation: More to see lite+)
- Designed to match all mirror cabinet collections
- Matching Loop & Friends baths
- Matching taps programme Skyla



Ceramic colours

01 = White Alpin

R1 = White Alpin CeramicPlus

RW = Stone White CeramicPlus

R7 = Pure Black CeramicPlus

Front- / Body colours

AA = White Oak

AB = Black Oak

AE = Dark Berry

AF = Soft Green

AH = Wine Red

RH = Oak Kansas

RK = Stone Oak

VE = Brilliant White

VF = Pure White

VH = Arizona Oak

VJ = Nordic Oak

VL = Volcano Black

VM = Taupe

VN = Cashmere Grey

VQ = Marine Blue

VR = Graphite

SKYLA






SKYLA


Please order fittings separately.


GBP excl. VAT

VANITY WASHBASIN












Article Number	Description	01	R1	RW		Pcs/ Pal	kg/pc
5A51 C4 XX	1200 x 460 x 160 mm 2x ○ ○ ○ ⬭ Titan Ceram	817,-	913,-	1.076,-	-	8	35,4
5A51 C2 XX	1200 x 460 x 160 mm 2x ○ ○ ○ ⊘ Titan Ceram	817,-	913,-	1.076,-	-	8	35,4
5A51 C5 XX	1200 x 460 x 160 mm ○ ○ ○ ⬭ Titan Ceram	817,-	913,-	1.076,-	-	8	35,4
5A51 C1 XX	1200 x 460 x 160 mm ○ ○ ○ ⊘ Titan Ceram	817,-	913,-	1.076,-	-	8	35,4
5A51 C6 XX	1200 x 460 x 160 mm ⊠ ⬭ Titan Ceram	883,-	979,-	1.147,-	-	8	35,4
5A51 C3 XX	1200 x 460 x 160 mm ⊠ ⊘ Titan Ceram	883,-	979,-	1.147,-	-	8	35,4
wall-mounted, Matching furniture program Skyla, Please note: unclosable outlet valve must be used with models without overflow For further information about matching valves, please refer to the main price list 2026, page 356							
5244 00 XX	**TRAP COVER** cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix" SmartFix	230,-	326,-	-	-		9,707
9221 49 00	**WASHBASIN INSTALLATION ELEMENT** for dry-wall construction, standard height 1120 mm,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	226,-		8,05

VANITY WASHBASIN









Article Number	Description	01	R1	RW		Pcs/ Pal	kg/pc
5A51 A5 XX	1000 x 460 x 160 mm ○ ○ ○ ⬭ Titan Ceram	694,-	790,-	929,-	-	8	25,3
5A51 A2 XX	1000 x 460 x 160 mm ○ ○ ○ ⊘ Titan Ceram	694,-	790,-	929,-	-	8	25,3
5A51 A6 XX	1000 x 460 x 160 mm ⊠ ⬭ Titan Ceram	760,-	857,-	993,-	-	8	25,3
5A51 A3 XX	1000 x 460 x 160 mm ⊠ ⊘ Titan Ceram	760,-	857,-	993,-	-	8	25,3
wall-mounted, Matching furniture program Skyla, Please note: unclosable outlet valve must be used with models without overflow For further information about matching valves, please refer to the main price list 2026, page 356							
5244 00 XX	**TRAP COVER** cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix" SmartFix	230,-	326,-	-	-		9,707
9221 49 00	**WASHBASIN INSTALLATION ELEMENT** for dry-wall construction, standard height 1120 mm,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	226,-		8,05

XX = Replace color code

01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus


SKYLA

Please order fittings separately.

GBP excl. VAT

VANITY WASHBASIN






Article Number	Description	01	plus R1	plus RW		Pcs/ Pal	kg/pc
5A51 80 XX	800 x 460 x 160 mm Titan Ceram	555,-	652,-	762,-	-	12	22,6
5A51 81 XX	800 x 460 x 160 mm Titan Ceram	555,-	652,-	762,-	-	12	22,6
5A51 82 XX	800 x 460 x 160 mm Titan Ceram	621,-	717,-	830,-	-	12	22,6
5A51 83 XX	800 x 460 x 160 mm Titan Ceram	621,-	717,-	830,-	-	12	22,6
	wall-mounted, central basin, Matching furniture program Skyla, Please note: unclosable outlet valve must be used with models without overflow For further information about matching valves, please refer to the main price list 2026, page 356						
5244 00 XX	**TRAP COVER** cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix" SmartFix	230,-	326,-	-	-		9,707
9221 49 00	**WASHBASIN INSTALLATION ELEMENT** for dry-wall construction, standard height 1120 mm,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	226,-		8,05

VANITY WASHBASIN





Article Number	Description	01	plus R1	plus RW		Pcs/ Pal	kg/pc
5A52 L1 XX	800 x 460 x 160 mm Titan Ceram	555,-	652,-	762,-	-	12	23,2
5A52 L2 XX	800 x 460 x 160 mm Titan Ceram	555,-	652,-	762,-	-	12	23,2
5A52 L3 XX	800 x 460 x 160 mm Titan Ceram	621,-	717,-	830,-	-	12	23,2
5A52 L4 XX	800 x 460 x 160 mm Titan Ceram	621,-	717,-	830,-	-	12	23,2
	wall-mounted, basin left, Matching furniture program Skyla, Please note: unclosable outlet valve must be used with models without overflow For further information about matching valves, please refer to the main price list 2026, page 356						
5244 00 XX	**TRAP COVER** cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix" SmartFix	230,-	326,-	-	-		9,707
9221 49 00	**WASHBASIN INSTALLATION ELEMENT** for dry-wall construction, standard height 1120 mm,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	226,-		8,05

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus


SKYLA

Please order fittings separately.

GBP excl. VAT

VANITY WASHBASIN






Article Number	Description	01	plus R1	plus RW		Pcs/ Pal	kg/pc
5A52 R1 XX	800 x 460 x 160 mm Titan Ceram	555,-	652,-	762,-	-	12	23,2
5A52 R2 XX	800 x 460 x 160 mm Titan Ceram	555,-	652,-	762,-	-	12	23,2
5A52 R3 XX	800 x 460 x 160 mm Titan Ceram	621,-	717,-	830,-	-	12	23,2
5A52 R4 XX	800 x 460 x 160 mm Titan Ceram	621,-	717,-	830,-	-	12	23,2

wall-mounted, basin right, Matching furniture program Skyla, Please note: unclosable outlet valve must be used with models without overflow
For further information about matching valves, please refer to the main price list 2026, page 356

5244 00 XX	**TRAP COVER** cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix" SmartFix	230,-	326,-	-	-		9,707
9221 49 00	**WASHBASIN INSTALLATION ELEMENT** for dry-wall construction, standard height 1120 mm,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	226,-		8,05

WASHBASIN





Article Number	Description	01	plus R1	plus RW		Pcs/ Pal	kg/pc
5A51 65 XX	650 x 460 x 160 mm	272,-	366,-	422,-	-	16	19,0
5A51 66 XX	650 x 460 x 160 mm	272,-	366,-	422,-	-	16	19,0
5A51 67 XX	650 x 460 x 160 mm	338,-	433,-	486,-	-	16	19,0
5A51 68 XX	650 x 460 x 160 mm	338,-	433,-	486,-	-	16	19,0

wall-mounted, Please note: unclosable outlet valve must be used with models without overflow
For further information about matching valves, please refer to the main price list 2026, page 356

5244 00 XX	**TRAP COVER** cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix" SmartFix	230,-	326,-	-	-		9,707
9221 49 00	**WASHBASIN INSTALLATION ELEMENT** for dry-wall construction, standard height 1120 mm,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	226,-		8,05

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus


SKYLA

Please order fittings separately.

GBP excl. VAT

WASHBASIN






Article Number	Description	01	plus R1	plus RW		Pcs/ Pal	kg/pc
5A51 60 XX	600 x 460 x 163 mm	232,-	327,-	373,-	-	16	21,0
5A51 61 XX	600 x 460 x 163 mm	232,-	327,-	373,-	-	16	21,0
5A51 62 XX	600 x 460 x 163 mm	299,-	393,-	440,-	-	16	21,0
5A51 63 XX	600 x 460 x 163 mm	299,-	393,-	440,-	-	16	21,0
	wall-mounted, Please note: unclosable outlet valve must be used with models without overflow For further information about matching valves, please refer to the main price list 2026, page 356						
5244 00 XX	**TRAP COVER** cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix" SmartFix	230,-	326,-	-	-		9,707
9221 49 00	**WASHBASIN INSTALLATION ELEMENT** for dry-wall construction, standard height 1120 mm,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	226,-		8,05

WASHBASIN





Article Number	Description	01	plus R1	plus RW		Pcs/ Pal	kg/pc
5A51 55 XX	550 x 445 x 150 mm	188,-	283,-	321,-	-	18	15,0
5A51 56 XX	550 x 445 x 150 mm	188,-	283,-	321,-	-	18	15,0
5A51 57 XX	550 x 445 x 150 mm	253,-	350,-	388,-	-	18	15,0
5A51 58 XX	550 x 445 x 150 mm	253,-	350,-	388,-	-	18	15,0
	wall-mounted, Please note: unclosable outlet valve must be used with models without overflow For further information about matching valves, please refer to the main price list 2026, page 356						
5244 00 XX	**TRAP COVER** cannot be combined with 3-hole tap fittings, incl. fastening set "SmartFix" SmartFix	230,-	326,-	-	-		9,707
9221 49 00	**WASHBASIN INSTALLATION ELEMENT** for dry-wall construction, standard height 1120 mm,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	226,-		8,05

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus


SKYLA

Please order fittings separately.

GBP excl. VAT

BIDET






Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
4482 00 XX	370 x 530 mm ○ ⬭, with fastening set for concealed fastening	536,-	631,-	738,-	-	12	18,9
	wall-mounted For further information about matching valves, please refer to the main price list 2026, page 356						
9221 48 00	**BIDET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm,525 x 1120 x 135 mm For further ViConnect models, see pages <?>	-	-	-	341,-		10,54

WASHDOWN TOILET, RIMLESS

TwistFlush





Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
5C47 C0 XX	370 x 540 mm NEW	323,-	416,-	497,-	-		29,7
	floor-standing, not suitable for installation with flush valves, horizontal outlet, with fastening set for concealed fastening, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres						
8M81 S1 XX	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	176,-	-	195,-	-		2,3
9M77 C1 XX	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	176,-	-	195,-	-		2,78
8M70 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	135,-	-	-	-		2,33
8M70 61 01	**TOILET SEAT AND COVER**, hinges in stainless steel	101,-	-	-	-		2,33

XX = Replace color code

01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus

SKYLA


Please order fittings separately.


GBP excl. VAT


COMBI-PACK
TwistFlush












Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
5656 CL XX	370 x 530 mm , Individual packaging materials Composed of: Washdown toilet, rimless 5656C0, Toilet seat and cover with QuickRelease and SoftClosing hinges 8M81S1	590,-	686,-	805,-	-	12	21,0


wall-mounted, horizontal outlet, the "ViFix" fastening set is pre-fitted, EN 997


COMBI-PACK
TwistFlush











Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
4682 CL XX	370 x 530 mm, Individual packaging materials Composed of: Washdown toilet TwistFlush 4682 C0, Toilet seat with QuickRelease and SoftClosing function 8M76 S1	590,-	686,-	805,-	-	12	21,6

wall-mounted, horizontal outlet, the "ViFix" fastening set is pre-fitted, EN 997

TOILET SEAT AND COVER

Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
8M81 S1 XX	373 x 445 x 50 mm, with QuickRelease and SoftClosing hinges, hinges in stainless steel NEW	176,-	-	195,-	-	108	2,3

TOILET SEAT AND COVER

Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
8M76 S1 XX	373 x 445 x 50 mm, with QuickRelease and SoftClosing hinges, hinges in stainless steel	176,-	-	195,-	-	108	2,3

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus

SKYLA

Made to order production: Please note, cancellation or change requests cannot always be accommodated!,Please order washbasins and fittings separately.,Express GBP excl. VAT
Delivery: These products are always available from stock in the colors: Brilliant White (VE), Graphite (VR), Kansas Oak (RH), Nordic Oak (VJ)

Drawers
Slip-resistant base
SoftClosing feature
Front
Shelf for shelf unit, to match colour or décor in AF, VE, VR, VL, VH, VJ, RH, RK
Interior colour, direct-laminated to match colour or décor in AF, VE, VR, VL, VH, VJ, RH, RK
Interior colour, shelf unit direct-laminated to match colour or décor in AF, VE, VR, VL, VH, VJ, RH, RK
Horizontal grain in AA, AB, VH, VJ, RH, RK
direct-laminated chipboard in AA, VH, VJ, RH, RK (16 mm)
Painted chipboard in AB, AE, AF, AH, VE, VF, VL, VM, VN, VQ, VR (16 mm)

Body
Interior colour, direct-laminated to match colour or décor in AF, VE, VR, VL, VH, VJ, RH, RK
Horizontal grain in AA, AB, VH, VJ, RH, RK
direct-laminated chipboard in AA, VH, VJ, RH, RK (16 mm)
Painted chipboard in AB, AE, AF, AH, VE, VF, VL, VM, VN, VQ, VR (16 mm)
Doors
SoftClosing feature

Please note:
The technical drawings provide further information such as faucet positions, installation dimensions, fastening dimensions etc.

	VANITY UNIT	VANITY UNIT	VANITY UNIT	VANITY UNIT
				
Article Number	**C800 00 XX**	**C799 00 XX**	**C796 00 XX**	**C798 00 XX**
Dimensions (W x H x D)	1172 x 596 x 439 mm	972 x 596 x 439 mm	772 x 596 x 439 mm	
Model version	washbasin on the middle			
Combinable with	Skyla 5A51 C1/C2/C3/C4/C5/C6	Skyla 5A51 A2/A3/A5/A6	Skyla 5A51 80/81/82/83	Skyla 5A52 L1/L2/L3/L4
Features	2 x pull-out compartment with non-slip mat			
Installation	wall-mounted			
Included in delivery	1 x vanity unit,1 x fastening set			
AA, AB, AE, AF, AH, RH, RK, VE, VF, VH, VJ, VL, VM, VN, VQ, VR	1.426,-	1.212,-	1.068,-	

	VANITY UNIT	VANITY UNIT	VANITY UNIT	VANITY UNIT
				
Article Number	**C797 00 XX**	**C795 00 XX**	**C794 00 XX**	**C793 00 XX**
Dimensions (W x H x D)	772 x 596 x 439 mm	622 x 596 x 439 mm	572 x 596 x 439 mm	522 x 596 x 424 mm
Model version	washbasin on the middle			
Combinable with	Skyla 5A52 R1/R2/R3/R4	Skyla 5A51 65/66/67/68	Skyla 5A51 60/61/62/63	Skyla 5A51 55/56/57/58
Features	2 x pull-out compartment with non-slip mat			
Installation	wall-mounted			
Included in delivery	1 x vanity unit,1 x fastening set			
AA, AB, AE, AF, AH, RH, RK, VE, VF, VH, VJ, VL, VM, VN, VQ, VR	1.068,-	1.047,-	983,-	961,-

Configure your mirror cabinet individually and exclusively in the digital bathroom configurator (access via Villeroy & Boch Professional Portal): Discover an even wider range of colors, further storage options and custom-fit add-on cabinets – precisely adaptable to the millimeter.
XX = Insert front and body color
AA = White Oak, AB = Black Oak, AF = Soft Green, AH = Wine Red, RH = Oak Kansas, RK = Stone Oak, VE = Brilliant White, VF = Pure White, VH = Arizona Oak, VJ = Nordic Oak, VL = Volcano Black, VM = Taupe, VN = Cashmere Grey, VQ = Marine Blue, VR = Graphite, AE = Dark Berry

SKYLA

Made to order production: Please note, cancellation or change requests cannot always be accommodated!,Please order washbasins and fittings separately.,Express Delivery: These products are always available from stock in the colors: Brilliant White (VE), Graphite (VR), Kansas Oak (RH), Nordic Oak (VJ)

GBP excl. VAT

	VANITY UNIT	VANITY UNIT	VANITY UNIT	VANITY UNIT
				
Article Number	**C792 00 XX**	**C789 00 XX**	**C790 00 XX**	**C791 00 XX**
Dimensions (W x H x D)	1172 x 436 x 439 mm	972 x 436 x 439 mm		
Model version	washbasin on the middle			
Combinable with	Skyla 5A51 C1/C2/C3/C4/C5/C6	Skyla 5A51 A2/A3/A5/A6		
Features	1 x pull-out compartment with non-slip mat		1 x pull-out compartment with non-slip mat 1x open compartment on left	1 x pull-out compartment with non-slip mat 1x open compartment on right
Installation	wall-mounted			
Included in delivery	1 x vanity unit,1 x fastening set			
AA, AB, AE, AF, AH, RH, RK, VE, VF, VH, VJ, VL, VM, VN, VQ, VR	1.047,-	886,-	1.100,-	

	VANITY UNIT	VANITY UNIT	VANITY UNIT	VANITY UNIT
				
Article Number	**C786 00 XX**	**C787 00 XX**	**C788 00 XX**	**C785 00 XX**
Dimensions (W x H x D)	772 x 436 x 439 mm			622 x 436 x 439 mm
Model version	washbasin on the middle			
Combinable with	Skyla 5A51 80/81/82/83 Skyla 5A52 L1/L2/L3/L4 Skyla 5A52 R1/R2/R3/R4	Skyla 5A52 R1/R2/R3/R4	Skyla 5A52 L1/L2/L3/L4	Skyla 5A51 65/66/67/68
Features	1 x pull-out compartment with non-slip mat	1 x pull-out compartment with non-slip mat 1x open compartment on left	1 x pull-out compartment with non-slip mat 1x open compartment on right	1 x pull-out compartment with non-slip mat
Installation	wall-mounted			
Included in delivery	1 x vanity unit,1 x fastening set			
AA, AB, AE, AF, AH, RH, RK, VE, VF, VH, VJ, VL, VM, VN, VQ, VR	777,-	1.019,-		762,-

Configure your mirror cabinet individually and exclusively in the digital bathroom configurator (access via Villeroy & Boch Professional Portal): Discover an even wider range of colors, further storage options and custom-fit add-on cabinets – precisely adaptable to the millimeter.

XX = Insert front and body color

AA = White Oak, AB = Black Oak, AF = Soft Green, AH = Wine Red, RH = Oak Kansas, RK = Stone Oak, VE = Brilliant White, VF = Pure White, VH = Arizona Oak, VJ = Nordic Oak, VL = Volcano Black, VM = Taupe, VN = Cashmere Grey, VQ = Marine Blue, VR = Graphite, AE = Dark Berry

SKYLA

Made to order production: Please note, cancellation or change requests cannot always be accommodated!,Please order washbasins and fittings separately.,Express Delivery: These products are always available from stock in the colors: Brilliant White (VE), Graphite (VR), Kansas Oak (RH), Nordic Oak (VJ)

GBP excl. VAT

	VANITY UNIT	VANITY UNIT
		
Article Number	**C784 00 XX**	**C783 00 XX**
Dimensions (W x H x D)	572 x 436 x 439 mm	522 x 436 x 424 mm
Model version	washbasin on the middle	
Combinable with	Skyla 5A51 60/61/62/63	Skyla 5A51 55/56/57/58
Features	1 x pull-out compartment with non-slip mat	
Installation	wall-mounted	
Included in delivery	1 x vanity unit,1 x fastening set	
AA, AB, AE, AF, AH, RH, RK, VE, VF, VH, VJ, VL, VM, VN, VQ, VR	714,-	697,-

	TALL CABINET	TALL CABINET
		
Article Number	**C801 00 XX**	**C801 01 XX**
Dimensions (W x H x D)	350 x 1700 x 349 mm	
Hinge	hinges on left	hinges on right
Model version		
Features	2 x door 1 x fixed shelf 4 x glass shelf	
Installation	wall-mounted	
Included in delivery	1 x tall cabinet,1 x fastening set	
AA, AB, AE, AF, AH, RH, RK, VE, VF, VH, VJ, VL, VM, VN, VQ, VR	884,-	

Configure your mirror cabinet individually and exclusively in the digital bathroom configurator (access via Villeroy & Boch Professional Portal): Discover an even wider range of colors, further storage options and custom-fit add-on cabinets – precisely adaptable to the millimeter.

XX = Insert front and body color

AA = White Oak, AB = Black Oak, AF = Soft Green, AH = Wine Red, RH = Oak Kansas, RK = Stone Oak, VE = Brilliant White, VF = Pure White, VH = Arizona Oak, VJ = Nordic Oak, VL = Volcano Black, VM = Taupe, VN = Cashmere Grey, VQ = Marine Blue, VR = Graphite, AE = Dark Berry

SKYLA

Made to order production: Please note, cancellation or change requests cannot always be accommodated!,Please order washbasins and fittings separately.,Express Delivery: These products are always available from stock in the colors: Brilliant White (VE), Graphite (VR), Kansas Oak (RH), Nordic Oak (VJ)

GBP excl. VAT

	SIDE CABINET	SIDE CABINET
		
	Express Delivery	Express Delivery
Article Number	**C802 00 XX**	**C802 01 XX**
Dimensions (W x H x D)	350 x 1000 x 349 mm	
Hinge	hinges on left	hinges on right
Model version		
Features	1 x door 2 x glass shelf	
Installation	wall-mounted	
Included in delivery	1 x side cabinet,1 x fastening set	
AA, AB, AE, AF, AH, RH, RK, VE, VF, VH, VJ, VL, VM, VN, VQ, VR	685,-	

Configure your mirror cabinet individually and exclusively in the digital bathroom configurator (access via Villeroy & Boch Professional Portal): Discover an even wider range of colors, further storage options and custom-fit add-on cabinets – precisely adaptable to the millimeter.

XX = Insert front and body color

AA = White Oak, AB = Black Oak, AF = Soft Green, AH = Wine Red, RH = Oak Kansas, RK = Stone Oak, VE = Brilliant White, VF = Pure White, VH = Arizona Oak, VJ = Nordic Oak, VL = Volcano Black, VM = Taupe, VN = Cashmere Grey, VQ = Marine Blue, VR = Graphite, AE = Dark Berry

VICLEAN

- Villeroy & Boch's shower toilets cleanse with a gentle, warm and individually adjustable jets of water
- Enjoy a pleasant shower-fresh feeling with Villeroy & Boch's shower toilets
- Have many other hygienic, user-friendly and convenient features

PRO.VILLEROY-BOCH.COM/TECHNICALDRAWINGS



Ceramic colours



01 = White Alpin | R1 = White Alpin CeramicPlus | R7 = Pure Black CeramicPlus

VICLEAN - TIVO



VICLEAN - SUPREO SELECT



VICLEAN

GBP excl. VAT

Functions	Tivo V22E M1	Supreo V16E N2	Supreo Select V16E N3
			
SHOWER FUNCTION			
Rearwash	○	○	○
Front wash	○	○	○
Pulsating spray	○	○	○
Oscillating spray	○	–	–
Innovative comfort wash/HarmonicWave shower spray	–	○	○
Adjustment of temperature, jet pressure and nozzle position	5	5	5
HYGIENE			
Automatic cleaning of the nozzle with fresh water both before and after each toilet use	○	○	○
CeramicPlus surface finish	–	○	○
QuickRelease mechanism	–	○	–
Duroplast toilet seat	–	○	○
Integrated water filter	○	○	○
Descaling feature	○	○	○
COMFORT			
SoftClosing feature	○	○	○
Remote control	○	○	○
Heated seat	○	–	○
Seat temperature control (levels)	5	–	5
EcoMode	○	–	○
Air dryer	○	○	○
User detection	○	○	○
Odour extraction	○	○	○
Air ionization	–	○	○
UV light for disinfecting jet and water	–	○	○
Night light	○	○	○
Ambient light	–	○	○
Automatic opening & closing of seat and cover	–	–	○
AutoFlush*	–	–	–
App	–	○	○
DESIGN			
Flush-fit installation of jets	–	○	○
Rimless	○	○	○
Flushing volume	3l / 4,5l	3l / 4,5l	3l / 4,5l

*Only in combination with suitable installation system and flush plate

SUPREO


GBP excl. VAT

SUPREO SHOWER TOILET

TwistFlush








Article Number	Description	R1	R7	RE, RB		Pcs/ Pal	kg/pc
V16E N2 XX	384 x 612 x 423 mm , Individual packaging materials Composed of: Shower toilet Supreo V16EN2, Remote Control, Seat with lid, Water connection set	2.886,-	3.207,-	-	-	4	35,0
wall-mounted, Power and water connection must be available, Use only in working pressure range between 0.05 Mpa (dynamic) and 0.75 Mpa (static), Use solely in a water temperature range between 3°C and 35°C, A water softening unit is recommended for a level of water hardness of ≥ 2.4 mmol/l (≥ 14°dH)., horizontal outlet, fastening set included, EN 997, DVGW, CE, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres							
V995 72 00	**DESCALING AGENT** Contents 125 ml, pour in complete contents, descaling cycle dependent on water quality (max. every 3 months), (optional)	-	-	-	15,-		0,16
V995 69 XX	**ANTI-THEFT MOUNT SUPREO** optional for the Supreo remote control, (optional)	14,-	14,-	-	-		0,03

SUPREO SELECT SHOWER TOILET

TwistFlush







Article Number	Description	R1	R7	RE, RB		Pcs/ Pal	kg/pc
V16E N3 XX	384 x 612 x 423 mm , Individual packaging materials Composed of: Shower toilet Supreo V16EN3, Remote Control, Seat with lid, Water connection set	3.528,-	3.849,-	-	-	4	35,0
wall-mounted, Power and water connection must be available, Use only in working pressure range between 0.05 Mpa (dynamic) and 0.75 Mpa (static), Use solely in a water temperature range between 3°C and 35°C, A water softening unit is recommended for a level of water hardness of ≥ 2.4 mmol/l (≥ 14°dH)., horizontal outlet, fastening set included, EN 997, DVGW, CE, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres							
V995 72 00	**DESCALING AGENT** Contents 125 ml, pour in complete contents, descaling cycle dependent on water quality (max. every 3 months), (optional)	-	-	-	15,-		0,16
V995 69 XX	**ANTI-THEFT MOUNT SUPREO** optional for the Supreo remote control, (optional)	14,-	14,-	-	-		0,03

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus


TIVO

GBP excl. VAT

TIVO SHOWER TOILET
DirectFlush







Article Number	Description	01		Pcs/ Pal	kg/pc
V22E M1 01	400 x 609 x 430 mm , Individual packaging materials Composed of: Shower toilet Tivo V22EM1, Remote Control, Seat with lid, Water connection set	2.031,-	-		39,5
wall-mounted, Power and water connection must be available, Use only in working pressure range between 0.05 Mpa (dynamic) and 0.75 Mpa (static), Use solely in a water temperature range between 3°C and 35°C, A water softening unit is recommended for a level of water hardness of ≥ 2.4 mmol/l (≥ 14°dH)., horizontal outlet, fastening set included, EN 997, DVGW, CE, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres					
V995 72 00	**DESCALING AGENT** Contents 125 ml, pour in complete contents, descaling cycle dependent on water quality (max. every 3 months), (optional)	-	15,-		0,16

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus

VICLEAN

GBP excl. VAT

LIMESCALE FILTER SET



Article Number	Description		Pcs/ Pal	kg/pc
V995 04 00	230 x 300 x 60 mm Comprising: 3/8" ball valve, 3/8" flexible hose, 1/2" microfilter, limescale filter, hose clamps, sealing ring, cleaning cloth, installation instructions,	132,-	540	0,469

FILTER CARTRIDGE



Article Number	Description		Pcs/ Pal	kg/pc
V995 71 00	45 x 140 x 45 mm Limescale filter, filter replacement cycle dependent on water quality (recommended: every 6 months),	23,-	1	0,12

DESCALING AGENT



Article Number	Description		Pcs/ Pal	kg/pc
V995 72 00	35 x 50 x 160 mm Contents 125 ml, pour in complete contents, descaling cycle dependent on water quality (max. every 3 months),	15,-	4000	0,16

ANTI-THEFT MOUNT SUPREO



Article Number	Description	R1, R7	Pcs/ Pal	kg/pc
V995 69 XX	50 x 163 x 30 mm optional for the Supreo remote control,	14,-	1	0,03

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RB = Glass Glossy Black, RE = Glass Glossy White

TWISTFLUSH

- TwistFlush® technology for powerful, water-saving performance.
- Optimised bowl geometry maximises flushing efficiency.
- Rimless bowl and CeramicPlus for easier cleaning and improved hygiene.
- AntiBac surface inhibits up to 99.9% of bacterial growth.

PRO.VILLEROY-BOCH.COM/TECHNICALDRAWINGS



Ceramic colours

Glossy colours

01 = White Alpin

R1 = White Alpin CeramicPlus

T2 = White Alpine AntiBac CeramicPlus

R3 = Pergamon CeramicPlus

Matt colours

RW = Stone White CeramicPlus

AM = Almond CeramicPlus

R7 = Pure Black CeramicPlus

R8 = Morning Green CeramicPlus

ARCHITECTURA



ANTAO




ANTAO


Design protected, Please order fittings separately.


GBP excl. VAT

WASHDOWN TOILET, RIMLESS
TwistFlush









Article Number	Description	R1	RW, AM, R7, R8		Pcs/ Pal	kg/pc
4674 T0 XX	370 x 560 mm	759,-	892,-	-	12	23,81
wall-mounted, not suitable for installation with flush valves, horizontal outlet, incl. fastening set "SupraFix 3.0", EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres						
8M67 S1 XX	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	315,-	379,-	-		2,7
9222 87 00	**VIPROTECT SOUNDPROOFING SET** incl. accessories, (optional)	-	-	26,-		0,086
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	403,-		15,5

The colors AM, R7 and R8 are produced to order. Please inquire about delivery times when ordering.

XX = Replace color code
AM = Almond CeramicPlus, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, R8 = Morning Green CeramicPlus, RW = Stone White CeramicPlus


ARCHITECTURA

Design protected, Please order fittings separately.

GBP excl. VAT

WASHDOWN TOILET, RIMLESS
TwistFlush






Article Number	Description	01	R1	T2		Pcs/ Pal	kg/pc
4694 C0 XX	370 x 530 mm	332,-	429,-	498,-	-	14	21,0
wall-mounted, not suitable for installation with flush valves, horizontal outlet, The "ViFix" fastening set is pre-fitted, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres, Seat height , 410 mm							
98M9 C1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	135,-	-	-	-		3,02
98M9 D1 01	**TOILET SEAT AND COVER**, hinges in stainless steel	101,-	-	-	-		2,57
8M70 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	135,-	-	-	-		2,33
8M70 61 01	**TOILET SEAT AND COVER**, hinges in stainless steel	101,-	-	-	-		2,33
9M70 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	180,-	-	-	-		2,971
9M70 61 01	**TOILET SEAT AND COVER SLIMSEAT**, hinges in stainless steel	170,-	-	-	-		2,971
9222 87 00	**VIPROTECT SOUNDPROOFING SET** incl. accessories, (optional)	-	-	-	26,-		0,086
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-		15,5

COMBI-PACK
TwistFlush







Article Number	Description	01	R1	T2		Pcs/ Pal	kg/pc
4694 CL XX	370 x 530 mm, Individual packaging materials Composed of: Washdown toilet, rimless 4694C0, Toilet seat and cover with QuickRelease and SoftClosing hinges 98M9C1	559,-	656,-	-	-	12	21,0
wall-mounted, horizontal outlet, The "ViFix" fastening set is pre-fitted, EN 997							
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-		15,5

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, T2 = White Alpin AntiBac CeramicPlus


ARCHITECTURA


Design protected, Please order fittings separately.


GBP excl. VAT

WASHDOWN TOILET, RIMLESS
TwistFlush











Article Number	Description	01	R1	T2		Pcs/ Pal	kg/pc
5684 C0 XX	370 x 530 mm	293,-	388,-	457,-	-	14	22,5
wall-mounted, not suitable for installation with flush valves, horizontal outlet, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres							
98M9 C1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	135,-	-	-	-		3,02
98M9 D1 01	**TOILET SEAT AND COVER**, hinges in stainless steel	101,-	-	-	-		2,57
8M70 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	135,-	-	-	-		2,33
8M70 61 01	**TOILET SEAT AND COVER**, hinges in stainless steel	101,-	-	-	-		2,33
9M70 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	180,-	-	-	-		2,971
9M70 61 01	**TOILET SEAT AND COVER SLIMSEAT**, hinges in stainless steel	170,-	-	-	-		2,971
9222 87 00	**VIPROTECT SOUNDPROOFING SET** incl. accessories, (optional)	-	-	-	26,-		0,086
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-		15,5


COMBI-PACK
TwistFlush











Article Number	Description	01	R1	T2		Pcs/ Pal	kg/pc
5684 CL XX	370 x 530 mm, Individual packaging materials Composed of: Washdown toilet, rimless 5684C0, Toilet seat and cover with QuickRelease and SoftClosing hinges 98M9C1	494,-	588,-	-	-	12	21,0
wall-mounted, horizontal outlet, EN 997							
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-		15,5

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, T2 = White Alpin AntiBac CeramicPlus

ARCHITECTURA


Design protected, Please order fittings separately.

GBP excl. VAT

WASHDOWN TOILET COMPACT, RIMLESS

TwistFlush






Article Number	Description	01	R1	T2		Pcs/ Pal	kg/pc
4687 C0 XX	350 x 480 mm	403,-	499,-	567,-	-	14	18,5
wall-mounted, not suitable for installation with flush valves, horizontal outlet, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres							
9M66 S2 01	**TOILET SEAT AND COVER COMPACT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	168,-	-	-	-		2,662
9222 87 00	**VIPROTECT SOUNDPROOFING SET** incl. accessories, (optional)	-	-	-	26,-		0,086
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-		15,5

COMBI-PACK

TwistFlush







Article Number	Description	01	R1	T2		Pcs/ Pal	kg/pc
4687 CL XX	350 x 480 mm, Individual packaging materials Composed of: Washdown toilet Compact, rimless 4687C0, Toilet seat and cover Compact with QuickRelease and SoftClosing hinges 9M66S2	525,-	621,-	-	-	12	18,5
wall-mounted, horizontal outlet, EN 997							
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-		15,5

XX = Replace color code

01 = White Alpin, R1 = White Alpin CeramicPlus, T2 = White Alpin AntiBac CeramicPlus


ARCHITECTURA

Design protected, Please order fittings separately.

GBP excl. VAT

WASHDOWN TOILET, RIMLESS
TwistFlush






Article Number	Description	01	R1	T2		Pcs/ Pal	kg/pc
5685 C0 XX	370 x 530 mm	316,-	411,-	481,-	-	14	21,0
wall-mounted, not suitable for installation with flush valves, horizontal outlet, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres							
9M58 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	171,-	-	-	-		2,88
9M60 61 01	**TOILET SEAT AND COVER**, hinges in stainless steel	144,-	-	-	-		2,63
9M81 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	201,-	-	-	-		2,69
9222 87 00	**VIPROTECT SOUNDPROOFING SET** incl. accessories, (optional)	-	-	-	26,-		0,086
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-		15,5

COMBI-PACK
TwistFlush







Article Number	Description	01	R1	T2		Pcs/ Pal	kg/pc
5685 CL XX	370 x 530 mm , Individual packaging materials Composed of: Washdown toilet, rimless 5685C0, Toilet seat and cover with QuickRelease and SoftClosing hinges 9M58S1	531,-	626,-	-	-	12	21,0
wall-mounted, horizontal outlet, EN 997							
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-		15,5

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, T2 = White Alpin AntiBac CeramicPlus

ARCHITECTURA


Design protected, Please order fittings separately.


GBP excl. VAT


WASHDOWN TOILET, RIMLESS

TwistFlush









8711 00 = 72 -105

Article Number	Description	01	R1	T2		Pcs/ Pal	kg/pc
5C44 C0 XX	370 x 540 mm NEW	290,-	384,-	-	-	8	27,6
floor-standing, not suitable for installation with flush valves, horizontal outlet, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres							
98M9 C1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	135,-	-	-	-		3,02
98M9 D1 01	**TOILET SEAT AND COVER**, hinges in stainless steel	101,-	-	-	-		2,57
9M70 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	180,-	-	-	-		2,971
9M70 61 01	**TOILET SEAT AND COVER SLIMSEAT**, hinges in stainless steel	170,-	-	-	-		2,971
8711 00 00	**VARIO DRAINBEND** for vertical outlet for installation close to the wall 70 - 115 mm	-	-	-	137,-		0,72

TOILET SEAT AND COVER SLIMSEAT

previously Omnia Architectura

Article Number	Description	01	Pcs/ Pal	kg/pc
9M70 S1 01	374 x 439 x 48 mm, with QuickRelease and SoftClosing hinges, hinges in stainless steel	180,-		2,971
9M70 61 01	374 x 439 x 48 mm, hinges in stainless steel	170,-		2,971

TOILET SEAT AND COVER

Article Number	Description	01	Pcs/ Pal	kg/pc
8M70 S1 01	373 x 446 x 47 mm, with QuickRelease and SoftClosing hinges, hinges in stainless steel	135,-	84	2,33
8M70 61 01	373 x 446 x 47 mm, hinges in stainless steel	101,-	92	2,33

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, T2 = White Alpin AntiBac CeramicPlus

ARCHITECTURA

Design protected, Please order fittings separately.

GBP excl. VAT

TOILET SEAT AND COVER SLIMSEAT

Article Number	Description	01	Pcs/ Pal	kg/pc
9M81 S1 01	379 x 454 x 49 mm, with QuickRelease and SoftClosing hinges, hinges in stainless steel Slim Seat	201,-		2,69

TOILET SEAT AND COVER

previously Omnia Architectura



Article Number	Description	01	Pcs/ Pal	kg/pc
98M9 C1 01	374 x 445 x 59 mm, with QuickRelease and SoftClosing hinges, hinges in stainless steel	135,-	72	3,02

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, T2 = White Alpin AntiBac CeramicPlus


O.NOVO

Design protected, Please order fittings separately.

GBP excl. VAT

WASHDOWN TOILET, RIMLESS
TwistFlush
D-Shape






Article Number	Description	01	R1	R3		Pcs/ Pal	kg/pc
5660 C0 XX	360 x 520 mm	269,-	361,-	-	-	14	18,9
wall-mounted, not suitable for installation with flush valves, horizontal outlet, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres							
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	118,-	-	-	-		2,86
8M82 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	137,-	-	-	-		2,0
9M40 61 01	**TOILET SEAT AND COVER**, hinges in stainless steel	98,-	-	-	-		2,2
9M71 61 01	**SEAT**, hinges in stainless steel	94,-	-	-	-		0,94
9222 87 00	**VIPROTECT SOUNDPROOFING SET** incl. accessories, (optional)	-	-	-	26,-		0,086
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-		15,5

COMBI-PACK
TwistFlush





Article Number	Description	01	R1	R3	T2		Pcs/ Pal	kg/pc
5660 CL XX	360 x 520 mm, Individual packaging materials Composed of: Washdown toilet, rimless 5660C0, Toilet seat and cover with QuickRelease and SoftClosing hinges 9M38S1	405,-	499,-	-	-	-	12	18,9
wall-mounted, not suitable for installation with flush valves, horizontal outlet, EN 997								

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R3 = Pergamon CeramicPlus, T2 = White Alpin AntiBac CeramicPlus


O.NOVO

Design protected, Please order fittings separately.

GBP excl. VAT

WASHDOWN TOILET, RIMLESS
TwistFlush
Tulip-Shape






Article Number	Description	01	R1	R3		Pcs/ Pal	kg/pc
5C39 C0 XX	360 x 520 mm	315,-	408,-	-	-	14	20,0
wall-mounted, not suitable for installation with flush valves, horizontal outlet, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres							
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	118,-	-	-	-		2,86
8M82 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	137,-	-	-	-		2,0
9M39 61 01	**TOILET SEAT AND COVER**, hinges in stainless steel	98,-	-	-	-		2,24
9M71 61 01	**SEAT**, hinges in stainless steel	94,-	-	-	-		0,94
9222 87 00	**VIPROTECT SOUNDPROOFING SET** incl. accessories, (optional)	-	-	-	26,-		0,086
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-		15,5

COMBI-PACK
TwistFlush





Article Number	Description	01	R1	R3	T2		Pcs/ Pal	kg/pc
5C39 CL XX	360 x 520 mm , Individual packaging materials Composed of: Washdown toilet, rimless 5C39C0, Toilet seat and cover with QuickRelease and SoftClosing hinges 9M38S1	530,-	623,-	-	-	-	12	20,0
wall-mounted, not suitable for installation with flush valves, horizontal outlet, EN 997								

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R3 = Pergamon CeramicPlus, T2 = White Alpin AntiBac CeramicPlus

O.NOVO


Design protected, Please order fittings separately.

GBP excl. VAT

WASHDOWN TOILET FOR CLOSE-COUPLED WC-SUITE, RIMLESS

TwistFlush






Article Number	Description	01	plus R1	plus R3	plus T2		Pcs/ Pal	kg/pc
5661 C0 XX	360 x 650 mm NEW	245,-	-	-	-	-	1	24,9
floor-standing, horizontal outlet, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres								
5788 71 XX	**CISTERN** bottom water inlet, flushing mechanism with DualFlush water-saving button,	162,-	255,-	-	-	-		12,16
5788 61 XX	**CISTERN** water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button,	230,-	326,-	-	-	-		12,14
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	118,-	-	-	-	-		2,86
9M39 61 01	**TOILET SEAT AND COVER**, hinges in stainless steel	98,-	-	-	-	-		2,24
9M71 61 01	**SEAT**, hinges in stainless steel	94,-	-	-	-	-		0,94
8M82 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	137,-	-	-	-	-		2,0

WASHDOWN TOILET FOR CLOSE-COUPLED WC-SUITE

TwistFlush





Article Number	Description	01	plus R1	plus R3	plus T2		Pcs/ Pal	kg/pc
5661 C1 XX	360 x 635 mm NEW	245,-	-	-	-	-	8	28,9
floor-standing, vertical outlet, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres								
5788 71 XX	**CISTERN** bottom water inlet, flushing mechanism with DualFlush water-saving button,	162,-	255,-	-	-	-		12,16
5788 61 XX	**CISTERN** water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button,	230,-	326,-	-	-	-		12,14
9M39 61 01	**TOILET SEAT AND COVER**, hinges in stainless steel	98,-	-	-	-	-		2,24
9M38 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	118,-	-	-	-	-		2,86
9M71 61 01	**SEAT**, hinges in stainless steel	94,-	-	-	-	-		0,94
8M82 S1 01	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	137,-	-	-	-	-		2,0

XX = Replace color code

01 = White Alpin, R1 = White Alpin CeramicPlus, R3 = Pergamon CeramicPlus, T2 = White Alpin AntiBac CeramicPlus


SKYLA


Please order fittings separately.


GBP excl. VAT

WASHDOWN TOILET, RIMLESS
TwistFlush









Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
5C47 C0 XX	370 x 540 mm NEW	323,-	416,-	497,-	-		29,7
floor-standing, not suitable for installation with flush valves, horizontal outlet, with fastening set for concealed fastening, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres							
8M81 S1 XX	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	176,-	-	195,-	-		2,3
9M77 C1 XX	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	176,-	-	195,-	-		2,78
8M70 S1 01	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	135,-	-	-	-		2,33
8M70 61 01	**TOILET SEAT AND COVER**, hinges in stainless steel	101,-	-	-	-		2,33

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus


SKYLA


Please order fittings separately.


GBP excl. VAT

COMBI-PACK
TwistFlush











Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
5656 CL XX	370 x 530 mm, Individual packaging materials Composed of: Washdown toilet, rimless 5656C0, Toilet seat and cover with QuickRelease and SoftClosing hinges 8M81S1	590,-	686,-	805,-	-	12	21,0


wall-mounted, horizontal outlet, the "ViFix" fastening set is pre-fitted, EN 997

COMBI-PACK
TwistFlush









Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
4682 CL XX	370 x 530 mm, Individual packaging materials Composed of: Washdown toilet TwistFlush 4682 C0, Toilet seat with QuickRelease and SoftClosing function 8M76 S1	590,-	686,-	805,-	-	12	21,6

wall-mounted, horizontal outlet, the "ViFix" fastening set is pre-fitted, EN 997

TOILET SEAT AND COVER

Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
8M81 S1 XX	373 x 445 x 50 mm, with QuickRelease and SoftClosing hinges, hinges in stainless steel NEW	176,-	-	195,-	-	108	2,3

TOILET SEAT AND COVER

Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
8M76 S1 XX	373 x 445 x 50 mm, with QuickRelease and SoftClosing hinges, hinges in stainless steel	176,-	-	195,-	-	108	2,3

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus

SUBWAY 3.0


Please order fittings separately.


GBP excl. VAT


WASHDOWN TOILET, RIMLESS

TwistFlush










Article Number	Description	01	plus R1	plus RW, R7		T1	plus T2	Pcs/ Pal	kg/pc
4670 T0 XX	370 x 560 mm	664,-	759,-	892,-	-	-	828,-	12	23,0
wall-mounted, not suitable for installation with flush valves, horizontal outlet, incl. fastening set "SupraFix 3.0", with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres									
8M42 S1 XX	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	315,-	-	379,-	-	347,-	-		2,43
9M78 S1 XX	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	316,-	-	-	-	-	-		2,818
9222 87 00	**VIPROTECT SOUNDPROOFING SET** incl. accessories, (optional)	-	-	-	26,-	-	-		0,086
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated,525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-	-	-		15,5


COMBI-PACK


TwistFlush











Article Number	Description	01	plus R1	plus RW, R7		Pcs/ Pal	kg/pc
4670 TS XX	370 x 560 mm, Individual packaging materials Composed of: Washdown toilet, rimless 4670T0, Toilet seat and cover with QuickRelease and SoftClosing hinges 8M42S1	978,-	1.073,-	-	-	12	23,5
wall-mounted, horizontal outlet, EN 997							

Color R7 is produced to order. Please inquire about delivery times when ordering.

XX = Replace color code


01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus, T2 = White Alpin AntiBac CeramicPlus


SUBWAY 3.0


Please order fittings separately.

GBP excl. VAT

WASHDOWN TOILET, RIMLESS
TwistFlush










Article Number	Description	01	R1	RW, R7		T1	T2	Pcs/ Pal	kg/pc
4610 T0 XX	370 x 560 mm	664,-	828,-	759,-	-	-	892,-	12	26,0
wall-mounted, not suitable for installation with flush valves, horizontal outlet, incl. fastening set "SupraFix 4.0", EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres									
8M85 S1 XX	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	315,-	-	379,-	-	347,-	-		2,8
9222 87 00	**VIPROTECT SOUNDPROOFING SET** incl. accessories, (optional)	-	-	-	26,-	-	-		0,086
9209 29 00	**TOILET INSTALLATION SYSTEM** for dry-wall construction, standard height 1120 mm, front operated, 525 x 1120 x 135 mm For further ViConnect models, please refer to the main price list 2026, page 340	-	-	-	403,-	-	-		15,5

COMBI-PACK
TwistFlush









Article Number	Description	01	R1	RW, R7		Pcs/ Pal	kg/pc
4610 TL XX	370 x 560 mm, Individual packaging materials Composed of: Washdown toilet, rimless 4610T0, Toilet seat and cover with QuickRelease and SoftClosing hinges 8M85S1	978,-	1.073,-	-	-	12	26,0
wall-mounted, horizontal outlet, EN 997							

Color R7 is produced to order. Please inquire about delivery times when ordering.

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus, T2 = White Alpin AntiBac CeramicPlus


SUBWAY 3.0


Please order fittings separately.


GBP excl. VAT

WASHDOWN TOILET, RIMLESS
TwistFlush









Article Number	Description	01	plus R1	plus RW, R7		T1	plus T2	Pcs/ Pal	kg/pc
4671 T0 XX	370 x 595 mm	370,-	463,-	556,-	-	-	529,-	8	32,8
floor-standing, not suitable for installation with flush valves, horizontal outlet, with fastening set for concealed fastening, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres									
8M42 S1 XX	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	315,-	-	379,-	-	347,-	-		2,43
9M78 S1 XX	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	316,-	-	-	-	-	-		2,818
8701 00 00	**VARIO DRAINBEND** 160 - 180 mm	-	-	-	137,-	-	-		0,74
8711 00 00	**VARIO DRAINBEND** for vertical outlet 72 - 115 mm	-	-	-	137,-	-	-		0,72
9221 87 00	**VARIO DRAINBEND** for vertical outlet for installation close to the wall 115 - 160 mm	-	-	-	175,-	-	-		1,95

Color R7 is produced to order. Please inquire about delivery times when ordering.

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus, T2 = White Alpin AntiBac CeramicPlus

SUBWAY 3.0


Please order fittings separately.

GBP excl. VAT

WASHDOWN TOILET FOR CLOSE-COUPLED WC-SUITE, RIMLESS

TwistFlush





Article Number	Description	01	R1	RW, R7		T1	T2	Pcs/ Pal	kg/pc
4672 T0 XX	370 x 710 mm	455,-	546,-	-	-	-	-	6	40,0
floor-standing, recommendation: to be installed from the wall at: 15 mm, horizontal outlet, with fastening set for concealed fastening, EN 997, with water-saving AQUAREDUCT® system: flush volume 3 / 4,5 litres									
5706 11 XX	**CISTERN** EN 997, water inlet from the sides or rear, flushing mechanism with DualFlush water-saving button,	279,-	374,-	-	-	-	-		16,1
5706 A1 XX	**CISTERN** EN 998, bottom water inlet, flushing mechanism with DualFlush water-saving button,	166,-	259,-	-	-	-	-		16,1
8M42 S1 XX	**TOILET SEAT AND COVER** with QuickRelease and SoftClosing hinges, hinges in stainless steel	315,-	-	379,-	-	347,-	-		2,43
9M78 S1 XX	**TOILET SEAT AND COVER SLIMSEAT** with QuickRelease and SoftClosing hinges, hinges in stainless steel	316,-	-	-	-	-	-		2,818
8711 00 00	**VARIO DRAINBEND** for vertical outlet 120 - 180 mm	-	-	-	137,-	-	-		0,72
8701 00 00	**VARIO DRAINBEND** for installation close to the wall 210 - 260 mm	-	-	-	137,-	-	-		0,74

TOILET SEAT AND COVER

Article Number	Description	01	R1	RW		Pcs/ Pal	kg/pc
8M42 S1 XX	374 x 438 x 42 mm, with QuickRelease and SoftClosing hinges, hinges in stainless steel	315,-	-	379,-	-	40	2,43

Color R7 is produced to order. Please inquire about delivery times when ordering.

XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus, T2 = White Alpin AntiBac CeramicPlus

SUBWAY 2.0

Please order fittings separately.

GBP excl. VAT

TOILET SEAT AND COVER SLIMSEAT

Article Number	Description	01	plus R1	plus RW		Pcs/ Pal	kg/pc
9M78 S1 XX	374 x 439 x 43 mm, with QuickRelease and SoftClosing hinges, hinges in stainless steel Slim Seat	316,-	-	-	-	90	2,818

TOILET SEAT AND COVER



Article Number	Description	01	plus R1	plus RW		Pcs/ Pal	kg/pc
9M68 S1 XX	375 x 459 x 60 mm, with QuickRelease and SoftClosing hinges, hinges in stainless steel	232,-	-	-	-	90	3,647

Color R7 is produced to order. Please inquire about delivery times when ordering.


XX = Replace color code
01 = White Alpin, R1 = White Alpin CeramicPlus, R7 = Pure Black CeramicPlus, RW = Stone White CeramicPlus, T2 = White Alpin AntiBac CeramicPlus


UNIVERSO TWISTFLUSH


GBP excl. VAT

COMBI-PACK
TwistFlush









Article Number	Description	01	R1	Pcs/ Pal	kg/pc
4670 T9 01	370 x 560 mm, Individual packaging materials Composed of: Washdown WC TwistFlush 4670 T0 01, WC-seat and cover with QuickRelease and SoftClosing hinges 8M60 S1 01	978,-	-	12	28,8
4670 T9 R1	370 x 560 mm, Individual packaging materials Composed of: Washdown WC TwistFlush 4670 T0 01, WC-seat and cover with ANTIBAC, QuickRelease and SoftClosing hinges 8M60 S1 T1	-	1.104,-	12	28,8

wall-mounted, horizontal outlet, EN 997

SHOWERS



ACRYLIC & QUARYL COLOURS

01 White Alpine

MATT COLOURS

1S Anthracite **RW Stone White** **AL Almond**

ECORA



ECORA Short side drain Square, PureBase

GBP excl. VAT


Included in scope of delivery: Drain cover in the colour of the shower tray.
Depending on the material and light incidence, slight colour deviations may occur between the outlet cover and the shower tray.

Not Included in scope of delivery: All shower trays are supplied without support/base.

Technical information
Drainage capacity: 48 l/min
Drainage Ø: 90 mm
The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274.
Shower trays in Stone White are classified as anti-slip class C (according to DIN51097).
Shower tray, stepless access



NEW



Article Number	Name and design	Dimensions L x W x H	Dimensions (C)	Dimensions (D)	Dimensions (E)	Dimensions (F)	Dimensions (G)	Depth	01, RW, 1S, AL	Pcs/Pal	kg/pc
UDA 8080 ERA 1SV-XX	Ecora, Square, Short side drain	800 x 800 x 35 mm	400 mm	200 mm	35 mm	7 mm	12 mm	12 mm	290,-	1	23,11
UDA 9090 ERA 1SV-XX		900 x 900 x 35 mm	450 mm			9 mm	14 mm	14 mm	353,-	1	29,24
UDA 1010 ERA 1SV-XX		1000 x 1000 x 35 mm	500 mm			11 mm	16 mm		415,-	1	36,1

Optional miscellaneous

Article Number	Description	Price
U90881299	Tempoplex Plus outlet	62,-
K936467	Set of shower tray feet (6 pieces)	104,-
UCWAS0371-01	Spare outlet cover, White	45,-
UCWAS0371-1S	Spare outlet cover, Anthracite	45,-
UCWAS0371-AL	Spare outlet cover, Almond	45,-
UCWAS0371-RW	Spare outlet cover, Stone White	45,-

XX = Insert color code
01 = White alpine, RW = Stone White, 1S = Antracite, AL = Almond

ECORA Corner drain Square, PureBase

GBP excl. VAT


Included in scope of delivery: Drain cover in the colour of the shower tray.
Depending on the material and light incidence, slight colour deviations may occur between the outlet cover and the shower tray.

Not Included in scope of delivery: All shower trays are supplied without support/base.

Technical information
Drainage capacity: 48 l/min
Drainage Ø: 90 mm
The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274.
Shower trays in Stone White are classified as anti-slip class C (according to DIN51097).
Shower tray, stepless access



NEW



Article Number	Name and design	Dimensions L x W x H	Dimensions (C)	Dimensions (D)	Dimensions (E)	Dimensions (F)	Dimensions (G)	Depth	01, RW, 1S, AL	Pcs/Pal	kg/pc
UDA 8080 ERA 1CV-XX	Ecora, Square, Corner drain	800 x 800 x 35 mm	150 mm	150 mm	35 mm	11 mm	17 mm	17 mm	290,-	1	23,11
UDA 9090 ERA 1CV-XX		900 x 900 x 35 mm				13 mm	19 mm	19 mm	353,-	1	29,24
UDA 1010 ERA 1CV-XX		1000 x 1000 x 35 mm				16 mm	22 mm	22 mm	415,-	1	36,1

Optional miscellaneous

Article Number	Description	Price
U90881299	Tempoplex Plus outlet	62,-
K936467	Set of shower tray feet (6 pieces)	104,-
UCWAS0371-01	Spare outlet cover, White	45,-
UCWAS0371-1S	Spare outlet cover, Anthracite	45,-
UCWAS0371-AL	Spare outlet cover, Almond	45,-
UCWAS0371-RW	Spare outlet cover, Stone White	45,-

XX = Insert color code
01 = White alpine, RW = Stone White, 1S = Antracite, AL = Almond

ECORA Short side drain Rectangle, PureBase


GBP excl. VAT


Included in scope of delivery: Drain cover in the colour of the shower tray.
Depending on the material and light incidence, slight colour deviations may occur between the outlet cover and the shower tray.

Not Included in scope of delivery: All shower trays are supplied without support/base.

Technical information
Drainage capacity: 48 l/min
Drainage Ø: 90 mm
The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274.
Shower trays in Stone White are classified as anti-slip class C (according to DIN51097).
Shower tray, stepless access

NEW





Article Number	Name and design	Dimensions L x W x H	Dimensions (C)	Dimensions (D)	Dimensions (E)	Dimensions (F)	Dimensions (G)	Depth	01, RW, 1S, AL	Pcs/Pal	kg/pc
UDA 1080 ERA 2SV-XX	Ecora, Rectangle, Short side drain	1000 x 800 x 35 mm	400 mm	200 mm	35 mm	11 mm	16 mm	16 mm	373,-	1	28,88
UDA 1090 ERA 2SV-XX		1000 x 900 x 35 mm	450 mm						384,-	1	32,49
UDA 1280 ERA 2SV-XX		1200 x 800 x 35 mm	400 mm			14 mm	19 mm		415,-	1	34,66
UDA 1290 ERA 2SV-XX		1200 x 900 x 35 mm	450 mm					19 mm	457,-	1	38,99
UDA 1410 ERA 2SV-XX		1400 x 1000 x 35 mm	500 mm			18 mm	23 mm	23 mm	581,-	1	50,54
UDA 1480 ERA 2SV-XX		1400 x 800 x 35 mm	400 mm						477,-	1	40,44
UDA 1490 ERA 2SV-XX		1400 x 900 x 35 mm	450 mm						518,-	1	45,49
UDA 1510 ERA 2SV-XX		1500 x 1000 x 35 mm	500 mm	300 mm					622,-	1	54,16
UDA 1590 ERA 2SV-XX		1500 x 900 x 35 mm	450 mm						550,-	1	48,74
UDA 1610 ERA 2SV-XX		1600 x 1000 x 45 mm	500 mm	350 mm	45 mm	14 mm	29 mm	29 mm	664,-	1	57,77
UDA 1680 ERA 2SV-XX		1600 x 800 x 45 mm	400 mm						540,-	1	46,21
UDA 1690 ERA 2SV-XX		1600 x 900 x 45 mm	450 mm						581,-	1	51,99
UDA 1780 ERA 2SV-XX		1700 x 800 x 45 mm	400 mm	400 mm		15 mm	30 mm	30 mm	581,-	1	49,1
UDA 1790 ERA 2SV-XX		1700 x 900 x 45 mm	450 mm						622,-	1	55,24
UDA 1810 ERA 2SV-XX		1800 x 1000 x 45 mm	500 mm	450 mm		16 mm	31 mm	31 mm	747,-	1	64,99
UDA 1880 ERA 2SV-XX		1800 x 800 x 45 mm	400 mm						622,-	1	51,99
UDA 1890 ERA 2SV-XX		1800 x 900 x 45 mm	450 mm						684,-	1	58,49

Optional miscellaneous

Article Number	Description	Price
U90881299	Tempoplex Plus outlet	62,-
K936467	Set of shower tray feet (6 pieces)	104,-
UCWAS0371-01	Spare outlet cover, White	45,-
UCWAS0371-1S	Spare outlet cover, Anthracite	45,-
UCWAS0371-AL	Spare outlet cover, Almond	45,-
UCWAS0371-RW	Spare outlet cover, Stone White	45,-

XX = Insert color code
01 = White alpine, RW = Stone White, 1S = Antracite, AL = Almond

ECORA Long side drain Rectangle, PureBase


GBP excl. VAT

Included in scope of delivery: Drain cover in the colour of the shower tray.
Depending on the material and light incidence, slight colour deviations may occur between the outlet cover and the shower tray.

Not Included in scope of delivery: All shower trays are supplied without support/base.

Technical information
Drainage capacity: 48 l/min
Drainage Ø: 90 mm
The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274.
Shower trays in Stone White are classified as anti-slip class C (according to DIN51097).
Shower tray, stepless access





NEW

Article Number	Name and design	Dimensions L x W x H	Dimensions (C)	Dimensions (D)	Dimensions (E)	Dimensions (F)	Dimensions (G)	Depth	01, RW, 1S, AL	Pcs/Pal	kg/pc
UDA 1080 ERA 2LV-XX	Ecora, Rectangle, Long side drain	1000 x 800 x 35 mm	500 mm	170 mm	35 mm	8 mm	13 mm	13 mm	373,-	1	28,88
UDA 1090 ERA 2LV-XX		1000 x 900 x 35 mm				9 mm	14 mm	14 mm	384,-	1	32,49
UDA 1280 ERA 2LV-XX		1200 x 800 x 35 mm	600 mm			8 mm	13 mm	13 mm	415,-	1	34,66
UDA 1290 ERA 2LV-XX		1200 x 900 x 35 mm				9 mm	14 mm	14 mm	457,-	1	38,99
UDA 1410 ERA 2LV-XX		1400 x 1000 x 35 mm	700 mm			10 mm	15 mm	15 mm	581,-	1	50,54
UDA 1480 ERA 2LV-XX		1400 x 800 x 35 mm				8 mm	13 mm	13 mm	477,-	1	40,44
UDA 1490 ERA 2LV-XX		1400 x 900 x 35 mm				9 mm	14 mm	14 mm	518,-	1	45,49
UDA 1510 ERA 2LV-XX		1500 x 1000 x 35 mm	750 mm			10 mm	15 mm		622,-	1	54,16
UDA 1590 ERA 2LV-XX		1500 x 900 x 35 mm				9 mm	14 mm		550,-	1	48,74
UDA 1610 ERA 2LV-XX		1600 x 1000 x 35 mm	800 mm			10 mm	15 mm	15 mm	664,-	1	62,44
UDA 1680 ERA 2LV-XX		1600 x 800 x 35 mm				8 mm	13 mm	13 mm	540,-	1	49,96
UDA 1690 ERA 2LV-XX		1600 x 900 x 35 mm				9 mm	14 mm	14 mm	581,-	1	56,2
UDA 1780 ERA 2LV-XX		1700 x 800 x 35 mm	850 mm			8 mm	13 mm	13 mm	581,-	1	53,08
UDA 1790 ERA 2LV-XX		1700 x 900 x 35 mm				9 mm	14 mm	14 mm	622,-	1	59,71
UDA 1810 ERA 2LV-XX		1800 x 1000 x 35 mm	900 mm			11 mm	15 mm	15 mm	747,-	1	70,25
UDA 1880 ERA 2LV-XX		1800 x 800 x 35 mm				8 mm	13 mm	13 mm	622,-	1	56,2
UDA 1890 ERA 2LV-XX		1800 x 900 x 35 mm				9 mm	14 mm	14 mm	684,-	1	63,22

Optional miscellaneous

Article Number	Description	Price
U90881299	Tempoplex Plus outlet	62,-
K936467	Set of shower tray feet (6 pieces)	104,-
UCWAS0371-01	Spare outlet cover, White	45,-
UCWAS0371-1S	Spare outlet cover, Anthracite	45,-
UCWAS0371-AL	Spare outlet cover, Almond	45,-
UCWAS0371-RW	Spare outlet cover, Stone White	45,-

XX = Insert color code
01 = White alpine, RW = Stone White, 1S = Antracite, AL = Almond

TAPS



ICONS - TAPS

GBP excl. VAT

Aqua Smart	• Environmentally-friendly limitation of water to a maximum of 5 l/min – with no loss of performance
Comfort Plus	• Comfortable tap height for different surface-mounted washbasins
Air Plus	• Injecting air through aerator, to ensure a better water feeling with eco water usage
Smart Pressure	• Consistent water flow even in the event of variations in pressure
Easy Switch	• Easy switching of the spray head at the touch of a button
Easy Clean	• Easy cleaning and removal of limescale with a finger
Laminar Jet	• Almost splash-free water flow and aerosol-suppression for greater hygiene
Adjustable Plus	• Easy orientation of the water flow to wash hands more comfortably
Whisper Flow	• Exceptionally quiet water flow – noise class rating of 1 for the lowest level
Cool Tap	• Reliable protection from scalding on the thermostat body
Vi Push	• Water activation at the touch of a button

VEA

Vea - A touch of pure elegance

When form and function work together in harmony, style and comfort merge into one. With the Vea collection, Villeroy & Boch has completely reinterpreted the elegance and functionality (ViPush) of a perfume bottle. This extraordinary design brings aesthetics into everyday life. Manufactured in Germany from the highest quality materials, each fitting represents the finest craftsmanship, durable quality, and technical excellence.
The models with ceramic inlays combine Villeroy & Boch's expertise in fittings with the company's long tradition of ceramics.



Finishes

61 = Chrome

K5 = Matt Black

VEA



VEA




VEA

GBP excl. VAT

Single-lever basin mixer






Adjustable Plus · Air Plus · Aqua Smart · Smart Pressure · Vi Push

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVW 1170 01000 XX	47.5 x 162 x 184 mm, Deck-mounted, Material: Brass, Without waste, Connection Type: 3/8", Max flow rate at 3 bar: 3,8 l/min, Spout length: 119 mm, Spout height: 130 mm, With adjustable aerator, On/Off thanks to ViPush technology, On/Off thanks to ViPush technology	495,-	-	-	120	1,745

Single-lever basin mixer






Adjustable Plus · Air Plus · Aqua Smart · Smart Pressure · Vi Push

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVW 1170 01002 XX	47.5 x 162 x 184 mm, Deck-mounted, Material: Brass, Without waste, Connection Type: 3/8", Max flow rate at 3 bar: 3,8 l/min, Spout length: 119 mm, Spout height: 130 mm, With adjustable aerator, Ceramic push button in the lever, On/ Off thanks to ViPush technology, On/Off thanks to ViPush technology	692,-	692,-	-	120	1,794

Tall single-lever basin mixer





Adjustable Plus · Air Plus · Aqua Smart · Comfort Plus · Smart Pressure · Vi Push

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVW 1170 02000 XX	47.5 x 203 x 261 mm, Deck-mounted, Material: Brass, Without waste, Connection Type: 3/8", Max flow rate at 3 bar: 3,8 l/min, Spout length: 160 mm, Spout height: 205 mm, With adjustable aerator, On/Off thanks to ViPush technology, On/Off thanks to ViPush technology	710,-	-	-	60	2,27


XX = Replace color code
61 = Chrome, K5 = Matt Black

VEA

GBP excl. VAT

Tall single-lever basin mixer






Adjustable Plus · Air Plus · Aqua Smart · Comfort Plus · Smart Pressure · Vi Push

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVW 1170 02002 XX	47.5 x 203 x 261 mm, Material: Brass, Without waste, Connection Type: 3/8", Max flow rate at 3 bar: 3,8 l/min, Spout length: 160 mm, Spout height: 205 mm, With adjustable aerator, Ceramic push button in the lever, On/Off thanks to ViPush technology, On/Off thanks to ViPush technology	993,-	993,-	-	60	2,286

Three-hole basin mixer






Adjustable Plus · Air Plus · Aqua Smart · Smart Pressure · Vi Push

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVW 1170 03000 XX	47.5 x 137 x 156 mm, Deck-mounted, Material: Brass, Without waste, Connection Type: 3/8", Max flow rate at 3 bar: 3,8 l/min, Spout length: 120 mm, Spout height: 138 mm, With adjustable aerator, Right-hand lever: On/Off thanks to Vi-Push technology, Left-hand lever: Water flow adjustment, On/Off thanks to ViPush technology, Available from 06 / 2026	824,-	-	-	60	3,305

Three-hole basin mixer





Adjustable Plus · Air Plus · Aqua Smart · Smart Pressure · Vi Push

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVW 1170 03002 XX	47.5 x 137 x 156 mm, Deck-mounted, Material: Brass, Without waste, Connection Type: 3/8", Max flow rate at 3 bar: 3,8 l/min, With adjustable aerator, Ceramic push button in the lever, Right-hand lever: On/Off thanks to ViPush technology, Left-hand lever: Water flow adjustment, On/Off thanks to ViPush technology, Available from 06 / 2026	1.153,-	1.153,-	-	60	3,265


XX = Replace color code
61 = Chrome, K5 = Matt Black

VEA

GBP excl. VAT

Single-lever bath & shower mixer freestanding






Adjustable Plus
Air Plus
Smart Pressure

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVT 1170 01000 XX	64 x 274 x 935 mm, Material: Brass, Connection Type: 1/2", Hand shower hose connection: G 1/2, Max flow rate at 3 bar: 20 l/min, Spout length: 207 mm, Spout height: 786 mm, Minimum installation depth: 80-160 mm, Incl. bar-type hand shower and shower hose	1.649,-	-	-	6	8,5

Single-lever bath & shower mixer freestanding






Adjustable Plus
Air Plus
Smart Pressure

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVT 1170 01002 XX	64 x 274 x 935 mm, Material: Brass, Connection Type: 1/2", Hand shower hose connection: G 1/2, Max flow rate at 3 bar: 20 l/min, Spout length: 207 mm, Spout height: 786 mm, Minimum installation depth: 80-160 mm, Ceramic push button in the lever, Incl. bar-type hand shower and shower hose	2.308,-	2.308,-	-	6	7,305

Bath spout





Smart Pressure

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVT 1170 02000 XX	64 x 247 x 935 mm, Material: Brass, Connection Type: 1/2", Max flow rate at 3 bar: 20 l/min, Spout length: 195 mm	385,-	539,-	-	270	0,76


XX = Replace color code
61 = Chrome, K5 = Matt Black

VEA

GBP excl. VAT

Concealed thermostat with one-way volume control






Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVS 1170 01000 XX	157 x 45 x 157 mm, Material: Metal, Connection Type: 1/2", Max flow rate at 3 bar: 15,2 l/min, Adjustable temperature limitation, On/Off thanks to ViPush technology, Scald protection: maximum temperature can be adjusted and pre-set as required during installation, On/Off thanks to ViPush technology	758,-	-	-	96	1,507
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

Concealed thermostat with one-way volume control






Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVS 1170 01002 XX	157 x 45 x 157 mm, Material: Metal, Connection Type: 1/2", Max flow rate at 3 bar: 16,7 l/min, Adjustable temperature limitation, With diverter, Ceramic push button in the lever, On/Off thanks to ViPush technology, Water flow adjustment by turning, On/Off thanks to ViPush technology, Scald protection: maximum temperature can be adjusted and pre-set as required during installation	1.063,-	1.063,-	-	96	2,11
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

Concealed thermostat with two function volume control





Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVS 1170 02000 XX	157 x 45 x 157 mm, Material: Metal, Connection Type: 1/2", Max flow rate at 3 bar: 15,2 l/min, Adjustable temperature limitation, On/Off thanks to ViPush technology, Scald protection: maximum temperature can be adjusted and pre-set as required during installation, On/Off thanks to ViPush technology	803,-	-	-	96	1,68
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986


XX = Replace color code
61 = Chrome, K5 = Matt Black

VEA

GBP excl. VAT

Concealed thermostat with two function volume control






Vi Push

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVS 1170 02002 XX	157 x 45 x 157 mm, Material: Metal, Connection Type: 1/2", Max flow rate at 3 bar: 16,7 l/min, Adjustable temperature limitation, Ceramic push button in the lever, Scald protection: maximum temperature can be adjusted and pre-set as required during installation, Water volume regulation through ViPush technology, On/Off thanks to ViPush technology	1.125,-	1.125,-	-	96	1,7
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

Single-lever bidet mixer






Adjustable Plus
Air Plus
Aqua Smart
Smart Pressure
Vi Push

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVB 1170 01000 XX	47.5 x 137 x 166 mm, Deck-mounted, Material: Brass, With push/pull rod lever and pop-up waste, Connection Type: 3/8", Max flow rate at 3 bar: 3,8 l/min, Spout length: 123 mm, Spout height: 111 mm, On/Off thanks to ViPush technology, On/Off thanks to ViPush technology	495,-	-	-	120	1,921

Single-lever bidet mixer





Adjustable Plus
Air Plus
Aqua Smart
Smart Pressure
Vi Push


Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVB 1170 01002 XX	47.5 x 173 x 166 mm, Deck-mounted, Material: Brass, With push/pull rod lever and pop-up waste, Connection Type: 3/8", Max flow rate at 3 bar: 3,8 l/min, Spout length: 123 mm, Spout height: 111 mm, Ceramic push button in the lever, On/Off thanks to ViPush technology, On/Off thanks to ViPush technology	692,-	692,-	-	120	1,944

XX = Replace color code
61 = Chrome, K5 = Matt Black

EASY-BOX

The Genius Behind the Wall

Fast-Fix Technology ensures faster installation with less effort. Integrated markings, flexible depth adjustment, central alignment guide, and sealing fleece deliver a safe, accurate fit. Universal solution for all our single-lever mixers and thermostats.



Finishes

61 = Chrome

K5 = Matt Black

SKYLA EASY-BOX




SKYLA

GBP excl. VAT

Concealed single-lever bath / shower mixer






Air Plus

Article Number	Description		61	K5	Pcs/ Pal	kg/pc
TVS 1160 01000 XX	157 x 157 x 75 mm, wall-mounted, Material: Brass, Connection Type: 1/2"	-	203,-	284,-	96	1,247
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	113,71	-	-	180	0,986

Concealed single-lever bath / shower mixer






Article Number	Description		61	K5	Pcs/ Pal	kg/pc
TVS 1160 02000 XX	wall-mounted, Material: Brass, Connection Type: 1/2"	-	187,-	262,-	96	0,989
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	113,71	-	-	180	0,986

VEA

GBP excl. VAT

Concealed thermostat with one-way volume control






Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVS 1170 01000 XX	157 x 45 x 157 mm, Material: Metal, Connection Type: 1/2", Max flow rate at 3 bar: 15,2 l/min, Adjustable temperature limitation, On/Off thanks to ViPush technology, Scald protection: maximum temperature can be adjusted and pre-set as required during installation, On/Off thanks to ViPush technology	758,-	-	-	96	1,507
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

Concealed thermostat with one-way volume control






Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVS 1170 01002 XX	157 x 45 x 157 mm, Material: Metal, Connection Type: 1/2", Max flow rate at 3 bar: 16,7 l/min, Adjustable temperature limitation, With diverter, Ceramic push button in the lever, On/Off thanks to ViPush technology, Water flow adjustment by turning, On/Off thanks to ViPush technology, Scald protection: maximum temperature can be adjusted and pre-set as required during installation	1.063,-	1.063,-	-	96	2,11
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

Concealed thermostat with two function volume control





Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVS 1170 02000 XX	157 x 45 x 157 mm, Material: Metal, Connection Type: 1/2", Max flow rate at 3 bar: 15,2 l/min, Adjustable temperature limitation, On/Off thanks to ViPush technology, Scald protection: maximum temperature can be adjusted and pre-set as required during installation, On/Off thanks to ViPush technology	803,-	-	-	96	1,68
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986


XX = Replace color code
61 = Chrome, K5 = Matt Black

VEA

GBP excl. VAT

Concealed thermostat with two function volume control





Vi Push

VEA EASY-BOX

Article Number	Description	61	K5		Pcs/ Pal	kg/pc
TVS 1170 02002 XX	157 x 45 x 157 mm, Material: Metal, Connection Type: 1/2", Max flow rate at 3 bar: 16,7 l/min, Adjustable temperature limitation, Ceramic push button in the lever, Scald protection: maximum temperature can be adjusted and pre-set as required during installation, Water volume regulation through ViPush technology, On/Off thanks to ViPush technology	1.125,-	1.125,-	-	96	1,7
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

XX = Replace color code
61 = Chrome, K5 = Matt Black

UNIVERSAL TAPS & FITTINGS

The perfect fix

Universal Taps and Fittings offer the finishing touch to the bathroom. From the Vi-Box for easy installation to a shower for your bidet. Every product is designed to match all Villeroy & Boch taps collections, each with an individual touch.

Design and special features

- Generic shower products for all Villeroy & Boch taps collections
- Perfect combination of design and funtionality



Finishes



61 = Chrome



64 = Brushed Nickel Matt



76 = Brushed Gold



K5 = Matt Black

UNIVERSAL TAPS & FITTINGS




UNIVERSAL TAPS & FITTINGS



UNIVERSAL TAPS & FITTINGS

GBP excl. VAT


Shower thermostat



Cool Tap
Whisper Flow

Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVS 0000 18000 XX	317 x 104 x 65 mm, wall-mounted, Material: Brass, Connection Type: 1/2", Hand shower hose connection: 1/2", Max flow rate at 3 bar: 21 l/min, Adjustable temperature limitation, With backflow preventer	299,-	418,-	-	144	2


Concealed thermostat with one-way volume control



Cool Tap
Vi Push
Whisper Flow

Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVS 0000 39000 XX	157 x 66 x 157 mm, wall-mounted, Material: Zinc, Connection Type: 1/2", Max flow rate at 3 bar: 18,8 l/min, Adjustable temperature limitation, With backflow preventer, With diverter, Scald protection: maximum temperature can be adjusted and pre-set as required during installation, Water volume regulation through ViPush technology NEW	615,-	860,-	-	96	1,57
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

Concealed thermostat with two function volume control



Cool Tap
Vi Push
Whisper Flow

Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVS 0000 41000 XX	157 x 66 x 157 mm, wall-mounted, Material: Zinc, Connection Type: 1/2", Max flow rate at 3 bar: 20 l/min, Adjustable temperature limitation, With diverter, Scald protection: maximum temperature can be adjusted and pre-set as required during installation, Water volume regulation through ViPush technology NEW	642,-	900,-	-	1	2,1
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986


XX = Replace color code
61 = Chrome, 64 = Brushed Nickel Matt, 76 = Brushed Gold, K5 = Matt Black

UNIVERSAL TAPS & FITTINGS

GBP excl. VAT

Concealed thermostat with one-way volume control






Cool Tap
Vi Push
Whisper Flow

Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVS 0000 38000 XX	157 x 66 x 157 mm, wall-mounted, Material: Zinc, Connection Type: 1/2", Max flow rate at 3 bar: 18,8 l/min, Adjustable temperature limitation, With backflow preventer, With diverter, Scald protection: maximum temperature can be adjusted and pre-set as required during installation, Water volume regulation through ViPush technology **NEW**	605,-	848,-	-	1	1,4
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

Concealed thermostat with two function volume control





Cool Tap
Vi Push
Whisper Flow

Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVS 0000 40000 XX	157 x 66 x 157 mm, wall-mounted, Material: Zinc, Connection Type: 1/2", Max flow rate at 3 bar: 20 l/min, Adjustable temperature limitation, With backflow preventer, With diverter, Scald protection: maximum temperature can be adjusted and pre-set as required during installation, Water volume regulation through ViPush technology **NEW**	634,-	886,-	-	1	21
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

Shower system



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVZ 0001 04000 XX	wall-mounted, Material: Brass, Shower hose 1.600 mm, With diverter	1.499,-	2.063,-	-	9	7,511

XX = Replace color code
61 = Chrome, 64 = Brushed Nickel Matt, 76 = Brushed Gold, K5 = Matt Black

UNIVERSAL TAPS & FITTINGS

GBP excl. VAT

Shower system



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVZ 0001 06000 XX	wall-mounted, Material: Brass, Shower hose 1.600 mm, With diverter	1.182,-	1.621,-	-	16	5,509

Shower system



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVZ 0001 05000 XX	wall-mounted, Material: Brass, Shower hose 1.600 mm, With diverter	1.091,-	1.530,-	-	16	4,523
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

Shower system



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVZ 0001 02000 XX	wall-mounted, Material: Brass, Shower hose 1.600 mm, With diverter	1.408,-	1.973,-	-	9	6,525
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

XX = Replace color code
61 = Chrome, 64 = Brushed Nickel Matt, 76 = Brushed Gold, K5 = Matt Black

UNIVERSAL TAPS & FITTINGS

GBP excl. VAT

Shower system




Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVZ 0001 01000 XX	wall-mounted, Material: Brass, Shower hose 1.600 mm, With diverter	1.164,-	1.633,-	-	16	4,842
Required Miscellaneous						
A1000 NU	Easy-Box Universal concealed installation unit	-	-	113,71	180	0,986

Shower system




Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVZ 0001 03000 XX	wall-mounted, Material: Brass, Shower hose 1.600 mm, With diverter	1.255,-	1.725,-	-	16	5,828

Siphon



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVC 0000 04000 XX	50 x 345 x 190 mm, wall-mounted, Material: Brass, Connection Type: 1 1/4"	106,-	149,-	-	240	0,7

Push-Open waste



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVP 0000 03020 XX	63 x 63 x 61 mm, Material: Brass	-	98,-	-	800	0,3


XX = Replace color code
61 = Chrome, 64 = Brushed Nickel Matt, 76 = Brushed Gold, K5 = Matt Black

UNIVERSAL TAPS & FITTINGS

GBP excl. VAT

Push-Open waste







Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVP 0000 03010 XX	64 x 64 x 99 mm, Material: Brass	50,-	-	-	1500	0,324

Vi-Box universal concealed installation unit for single-lever mixer









Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVS 0003 51000 00	226 x 79 x 259 mm, wall-mounted, Material: Plastic, Min / Max installation depth: 75 / 101 mm, Flow volume at 3 bar in outlet no.1: 21.5 l/min, in outlet no.2: 21.5 l/min	-	-	94,-	192	1,138

Vi-Box concealed thermostat installation unit with security lock







Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVD 0006 65100 00	115 x 106 x 178 mm, wall-mounted, Material: Plastic, With backflow preventer, Min / Max installation depth: 84 / 106 mm, Flow volume at 3 bar in outlet no.1: 13.3 l/min, in outlet no.2: 13.7 l/min, in outlet no.3: 13.5 l/min	-	-	139,-	216	1,651


XX = Replace color code
61 = Chrome, 64 = Brushed Nickel Matt, 76 = Brushed Gold, K5 = Matt Black


UNIVERSAL TAPS & FITTINGS

GBP excl. VAT

Universal concealed installation unit for single-lever mixer








Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVW 0001 52000 00	280 x 25 x 226 mm, wall-mounted, Material: Plastic, Max flow rate at 3 bar: 20,7 l/min, With backflow preventer, Min / Max installation depth: 65 / 80 mm, 1 x Outlet	-	-	105,-	216	1,365

Fastening for floor-standing bath mixer





Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
TVC 00046 5000 00	118 x 129 x 126 mm, Floor-mounted, Material: Brass, Minimum installation depth: 68 mm	-	-	111,-	288	1,526

Distance frame



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
A7879	207 x 215 x 35 mm NEW	54,-	86,-	-	300	0,504

Distance frame



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
A7877	207 x 215 x 35 mm NEW	54,-	86,-	-	300	0,319

XX = Replace color code
61 = Chrome, 64 = Brushed Nickel Matt, 76 = Brushed Gold, K5 = Matt Black

UNIVERSAL TAPS & FITTINGS

GBP excl. VAT

Distance frame



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
A7878	207 x 215 x 35 mm NEW	54,-	86,-	-	300	0,498

Distance frame



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
A7851	207 x 215 x 35 mm NEW	54,-	68,-	-	300	0,244

Easy-Box Universal concealed installation unit



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
A1000 NU	145 x 145 x 140 mm, Connection Type: 1/2"	-	-	113,71	180	0,986

Concealed installation unit for basin mixer



Article Number	Description	61	64, 76, K5		Pcs/ Pal	kg/pc
A1313 NU	145 x 145 x 140 mm, wall-mounted, Connection Type: 1/2", Adjustable temperature limitation	-	-	124,-	210	0,954

XX = Replace color code
61 = Chrome, 64 = Brushed Nickel Matt, 76 = Brushed Gold, K5 = Matt Black

NOTES

NOTES

Villeroy & Boch

GREAT BRITAIN

Villeroy & Boch Group

Ideal Standard (UK) Limited
The Bathroom Works National Avenue
Hull HU5 4HS
England
01482 346461

WWW.VILLEROY-BOCH.CO.UK

Assortment, shades and dimensions subject to the usual tolerances.
We reserve the right to make technical modifications to the range and alter colours.